



Digitized by

The Association for Preservation Technology International

For the


Building Technology Heritage Library

http://archive.org/details/buildingtechnologyheritagelibrary

Sash, Screens, Blinds, Shutters, & Comb. Softwood Doors Colonial Doors Cotonial Entrance Frames Frames Porch Work & Stair Work Sabinet Work

Entrance







All Previous Quotations Withdrawn

CATALOG No.

18

Effective May 29, 1937


to the

RETAIL LUMBER DEALER ONLY

Subject to Stock on Hand



J. R. QUIGLEY CO.



MAIN OFFICE:—811 MARKET STREET GLOUCESTER CITY, N. J. BRANCH:—CRESSONA, PA.

Warehouses:

BOULEVARD and NICHOLSON ROAD and MARKET STREET and WEST JERSEY R. R. GLOUCESTER CITY, N. J.

BRANCH: FRONT & R. R. STS., CRESSONA, PA.

Bell Phones Keystone Phones
Gloucester 442, 443, 444 and 445 Gloucester 32561 & 32571
Direct Phila. Wire MARket 0444

Cressona Phone:-Schuylkill Haven 244-249

Sash, Screens, Blinds, Shutters, & Comb. Doors

> Softwood Doors

> > Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

abinet Work

To The Retail Lumber Dealer Only

"Specials"

We are equipped to take care of your Special or Odd Work promptly. Designs in Frames, Sash, Doors, etc., that are unlisted are made on short notice. Such orders are NON-CANCELLABLE.

In addition to the items listed in this Price Bulletin, we have on hand at all times large stocks of other Millwork which will be quoted on upon request.

Stock

All items listed in this catalog are Stock, Standard items and are always carried on hand in large quantities.

Deliveries

We will deliver by truck, free of charge, all orders for full truckloads within a reasonable distance.

Less than truckloads will be delivered by truck when a full load for your territory has been accumulated.

Positively no deliveries to the job.

Terms

All items listed are subject to trade discount as announced by card attached.

TERMS-2% ten days. Net sixty days.

22

Credit

Stock material returned to us in good condition will be credited, less 20% on your cost, providing notice of intention to return and ticket number covering charge is given us within 5 days from date of delivery.

3

FREIGHT

We Allow Freight on Shipments Weighing 200 Lbs. or Over

BUNDLING NO CHARGE FOR FULL BUNDLES

Softwood Panel Doors

10 doors 3/4 inch thick—same size and kind to a bundle 5 doors 13/8 inch thick—same size and kind to a bundle 4 doors 13/4 inch thick—same size and kind to a bundle

Hardwood Panel Doors

4 doors 13/8 inch thick—same size and kind to a bundle 3 doors 13/4 inch thick—same size and kind to a bundle

SASH

11/8"	Windows,	open .	 ٠		٠	 	٠				 5	Wds.
13/8"	**	**									 5	**
, 0	Sash,	••						 			10	Sash
13/8"	4.6	**				 					 10	4.6
11/8"	Windows,	glazed									 8	Wds.
13/8"		**									 5	4.6
11/8"	Sash,	**						 			10	Sash
13/8"	4.4	**						 			10	44

IMPORTANT

Where freight shipments are ordered in Less than Full Bundles the following Charges will apply:

Per	Bundle
Windows and Sash	\$0.45
Doors, Open	.90
Doors, Glazed	1.50
Garage Doors	\$0.45 .90 1.50

Sash, Screens, Blinds, Shutters, & Comb. Doors

> Softwood Doors

> > Colonial Entrance Doors

Colonial Entrance Frames

Frames


Porch Work & Stair Work

Mouldings

Sabinet

COMBINATION SCREEN AND STORM DOORS

WHITE PINE



Screen Panel
IN SUMMER
keeps out flies,
conserves
health.


Q-8

THE "ALL SEASON" DOOR

Furnished complete
Wired Screen Panel. 16 Mesh
Glazed Sash with Beads
Adjustable Locking Device Prevents Rattling



Screen Panel
IN SUMMER
Keeps Out Flies
Conserves
Health



Storm Panel IN WINTER keeps out cold, saves fuel

keeps out cold,

saves fuel.

Q-12


COMBINATION SCREEN AND STORM DOORS

WHITE PINE



Screen Panel
IN SUMMER
keeps out flies,
conserves
health.





Storm Panel IN WINTER keeps out cold, saves fuel.

Q-9

THE "BORDER LIGHT" DOOR

Furnished complete

	Q-8		(2-12	Q	1-9
No. 1 White Pine	Galv.	Bronze	Galv.	Bronze	Galv.	Bronze
2. $4\frac{1}{2} \times 6$. $7-1\frac{1}{8}$	\$9.00	\$9.48			**********	
2. 6½ x 6. 7— "	9.00	9.48	\$9.48	\$9.96	9.74	\$10.22
2. 6½ x 6. 9— "	9.08	9.56	9.56	10.03	9.81	10.29
2. 6½ x 7. 1— "	9.48	9.96	9.96	10.44	10.22	10.69
2. 8½ x 6. 9— "	9.37	9.85	10.00	10.47	10.14	10.62
2. 8½ x 6.11— "	9.78	10.25	10.40	10.88	10.14	10.95
2. 8½ x 7. 1— "	9.78	10.25	10.40	10.88	10.47	10.95
2.10½ x 6.11— "	9.89	10.36	10.47	10.95	10.80	11.28
2.10½ x 7. 1— "	10.00	10.47	10.58	11.06	10.91	11.39
3. 0½ x 6. 9— "	9.85	10.33	10.33	10.80	10.66	11.14
3. 0½ x 7. 1— "	10.29	10.77	10.77	11.25	11.10	11.58

Only One Fitting-One Set of Hardware

This Combination Door requires no planing or fitting of panels. They are made interchangeable and are fitted perfectly. In fact, the Combination Door is no more trouble to install than a single screen door, for it requires but one fitting, one set of hardware and one expense, yet you have both screen and storm equipment.

Sash, Screens, Blinds, Shutters, & Comb. Doors

> Softwood Doors

> > Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work &_ Stair Work

louldings

Cabinet Work

WHITE PINE SCREEN DOORS



16 Mesh Wire Cloth Mortised and Tenoned

No. 1 White Pine Countersunk Moulding

Q-1		
	Dark	
	Bronze	Galv.
	Each	Each
2. $0\frac{1}{2} \times 6$. $7-\frac{1}{8}$	\$6.90	\$5.59
2. $0\frac{1}{2} \times 6$. $9-\frac{1}{8}$	7.22	5.80
2. $0\frac{1}{2} \times 7$. $1-\frac{1}{8}$	7.41	5.92
2. $6\frac{1}{2} \times 6$. $7-\frac{1}{8}$	6.90	5.59
2. $6\frac{1}{2} \times 6$. $9-\frac{1}{8}$	7.22	5.80
2. $6\frac{1}{2} \times 7$. $1-\frac{1}{8}$	7.41	5.92
2. 8½ x 6. 7—1½	7.22	5.80
2. $8\frac{1}{2} \times 6$. $9-1\frac{1}{8}$	7.22	5.80
2. $8\frac{1}{2} \times 6.11 - \frac{1}{8} \dots$	7.31	5.86
2. $8\frac{1}{2} \times 7$. $1-\frac{1}{8}$	7.41	5.92
$2.10\frac{1}{2} \times 6.9 - \frac{1}{8} \dots$	7.54	6.03
$2.10\frac{1}{2} \times 6.11 - \frac{1}{8} \dots$	7.54	6.03
$2.10\frac{1}{2} \times 7. 1 - \frac{1}{8} \dots$	7.64	6.09
3. $0\frac{1}{2} \times 6$. $9-\frac{1}{8}$	7.64	6.09
3. $0\frac{1}{2} \times 6.11 - 1\frac{1}{8} \dots$	7.86	6.24
3. $0\frac{1}{2} \times 7$. $1-\frac{1}{8}$	7.86	6.24

NOTE-This Special layout makes a better appearance and also a sturdier door.

> 4" Stiles.

33/4" Top Rail.
7" Bottom Rail.

71/4" Raised Panel.

WHITE PINE SCREEN DOORS



16 Mesh Wire Cloth Mortised and Tenoned

No. 1 White Pine Countersunk Moulding

Dark

Q-2

	Bronze Each	Galv. Each
2. $0\frac{1}{2} \times 6$. $7-\frac{1}{8}$	\$5.99	\$5.01
2. $0\frac{1}{2} \times 6$. $9-\frac{1}{8}$	6.33	5.22
2. $0\frac{1}{2} \times 7$. $1-\frac{1}{8}$	6.50	5.35
2. $6\frac{1}{2} \times 6$. $7-\frac{1}{8}$	5.99	5.01
2. 6½ x 6. 9—1½	6.33	5.22
2. $6\frac{1}{2} \times 7$. $1-\frac{1}{8}$	6.50	5.35
2. 8½ x 6. 7—1½	6.33	5.22
2. $8\frac{1}{2} \times 6$. $9-1\frac{1}{8}$	6.33	5.22
2. $8\frac{1}{2} \times 6.11 - \frac{11}{8} \dots$	6.41	5.27
2. $8\frac{1}{2} \times 7$. $1-\frac{1}{8}$	6.50	5.35
$2.10\frac{1}{2} \times 6.9 - \frac{1}{8} \dots$	6.67 V	5.44
$2.10\frac{1}{2} \times 6.11 - \frac{1}{8} \dots$	6.67	5.44
$2.10\frac{1}{2} \times 7. 1 - \frac{1}{8} \dots$	6.77	5.52
3. $0\frac{1}{2} \times 6$. $9-\frac{1}{8}$	6.77	5.52
3. $0\frac{1}{2} \times 6.11 - \frac{1}{8} \dots$	7.01	5.67
3. $0\frac{1}{2} \times 7$. $1-\frac{1}{8}$	7.01	5.67
33/4" Stiles.		

Softwood Doors Colonial Entrance Doors Colonial Entrance Frames Frames Porch Work Stair Work

Cabinet

33/4" Top Rail.

7" Bottom Rail.

WINDOW SCREENS

WHITE PINE—FULL LENGTH

11/8" Thick 16 Mesh Wire Countersunk Bead Moulding Phila.-Balto. Openings



Thru-Mortised and Tenoned
Construction — not the ordinary Slotted Joints.
Wire set in Rabbet with Flat
Moulding. Every Strand Securely Held by Rattan Welt.


NOTE—This wide layout.

23/8" Stiles Overall.

23/8" Top Rail Overall.

31/2" Bottom Rail Overall.

16 Mesh Wire.



Method of Holding Wire Rigidly in Place



Thru-Mortised Construction

For prices see next page

WINDOW SCREENS

MADE OF GENUINE SOFT, CLEAR WHITE PINE

See Illustration-Page 8

7

ş

ş

9

9

3

3

3

3

3

3

3

3

See Illustr	ation—Page 8	
2 Lt. Window Outside		ark Dull
		onze Galv.
$20 \times 16 \dots 2. 0 \frac{1}{2} \times 3$. 35/8 \$1	.97 \$1.64
$20 \times 18 \dots 2.0 \frac{1}{2} \times 3$.11 1.73
$20 \times 20 \dots 2 0 \times 3$.115/8 2	.25 1.83
$20 \times 24 \dots 2 \times 0 \frac{1}{2} \times 4$.75/82	.50 1.98
	$.11\frac{5}{8}$.64 2.08
20 x 282. 0½ x 5	. 35/8 2	.75 2.17
	$.7\frac{5}{8}$	
$20 \times 30 \dots 2. 0\frac{1}{2} \times 5$ $20 \times 32 \dots 2. 0\frac{1}{2} \times 5$.75/8 2	.89 2.27
$20 \times 32 \dots 2. 0 \frac{1}{2} \times 5$	$.11\frac{5}{8}$.02 2.36
$24 \times 16 \dots 2. \ 4\frac{1}{2} \times 3$ $24 \times 18 \dots 2. \ 4\frac{1}{2} \times 3$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.22 1.76
$24 \times 182. 4\frac{1}{2} \times 3$.75/82	.36 1.86
$24 \times 20 \dots 2.4 /_2 \times 3$.115/8 2	.50 1.95
$24 \times 24 \dots 2. 4\frac{1}{2} \times 4$. 75/8 2	.80 2.17
24 x 262. 41/2 x 4	.115/8 2	
24 x 282. 41/2 x 5	$.11\frac{5}{8}$	
$24 \times 28 \dots 2.4 \frac{1}{2} \times 5$	$3\frac{5}{8}$.11 2.36
24 x 262. 4½ x 4 24 x 282. 4½ x 5 24 x 302. 4½ x 5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.25 2.46
$24 \times 32 \dots 2. 4 / 2 \times 5$.115/8 3	.39 2.55
76 v 18 2 61/2 v 3	1 /8 /.	.47 1.95
$26 \times 20 \dots 2.6 \frac{1}{2} \times 3$.115/2	.61 2.05
26 x 242. 6½ x 3 26 x 242. 6½ x 4	. 75/8 2	.94 2.24
26 x 262. 6½ x 4		.08 2.36
2/ 22 2 117 2	$3\frac{5}{8}$	
$26 \times 28 \dots 2. 6\frac{1}{2} \times 5$ $26 \times 30 \dots 2. 6\frac{1}{2} \times 5$	$3\frac{5}{8}$.25 2.46
$26 \times 30 \dots 2.6 \frac{1}{2} \times 5$.75/83	.39 2.55
$26 \times 302.6\frac{1}{2} \times 5$ $26 \times 322.6\frac{1}{2} \times 5$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.55 2.68
$27 \times 18 \dots 2.7 /_2 \times 3.$	75/8 2	.58 2.02
$27 \times 20 \dots 2.7 \frac{1}{2} \times 3$	$.11\frac{5}{8}$.75 2.11
$27 \times 24 \dots 2.7 \frac{1}{2} \times 4$	$.75/_{8}3$.08 2.33
$27 \times 26 \dots 2.7 \frac{1}{2} \times 4$.25 2.43
$27 \times 28 \dots 2.7 \times 5$	$.11\frac{5}{8}$	
$27 \times 28 \dots 2. 7\frac{1}{2} \times 5$ $27 \times 30 \dots 2. 7\frac{1}{2} \times 5$	$3\frac{5}{8}$	
$27 \times 30 \dots 2. 7 \frac{1}{2} \times 5$.75/83	.58 2.65
$27 \times 32 \dots 2. 7\frac{1}{2} \times 5$	$.11\frac{5}{8}$.75 2.77
$28 \times 18 \dots 2. \ 8\frac{1}{2} \times 3.$	75/8	.58 2.02
$28 \times 20 \dots 2. 81/2 \times 3$.115/8 2	.75 2.11
27 x 20 2. 7½ x 3 27 x 24 2. 7½ x 4 27 x 26 2. 7½ x 5 27 x 30 2. 7½ x 5 27 x 30 2. 7½ x 5 28 x 18 2. 8½ x 3 28 x 20 2. 8½ x 3 28 x 24 2. 8½ x 4 28 x 26 2. 8½ x 4 28 x 26 2. 8½ x 5	. 75/9	.08 2.33
$28 \times 26 \dots 2.8 \frac{1}{2} \times 4$.115/8 3	.25 2.43
28 x 282. 8½ x 5 28 x 302. 8½ x 5	. 35/8 3	.41 2.55
28 x 302. 8½ x 5	$3\frac{5}{8}$ 3 $7\frac{5}{8}$ 3	
28 x 302. 8½ x 5 28 x 322. 8½ x 5 30 x 202.10½ x 3		.58 2.65
$28 \times 32 \dots 2. \ 81/2 \times 5$.115/8 3	.75 2.77
$30 \times 20 \dots 2.10 \frac{1}{2} \times 3$.112/8	.86 2.21
$30 \times 242.10\frac{1}{2} \times 4$ $30 \times 262.10\frac{1}{2} \times 4$	$1\frac{2}{8} \dots 3$.19 2.43
$30 \times 26 \dots 2.10 \frac{1}{2} \times 4$	115%	.36 2.52
$30 \times 28 \dots 2.10 \frac{1}{2} \times 5$. 35/8 3	.55 2.65
$30 \times 30 \dots 2.10 \frac{1}{2} \times 5$	$7\frac{5}{8}$.72 2.74
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$30 \times 322.10\frac{1}{2} \times 5$ $32 \times 203.0\frac{1}{2} \times 3$.115% 3	.91 2.87
$32 \times 20 \dots 3. \ 0\frac{1}{2} \times 3$ $32 \times 24 \dots 3. \ 0\frac{1}{2} \times 4$.115% 3	.00 2.27
$32 \times 24 \dots 3. \ 0\frac{1}{2} \times 4$	$1\frac{5}{8}$.36 2.49
32 x 203. U1/2 x 4	$.115/_8$ 3	.55 2.61
$32 \times 28 \dots 3. 01/2 \times 5$	$3\frac{5}{8}$.72 2.74
$32 \times 30 \dots 3.0\frac{1}{2} \times 5$	75/8 3	.91 2.84
$32 \times 32 \dots 3.0 \frac{1}{2} \times 5$.115/8 4	11 2.96
$36 \times 20 \dots 3. \ 4\frac{1}{2} \times 3.$.27 2.43
JU X 20 J. 4/2 X J.		
$36 \times 24 \dots 3. \ 4\frac{1}{2} \times 4$	75%	.66 2.68
$36 \times 26 \dots 3.4 \frac{1}{2} \times 4$	$.11\frac{5}{8}$.89 2.80
$36 \times 28 \dots 3. \ 4\frac{1}{2} \times 5$. 3 1/2 4	.08 2.93
$36 \times 30 \dots 3.4 \frac{1}{2} \times 5$	75/6 4	.27 3.06
$36 \times 32 \dots 3. 4\frac{1}{2} \times 5.$	115/8 4	47 3.18
$36 \times 32 \dots 3. \ 4\frac{1}{2} \times 5. \ 36 \times 36 \dots 3. \ 4\frac{1}{2} \times 6.$	75/8 4	.88 3,47
, , , , , , , , , , , , , , , , , , , ,	70	7

See Pages 6 and 7 for Screen Door Lists

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Werk & Stair Work

Mouldings

Cabinet Work





LIBBEY · OWENS · FORD WINDOW GLASS

Large quantities of stock sizes carried on hand at all times in "B" Quality Single or Double Strength Glass.

Include with your orders of Millwork, box or less than box quantities of Libbey-Owens-Ford Window Glass for your stock.

Florentine Glass cut to any desired size.

SPECIAL CHARGES

-

-

-

-

-

-

3

3

3

3

3

3

3

3

3

3

3

3

3

3

-

2

3

3

BACK PUTTYING

All Windows......Add 5% to Catalog Glazed List

All Windows.....Add 5% to Catalog Glazed List

BEDDING IN PUTTY

1-lt. SashAdd 8% to Catalog Glazed List
2-lt. WindowsAdd 8% to Catalog Glazed List
All Other Sash.....Add 10% to Catalog Glazed List
All Other Windows ..Add 10% to Catalog Glazed List

PRIMING

Dipping Whit	e Prime 5c Net per Sash
Dipping Whit	e Prime 8c Net per Window
Dipping Lead	and Oil 8c Net per Sash
Dipping Lead	and Oil16c Net per Window
Dipping Linse	ed Oil 8c Net per Sash
Dipping Linse	ed Oil16c Net per Window

SEPARATING PAIRS

Windows — Blinds — Shutters

Windows—Use half price of complete window (either open or glazed) and add 16c NET.

Blinds and Shutters—Use half price of complete pair and add 25% LIST.

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

lould-

Cabinet Work

STORM SASH

WHITE PINE

11/8"

Philadelphia and Baltimore Openings





Size of	Outside .	2	Its.	4 1	ts.
Glass	Size	Open	Glazed	Open	Glazed
18 x 181.	$10\frac{1}{2} \times 3.7\frac{5}{8}$	\$1.33	\$2.26	\$1.55	\$2.57
20 x 162	$01/2 \times 3.35/6$	1.33	2.26	1.55	2.57
20 x 182	$\begin{array}{c} . \ 0\frac{1}{2} \times 3. \ 7\frac{5}{8} \dots \\ . \ 0\frac{1}{2} \times 3.11\frac{5}{8} \dots \end{array}$	1.37	2.40	1.61	2.71
20 x 202	$01/2 \times 3.112/8$	1.41	2.64	1.67	2.86
20 x 242	$0\frac{1}{2} \times 4.7\frac{2}{8}$	1.49	2.93	1.78	3.14
20 x 262	$01/2 \times 4.115/6$	1.53	3.03	1.83	3.38
20 x 282	$01/2 \times 5 = 35/6$	1.57	3.17	1.89	3.53
20 x 302	$0\frac{1}{2} \times 5.7\frac{1}{8}$	1.61	3.31	1.93	3.67
20 x 322	111/2 v 5 1 1 2/2	1.73	3.63	2.19	4.41
24 x 162	. 41/2 x 3. 3%	1.41	2.50	1.64	2.78
24 x 182	$4\frac{1}{2} \times 3.7\frac{5}{8}$.	1.45	2.75	1.70	2.96
24 x 202	$4\frac{1}{2} \times 3.11\frac{2}{8}$.	1.49	2.93	1.75	3.10
24 x 242	$4\frac{1}{2} \times 4.7\frac{5}{8}$.	1.57	3.28	1.86	3.56
24 x 262	41/2 × 4.115/0.	1.61	3.31	1.92	3.70
24 x 282	$4\frac{1}{2} \times 5.3\frac{5}{8}$	1.65	3.56	1.97	3.91
24 x 302	. $4\frac{1}{2} \times 5$. $3\frac{5}{8}$ $4\frac{1}{2} \times 5$. $7\frac{5}{8}$.	1.69	3.74	2.03	4.19
24 x 322	. 41/2 x 5. 112/8	1.82	4.16	2.19	4.41
26 x 202	$6\frac{1}{2} \times 3.11\frac{5}{8}$	1.53	3.03	1.83	3.24
26 x 242	. $6\frac{1}{2} \times 3.11\frac{5}{8}$ $6\frac{1}{2} \times 4.7\frac{5}{8}$.	1.61	3.31	1.94	3.74
26 x 262	$0^{1/2} \times 4.11^{3/8}$	1.65	3.56	2.00	3.91
26 x 282	$6\frac{1}{2} \times 5.3\frac{5}{8}$	1.69	3.84	2.06	4.19
26 x 302	$6\frac{1}{2} \times 5.7\frac{5}{8}$	1.73	4.09	2.11	4.44
26 x 322	$.6\frac{1}{2} \times 5.11\frac{5}{8} \dots$ $.7\frac{1}{2} \times 3.11\frac{5}{8} \dots$	1.87	4.23	2.28	4.83
27 x 202	$.7\frac{1}{2} \times 3.11\frac{5}{8} \dots$	1.57	3.17	1.83	3.24
27 x 242		1.65	3.56	1.94	3.74
27 x 262	$.7\frac{1}{2} \times 4.11\frac{5}{8} \dots$	1.69	3.74	2.00	3.91
27 x 282	. 7½ x 5. 35 ₈ . 7½ x 5. 75 ₈ . 7½ x 5.115 ₈	1.73	3.88	2.06	4.19
27 x 302	$.7\frac{1}{2} \times 5.7\frac{5}{8}$	1.78	4.12	2.11	4.44
27 x 322	$.7\frac{1}{2} \times 5.11\frac{5}{8}$	1.91	4.69	2.28	3.31
28 x 202	. 0 1/2 X J. 1 1 1/8	1.65	3.56	1.94	3.88
28 x 242	$8\frac{1}{2} \times 4.7\frac{5}{8}$. $8\frac{1}{2} \times 4.11\frac{5}{8}$.	1.69	3.84	2.00	3.98
28 x 262 28 x 282	$8\frac{1}{2} \times 4.11\frac{5}{8}$. $8\frac{1}{2} \times 5.3\frac{5}{8}$.	1.73	4.09	2.06	4.41
	$. 8\frac{1}{2} \times 5. 3\frac{5}{8}$ $. 8\frac{1}{2} \times 5. 7\frac{5}{8}$	1.78	4.12	2.11	4.55
	$\begin{array}{c} 8\frac{1}{2} \times 5. & 7\frac{5}{8} \dots \\ 8\frac{1}{2} \times 5. & 11\frac{5}{8} \dots \end{array}$	1.91	4.79	2.28	4.83
28 x 322 30 x 202	$1.10\frac{1}{2} \times 3.11\frac{1}{8}$.	1.61	3.31	1.87	3.63
30×202 30×242	. 8½ x 5. 35/8 . 8½ x 5. 75/8 . 8½ x 5. 115/8 . 10½ x 3.115/8 . 10½ x 4. 75/8	1.69	3.74	1.99	3.98
30 x 262	$1.10\frac{1}{2} \times 4.11\frac{5}{8}$.	1.73	4.09	2.04	4.37
30 x 282	$1.10\frac{1}{2} \times 5.3\frac{5}{8}$	1.78	4.12	2.10	4.55
30 x 302	$1.10\frac{1}{2} \times 4.11\frac{5}{8} \dots$ $1.10\frac{1}{2} \times 5.3\frac{5}{8} \dots$ $1.10\frac{1}{2} \times 5.7\frac{5}{8} \dots$	1.82	4.72	2.15	4.72
30 x 322	101/2 2 5 1 1 2/2	1.95	4.83	2.32	5.01
32 x 243	01/ - 4 75/	1.82	4.16		
32 x 263	$0\frac{1}{2} \times 4.11\frac{5}{8}$	1.87	4.19		4000000
32 x 283	$01/2 \times 5$, $35/2$.	1.91	4.79		********
32 x 303	111/ 7 / 1/2	1.95	4.83		
32 x 323	$0\frac{1}{2} \times 5.11\frac{5}{8}$	2.00	5.22	********	p+++++114
36 x 243	$4\frac{1}{2} \times 4.7\frac{5}{8}$.	1.91	4.51		
36 x 263	$4\frac{1}{2} \times 4.7\frac{5}{8}$ $4\frac{1}{2} \times 4.11\frac{5}{8}$	1.95	4.83		*******
	1. 01/2 x 5.17/8 1. 41/2 x 4. 75/8 1. 41/2 x 4.115/8 1. 41/2 x 5. 35/8 1. 41/2 x 5. 75/8	2.00	5.22		********
36 x 303	$4\frac{1}{2} \times 5.7\frac{5}{8}$	2.04	5.25	********	********
36 x 323	$4\frac{1}{2} \times 5.11\frac{5}{8}$.	2.08	5.78		
	72 76				1

CELLAR SASH—SCREENS—TRANSOMS WHITE PINE

CELLAR SASH



1 1/8"-3 Lts.

S	ize	of Outside		
(Gla	ss Size	Open	Glazed
7	x	92. 1½ x 1.2	\$0.71	\$0.98
8	x	82. 4½ x 1.1	.76	1.08
8	x	$102.4\frac{1}{2} \times 1.3$.76	1.08
8	x	12	.78	1.15
8	x	14	.81	1.22
8	x	16	.83	1.28
9	x	12	.81	1.22
9	x	$142.7\frac{1}{2} \times 1.7$.84	1.28
9	x	16	.86	1.35
9	x	18	.88	1.52
10	x	122.10½ x 1.5	.85	1.25
10	x	142.10½ x 1.7	.87	1.35
10	x	162.10½ x 1.9	.89	1.52
8	x	10-2 Lts1. 8½ x 1.3	.64	.88
10	x	12-2 Lts2. 0½ x 1.5	.70	.98
12	х	14—2 Lts2. 4½ x 1.7	.78	1.25
12	x	16-2 Lts2. 4½ x 1.9	.80	1.32



CELLAR SCREENS 11/8"-2 Ope. for Wire

	3 1	_t.	Outside		
Gla	iss	Size	Size	Open	Wired
8	x	8	2. 4½ x 1.1½	\$0.76	\$1.00
8	x	10	2. 4½ x 1.3½	.76	1.09
			2. 4½ x 1.5½	.78	1.20
8	x	14	2. 4½ x 1.7½	.81	1.32
8	x	16	2. 4½ x 1.9½	.83	1.41
9	x	12	2. 7½ x 1.5½	.81	1.22
			2. 7½ x 1.7½	.84	1.33
9	x	16	2. 7½ x 1.9½	.86	1.43
			2.10½ x 1.5½	.85	1.34
			2.10 $\frac{1}{2}$ x 1.7 $\frac{1}{2}$.87	1.45
			2.10½ x 1.9½	.89	1.53

TRANSOMS-1 LT.



1 3/8" Thick

Size of	Outside		
Glass	Size	Open	Glazed
26 x 6	2.6 x 10"	\$0.63	\$0.91
28 x 6		.65	.95
26 x 8	2.6 x 1.0	.63	.95
28 x 8	2.8 x 1.0	.65	1.01
32 x 8	3.0 x 1.0	.73	1.15
26 x 10		.65	1.05
28 x 10	2.8 x 1.2	.67	1.08
26 x 12		.67	1.11
28 x 12		.69	1.15
32 x 12	3.0 x 1.4	.77	1.35
26 x 14		.69	1.18
28 x 14	2.8 x 1.6	.71	1.32
32 x 14	3.0 x 1.6	79	1.42
		1.3/	Thick

32	ж	83.0 x 1.0	\$1.03	\$1.40 1.38
28	x	122.8 x 1.4	.97	1.38
32	x	123.0 x 1.4	1.08	1.61
28	x	14 2.8 x 1.6	1.00	1.56
32	ж	143.0 x 1.6	1.11	1.61 1.56 1.69

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work Stair Work

Mould-

abinet

CASEMENT SASH WHITE PINE



1 LIGHT

	Si	ze	of		Outside		11/8	"	13/	3"
	C	las	38		Size		Open C	lazed	Open	Glazed
	16	x	16	1.	$8\frac{1}{2} \times 1$.	9	\$0.70	\$1.05	\$0.80	\$1.13
	16	x	20	1.	$8\frac{1}{2} \times 2$.	T.A.	.75	1.18	.84	1.27
	16	x	24.	.1.	$8\frac{1}{2} \times 2$.	5	.76	1.25	.86	1.34
	18	x	18.	.1.	$10\frac{1}{2} \times 1$.	11	.75	1.18	.84	1.27
į	20	x	20	2.	$0\frac{1}{2} \times 2$.	1	.78	1.40	.88	1.48
	20	x	24	2.	$01/_2 \times 2$.	5	.80	1.49	.91	1.59
	24	x	16	2.	$41/2 \times 1$.	9	.76	1.29	.86	1.37
	24	x	20	2.	$41/2 \times 2$.	1	.80	1.49	.91	1.59
	24	x	24	2.	41/2 x 2.	5	.82	1.64	.93	1.73
	24	x	26	2.	41/2 x 2.	7	.83	1.67	.95	1.76
	24	x	28.	.2.	$41/_2 \times 2$.	9	.85	1.77	.97	1.87
	24	x	30	2.	$4\frac{1}{2} \times 2$.	11	.87	1.88	.99	1.97



4 LIGHTS

	T LIGHT D								
Size of		of Outside	11/8"	13/8"					
C	llas	ss Size	Open Glazed	Open Glazed					
		91. $6\frac{1}{2} \times 1.11$	\$0.78 \$1.14	\$0.88 \$1.25					
8	x	$101. 8\frac{1}{2} \times 21$.93 1.37					
		$121. 8\frac{1}{2} \times 25$.87 1.38	.99 1.47					
		$141. 8\frac{1}{2} \times 2. 9$.92 1.49						
		$121.10\frac{1}{2} \times 25$.90 1.45	1.01 1.53					
10	x	$102. 0\frac{1}{2} \times 2. 1$.88 1.38	.99 1.47					
		$122. 0\frac{1}{2} \times 2. 5$.92 1.52	1.04 1.60					
10	x	$142. 0\frac{1}{2} \times 2. 9$.97 1.62	1.10 1.74					
10	x	$162. 0\frac{1}{2} \times 3. 1$	1.06 1.92	1.21 2.06					
12	x	$122. 4\frac{1}{2} \times 2. 5$.97 1.65	1.10 1.76					



6 LIGHTS

S	ize	of	Outside	11/8	"	13/8	"
(Glas	88	Size	Open (
7	x	92.	$1\frac{1}{2} \times 1.11$	\$0.97	\$1.52	\$1.09	\$1.65
8	x	82.	41/2 x 1. 9	1.02	1.64	1.14	1.76
8	x	102.	$4\frac{1}{2} \times 2. 1$	1.02	1.64	1.14	1.76
8	x	122.	$4\frac{1}{2} \times 2.5$	1.08	1.78	1.21	1.89
8	x	142.	$4\frac{1}{2} \times 2.9.$	1.14	1.96	1.30	2.13
8	x	162.	$4\frac{1}{2} \times 3. 1$	1.26	2.16	1.44	2.33
9	x	122.	$7\frac{1}{2} \times 2.5$	1.11	1.87	1.25	1.99
9	x	142.	$7\frac{1}{2} \times 2.9.$	1.18	2.06	1.31	2.15
9	x	162.	$71/2 \times 3. 1$	1.29	2.26	1.47	2.40
10	x	102.1	$10\frac{1}{2} \times 2. 1$	1.10	1.86		*******
			$10\frac{1}{2} \times 2.5.$	1.15	1.97	1.29	2.09
10	x	142.1	$0\frac{1}{2} \times 2.9.$	1.21	2.19	1.36	2.28
10	x	162.1	$101/2 \times 3. 1.$	1.33	2.67	1.51	2.80

CASEMENT SASH WHITE PINE



6 LIGHTS

Si	las	of Oi	tsi	de	Open	1/8"	0000	%" Classal
8	X	$81.81/_{2}$	x	2. 5		\$1.65		
8	x	101. 81/2	x	2.11	1.04	1.65	1.17	1.79
9	X	$121.81/_{2}$ $121.101/_{2}$	X	3. 5	1.17	1.86		
10	x	10 2. 01/2	x	2.11	1.19	2.06	1.34	2.09
10	x	$122. 0\frac{1}{2}$	x	3. 5	1.22		1.39	2.23



8 LIGHTS

Si	ize llas	of Outs	ide e	Open	%" Glazed	15	% "
R		10 1 91/	2 0		Grazed	Open	Glazed
0	X	101. 81/2 :	x 3. 9	\$1.37	\$2.30	\$1.54	\$2.50
8	X	121. 81/2 :	x 4. 5.	1 46	2.50	1 67	2.72
R	200	14 1 91/	e ,				
0	A	141. 81/2	x 2. 1	1.55	2.70	1.76	2.94
9	x	121.101/2	x 4. 5	1.50		1.70	
10	*	$122. 0\frac{1}{2}$. 1 =				2.84
10	A	122. 01/2	4. 5	1.53	2.73	1.73	2.97
10	x	142. 01/2	x 5. 1	1.63	3.00	1.85	3.24
						2.00	0.44

3

3



9 LIGHTS

Size of		Outsi		1 1/8 " 1 3/8 "		3/2 "		
Glass		Siz	e	Open	Glazed	Open	Glazed	
			2.0	x 2.0	\$1.11	\$2.06	\$1.27	\$2.23
			2.0	x 2.6	1.11	2.06	1.27	2.23
8	X	102.	41/2 x	2.11	1.24	2.26	1.39	2.43
8	x	122.	41/2 x	3. 5	1.36	2.53	1.54	2.70
8	x	142.	41/2 x	3.11	1.51	2.80	1.70	3.00
8	x	162.	41/2 x	4. 5	1.58	3.00	1.79	3.21
9	x	122.	71/2 x	3. 5	1.41	2.67	1.59	2.87
9	x	142.	71/2 x	3.11	1.55	2.94	1.76	3.17
9	x	162.	71/2 x	4. 5	1.63	3.17	1.85	3.41
10	x	122.1	01/2 x	3. 5	1.45	2.80	1.64	3.00
				3.11	1.59	3.11	1.80	3.34
				4. 5	1 67	3 65	1.89	3 88

For Rabbeting in Pairs, add \$0.45 per pair.

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

abinet Work

CASEMENT SASH

WHITE PINE



12 LIGHTS

Size of		of		Outside	1:	1/8 "	1 5	% "
C	llas	ss		Size		Glazed		
8	x	10.	. 2.	$4\frac{1}{2} \times 3.9$	 \$1.70	\$3.04	\$1.89	\$3.24
8	x	12.	. 2.	$4\frac{1}{2} \times 4.5$	 1.79	3.31	2.01	3.54
10	x	12.	. 2. 1	$0\frac{1}{2} \times 4.5$	 1.89	3.68	2.13	3.92
10	x	14.	. 2.	$10\frac{1}{2} \times 5.1$	 1.99	4.02	2.25	4.29

PORCH AND CASEMENT SASH

WHITE PINE

Putty Glazing 15 Lights

> 13/8" Thick 31/4" Stiles and Top Rail 41/4" Bottom Rail



Q-1015

CHICKEN HOUSE DOORS

WHITE PINE

Putty Glazing 15 Lights

Outside Size Open Glazed 2.8 x 5.10—13/8"..... \$3.45 \$5.41

13/8" Thick

311" Stiles and Top Rail

418" Bottom Rail



Q-1017

PORCH AND CASEMENT SASH WHITE PINE

9 Border Light

3

þ

)

9

)

)

3

3

3

3

3

3

3

3

3

3

3

9

9

9



Putty Glazing

Q-1009

11 Border Light



Putty Glazing

Q-1011

Price	es for S	ingle S	bash
Q-	1009	Q-1	011
Open	Glazed	Open	Glazed
\$2.88	\$3.81	\$3.04	\$3.98
3.04	4.46	3.20	4.63
3.11	4.73	3.27	4.90
2.82	3.70	2.98	3.87
2.91	3.81	3.07	3.98
3.07	4.50	3.23	4.67
3.14	4.78	3.30	4.95
3.02	4.27	3.18	4.44
3.16	5.18	3.32	5.35
3.23	5.35	3.39	5.52
2.92	4.16	3.08	4.33
3.05	4.39	3.21	4.56
3.22	5.24	3.38	5.41
3.28	5.83	3.44	6.00
	Q-Open \$2.88 3.04 3.11 2.82 2.91 3.07 3.14 3.02 3.16 3.23 2.92 3.05 3.22	Q-1009 Open Glazed \$2.88 \$3.81 3.04 4.46 3.11 4.73 2.82 3.70 2.91 3.81 3.07 4.50 3.14 4.78 3.02 4.27 3.16 5.18 3.23 5.35 2.92 4.16 3.05 4.39 3.22 5.24	Open Glazed Open \$2.88 \$3.81 \$3.04 3.04 4.46 3.20 3.11 4.73 3.27 2.82 3.70 2.98 2.91 3.81 3.07 3.07 4.50 3.23 3.14 4.78 3.30 3.02 4.27 3.18 3.16 5.18 3.32 3.23 5.35 3.39 2.92 4.16 3.08 3.05 4.39 3.21 3.22 5.24 3.38

13/8" Thick 31/4" Stiles and Top Rail 41/4" Bottom Rail

For Rabbeting in Pairs, add \$0.45 per pair.

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Cabinet



WHITE PINE PLAIN RAIL WINDOWS

11/8"-2 Lights

	Open	Glazed
$20 \times 20 \dots 2.0 \frac{1}{2} \times 3.10 \frac{1}{2} \dots$	\$1.29	\$2.40
$24 \times 20 \dots 2. 4 \frac{1}{2} \times 3.10 \frac{1}{2} \dots$	1.37	2.63
$24 \times 24 \dots 2. 4\frac{1}{2} \times 4. 6\frac{1}{2} \dots$	1.45	2.97
$24 \times 26 \dots 2. 4\frac{1}{2} \times 4.10\frac{1}{2} \dots$	1.48	3.00
$24 \times 28 \dots 2. 4 \frac{1}{2} \times 5. 2 \frac{1}{2} \dots$	1.52	3.24
24×30 $2. 4\frac{1}{2} \times 5. 6\frac{1}{2}$	1.54	3.40
$27 \times 24 \dots 2. 7\frac{1}{2} \times 4. 6\frac{1}{2} \dots$	1.52	3.24
$27 \times 26 \dots 2. 7 \frac{1}{2} \times 4.10 \frac{1}{2} \dots$	1.55	3.40
$27 \times 28 \dots 2. 7\frac{1}{2} \times 5. 2\frac{1}{2} \dots$	1.59	3.55
$30 \times 242.10\frac{1}{2} \times 4.6\frac{1}{2}$	1.54	3.40



PLAIN RAIL WINDOWS

11/8"-4 Lights

	Open	Glazed
10×20 2. $0\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.55	\$2.56
$12 \times 20 \dots 2. \ 4\frac{1}{2} \times 3.10\frac{1}{2} \dots$	1.61	2.80
$12 \times 24 \dots \dots 2 \times 4\frac{1}{2} \times 4 \times 6\frac{1}{2} \dots$	1.71	3.21
$12 \times 26 \dots 2. 4 \frac{1}{2} \times 4.10 \frac{1}{2} \dots$	1.77	3.38
$12 \times 28 \dots 2. 4\frac{1}{2} \times 5. 2\frac{1}{2} \dots$	1.81	3.54
$12 \times 30 \dots 2. \ 4\frac{1}{2} \times 5. \ 6\frac{1}{2} \dots$	1.86	3.78
$13\frac{1}{2} \times 24 \dots 2. \ 7\frac{1}{2} \times 4. \ 6\frac{1}{2} \dots$	1.78	3.51
$13\frac{1}{2} \times 262. 7\frac{1}{2} \times 4.10\frac{1}{2}$	1.84	3.61
$13\frac{1}{2} \times 282. 7\frac{1}{2} \times 5. 2\frac{1}{2}$	1.89	3.98
15 x 242.10 $\frac{1}{2}$ x 4. $6\frac{1}{2}$	1.83	3.61



PLAIN RAIL WINDOWS

11/8"-12 Lights


	-		Open	Glazed
8	x	$102. 4\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.98	\$3.21
8	x	$122. 4\frac{1}{2} \times 4. 6\frac{1}{2}$	2.07	3.48
9	x	$122. 7\frac{1}{2} \times 4. 6\frac{1}{2}$	2.11	3.65
10	x	$122.10\frac{1}{2} \times 4.6\frac{1}{2}$	2.18	3.85
10	x	$142.101/2 \times 5. 21/2$	2.28	4.19
10	x	$152.101/2 \times 5.61/2$	2.35	4.35
10	X	$162.10\frac{1}{2} \times 5.10\frac{1}{2}$	2.47	4.89



WHITE PINE PLAIN RAIL WINDOWS

11/8"-8 Lights

8	LIGHTS		Open	Glazed
8 x	101.	$8\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.67	\$2.50
10 x	122.	$0\frac{1}{2} \times 4. \ 6\frac{1}{2} \dots$	1.83	2.97
10 x	142.	$0\frac{1}{2} \times 5$. $2\frac{1}{2}$	1.95	3.21
10 x	162.	$0\frac{1}{2} \times 5.10\frac{1}{2}$	2.13	3.78
12 x	142.	$4\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.03	3.75



PLAIN RAIL WINDOWS

11/8"—9 over 6

	15	LIGHTS			Open	Glazed
8	x	102.	$4\frac{1}{2} \times 4$.	81/2	\$2.20	\$3.68



PLAIN RAIL WINDOWS

11/8"-18 Lights

	18	LIGHTS			Open	Glazed
8	x	102.	$4\frac{1}{2} \times 5$.	61/2	\$2.44	\$4.24

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Cabinet Work

WHITE PINE CHECK RAIL WINDOWS

11/8"





2 LIGHT

4 LIGHT

	Open	Glazed	Open	Glazed
$20 \times 202. 0\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.36	\$2.52	\$1.53	\$2.59
$20 \times 242. 0\frac{1}{2} \times 4. 6\frac{1}{2}$	1.44	2.79	1.63	2.85
$20 \times 262. 0\frac{1}{2} \times 4.10\frac{1}{2}$	1.49	2.90	1.68	3.08
$20 \times 282. 0\frac{1}{2} \times 5. 2\frac{1}{2}$	1.52	3.03	1.73	3.21
$20 \times 302. 0\frac{1}{2} \times 5. 6\frac{1}{2}$	1.57	3.17	1.76	3.35
$20 \times 322. 0\frac{1}{2} \times 5.10\frac{1}{2}$	1.68	3.48	1.89	3.96
24 x 202. $4\frac{1}{2}$ x 3.10 $\frac{1}{2}$	1.44	2.79	1.59	2.80
$24 \times 24 \dots 2. \ 4\frac{1}{2} \times 4. \ 6\frac{1}{2}$	1.52	3.14	1.70	3.24
24 x 262. $4\frac{1}{2}$ x $4.10\frac{1}{2}$	1.57	3.17	1.76	3.41
$24 \times 28 \dots 2. \ 4\frac{1}{2} \times 5. \ 2\frac{1}{2}$	1.60	3.41	1.80	3.58
24 x 302. $4\frac{1}{2}$ x 5. $6\frac{1}{2}$	1.64	3.59	1.86	3.84
$24 \times 322. \ 4\frac{1}{2} \times 5.10\frac{1}{2}$	1.77	4.00	2.00	4.21
$26 \times 24 \dots 2. \ 6\frac{1}{2} \times 4. \ 6\frac{1}{2}$	1.57	3.17	1.77	3.41
$26 \times 26 \dots 2. \ 6\frac{1}{2} \times 4.10\frac{1}{2}$	1.60	3.41	1.83	3.58
$26 \times 28 \dots 2. \ 6\frac{1}{2} \times 5. \ 2\frac{1}{2}$	1.64	3.69	1.88	3.84
$26 \times 30 \dots 2. \ 6\frac{1}{2} \times 5. \ 6\frac{1}{2}$	1.67	3.93	1.93	4.07
26 x 322. $6\frac{1}{2}$ x 5.10 $\frac{1}{2}$	1.81	4.07	2.08	4.43
$27 \times 24 \dots 2. 7\frac{1}{2} \times 4. 6\frac{1}{2}$	1.60	3.41	1.77	3.48
27 x 262. $7\frac{1}{2}$ x 4.10 $\frac{1}{2}$	1.64	3.59	1.83	3.58
$27 \times 282. 7\frac{1}{2} \times 5. 2\frac{1}{2}$	1.67	3.72	1.88	3.94
27 x 302. $7\frac{1}{2}$ x 5. $6\frac{1}{2}$	1.73	3.96	1.93	4.17
27 x 322. $7\frac{1}{2}$ x 5.10 $\frac{1}{2}$	1.85	4.52	2.08	4.43
$28 \times 24 \dots 2. \ 8\frac{1}{2} \times 4. \ 6\frac{1}{2}$	1.60	3.41	1.77	3.54
$28 \times 262. 8\frac{1}{2} \times 4.10\frac{1}{2}$	1.64	3.69	1.83	3.65
$28 \times 28 \dots 2. \ 8\frac{1}{2} \times 5. \ 2\frac{1}{2}$	1.67	3.93	1.88	4.04
$28 \times 30 \dots 2. \ 8\frac{1}{2} \times 5. \ 6\frac{1}{2}$	1.73	3.96	1.93	4.17
28 x 322. $8\frac{1}{2}$ x 5.10 $\frac{1}{2}$	1.85	4.62	2.08	4.43
$30 \times 242.10\frac{1}{2} \times 4.6\frac{1}{2}$	1.64	3.59	1.82	3.62
$30 \times 262.10\frac{1}{2} \times 4.10\frac{1}{2}$	1.67	3.93	1.86	4.01
$30 \times 282.10\frac{1}{2} \times 5. 2\frac{1}{2}$	1.73	3.96	1.92	4.17
30 x 302.10 $\frac{1}{2}$ x 5. $6\frac{1}{2}$	1.77	4.56	1.97	4.34
$30 \times 322.10\frac{1}{2} \times 5.10\frac{1}{2}$	1.89	4.65	2.12	4.60



3

)

è

3

3

7

9

7

3

3

3

3

3

3

3

CHECK RAIL WINDOWS


11/8"-12 Lights

	1	The state of the s	Open	Glazed
8	x	102. $4\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.97	\$3.43
8	x	122. $4\frac{1}{2} \times 4$. $6\frac{1}{2}$	2.05	3.69
8	x	132. $4\frac{1}{2} \times 4.10\frac{1}{2}$	2.11	3.72
8	x	142. $4\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.14	3.85
8	x	152. $4\frac{1}{2} \times 5$. $6\frac{1}{2}$	2.26	4.25
9	x	122. $7\frac{1}{2} \times 4$. $6\frac{1}{2}$	2.10	3.75
9	x	132. $7\frac{1}{2} \times 4.10\frac{1}{2}$	2.15	3.92
9	x	142. $7\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.19	4.05
9	x	152. $7\frac{1}{2} \times 5$. $6\frac{1}{2}$	2.26	4.25
9	x	162. $7\frac{1}{2} \times 5.10\frac{1}{2}$	2.39	4.43
10	x	$122.10\frac{1}{2} \times 4.6\frac{1}{2}$	2.17	4.12
10	x	$132.10\frac{1}{2} \times 4.10\frac{1}{2}$	2.22	4.14
10	x	$142.10\frac{1}{2} \times 5. 2\frac{1}{2}$	2.26	4.25
10	x	$152.10\frac{1}{2} \times 5.6\frac{1}{2}$	2.33	4.48
10	x	$162.10\frac{1}{2} \times 5.10\frac{1}{2}$	2.46	5.07

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings



COTTAGE WINDOWS

Glass Size	Outside Size	Open	Gl.D.S.
36 x 16—36 x	$363.4\frac{1}{2} \times 4.10\frac{1}{2}$	\$2.11	\$5.97
40 x 16—40 x	$363.8\frac{1}{2} \times 4.10\frac{1}{2}$	2.18	6.72
40 x 20—40 x	$403.8\frac{1}{2} \times 5. 6\frac{1}{2}$	2.29	7.12
44 x 16—44 x	$404.0\frac{1}{2} \times 5. 2\frac{1}{2}$	2.31	7.83
48 x 18—48 x	$404.4\frac{1}{2} \times 5. 4\frac{1}{2}$	2.75	10.24
48 x 20—48 x	$404.4\frac{1}{2} \times 5.6\frac{1}{2}$	2.75	10.24

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

Cabinet Work

WHITE PINE **CHECK RAIL WINDOWS**

13/8"

Philadelphia and





Ш	Baltimore	Openings 2	LIGHT	-	3/1 LI	CHT
Ш			Open	Glazed		Glazed
Ш	16 x 16	.1. $8\frac{1}{2} \times 3$. $2\frac{1}{2}$	\$1.33	\$1.97		Giazea
11	16 x 18	1 81/2 v 3 61/2	1.38	2.08	*********	1
Ш	18 x 18	$1.10\frac{1}{2} \times 3.6\frac{1}{2}$	1.43	2.29		
ш	20 x 16	.2. $0\frac{1}{3} \times 3$. $2\frac{1}{3}$	1.43	2.26	1.65	2.51
ш	20 x 18	.2. $0\frac{1}{2} \times 3$. $6\frac{1}{2}$	1.47	2.40	1.79	2.76
Ш	20 x 20	.2. $0\frac{1}{2} \times 3.10\frac{1}{2}$	1.51	2.64	1.83	3.00
11	20 x 24	.2. $0\frac{1}{2} \times 4$. $6\frac{1}{2}$	1.60	2.93	1.92	3.29
Ш	20 x 26	2 01/2 v 4 101/2	1.65	3.03	1.97	3.39
ш	20 x 28	.2. 0½ x 5. 2½ .2. 0½ x 5. 6½	1.69	3.17	2.01	3.53
Ш	20 x 30	.2. $0\frac{1}{2} \times 5$. $6\frac{1}{2}$	1.74	3.31		
11	20 x 32	.2. $0\frac{1}{2} \times 5.10\frac{1}{2}$	1.86	3.63	*******	*******
Ш	24 x 16	.2. $0\frac{1}{2} \times 5.10\frac{1}{2}$.2. $4\frac{1}{2} \times 3. 2\frac{1}{2}$	1.51	2.50	*******	********
Ш	24 x 18	$\frac{1}{2}$. $\frac{1}{2}$ x 3. $\frac{1}{2}$	1.55	2.75	*******	********
Ш	24 x 20	.2. 4½ x 3. 6½ .2. 4½ x 3.10½	1.60		1 02	2.20
Ш		.2. $4\frac{1}{2} \times 3.10\frac{1}{2}$.2. $4\frac{1}{2} \times 4$. $6\frac{1}{2}$	1.69			3.29
11		.2. $4\frac{1}{2} \times 4$. $6\frac{1}{2}$.2. $4\frac{1}{2} \times 4$. $10\frac{1}{2}$	1.74	3.28	2.01	3.64
Н		.2. $4\frac{1}{2} \times 4.10\frac{1}{2}$		3.31	2.06	3,67
Ш		.2. $4\frac{1}{2} \times 5$. $2\frac{1}{2}$	1.78		2.10	3.92
Ш		.2. 4½ x 4. 6½ .2. 4½ x 4.10½ .2. 4½ x 5. 2½ .2. 4½ x 5. 6½ .2. 4½ x 5.10½ .2. 6½ x 3.10½ .2. 6½ x 4. 6½ .2. 6½ x 4. 10½	1.82	3.74	2.14	4.10
Ш	24 x 32	.2. $4\frac{1}{2} \times 5.10\frac{1}{2}$	1.96	4.16		
П	26 x 20	.2. $6\frac{1}{2} \times 3.10\frac{1}{2}$	1.65	3.03	1.97	3.39
	26 x 24	.2. $6\frac{1}{2} \times 4$. $6\frac{1}{2}$	1.74	3.31	2.06	3.67
	26 x 26	.2. $6\frac{1}{2} \times 4.10\frac{1}{2}$	1.78	3.56	2.10	3.92
	26 x 28	.2. $6\frac{1}{2} \times 5$. $2\frac{1}{2}$	1.82	3.84	2.14	4.20
	26 x 30	.2. 6½ x 5. 6½ .2. 6½ x 5. 6½ .2. 6½ x 5.10½ .2. 7½ x 3.10½	1.86	4.09		********
	26 x 32	.2. $6\frac{1}{2} \times 5.10\frac{1}{2}$	2.01	4.23	*******	
	$27 \times 20 \dots$	2. 7½ x 3.10½ 2. 7½ x 4. 6½ 2. 7½ x 4.10½	1.69	3.17	*********	
	27 x 24 27 x 26	2. $7\frac{1}{2} \times 4$. $6\frac{1}{2}$	1.78	3.56	2.10	3.92
		$2. 7\frac{1}{2} \times 4.10\frac{1}{2}$	1.82	3.74	2.14	4.10
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2. 7½ x 5. 2½ 2. 7½ x 5. 6½ 2. 7½ x 5.10½	1.86	3.88	*******	
		2. $7\frac{1}{2} \times 5$. $6\frac{1}{2}$ 2. $7\frac{1}{2} \times 5$. $10\frac{1}{2}$	1.92	4.12		
		2. $7\frac{1}{2} \times 5.10\frac{1}{2}$	2.06	4.69		
	28 x 20 28 x 24	2. $8\frac{1}{2} \times 3.10\frac{1}{2}$	1.69	3.17	*******	
		2. 8½ x 3.10½ 2. 8½ x 4. 6½ 2. 8½ x 4.10½ 2. 8½ x 5. 2½ 2. 8½ x 5. 6½ 2. 8½ x 5. 10½	1.78	3.56		
		2. $8\frac{1}{2} \times 4.10\frac{1}{2}$ 2. $8\frac{1}{2} \times 5. 2\frac{1}{2}$	1.82	3.84	********	
		2. $8\frac{1}{2} \times 5$. $2\frac{1}{2}$ 2. $8\frac{1}{2} \times 5$. $6\frac{1}{2}$	1.86	4.09		********
		2. $8\frac{1}{2} \times 5$. $6\frac{1}{2}$ 2. $8\frac{1}{2} \times 5$. $10\frac{1}{2}$	1.92	4.12		
	28 x 32 30 x 20	$\frac{2.0\%}{2} \times \frac{3.10\%}{2}$	2.06	4.79		********
	30 x 24		1.74	3.31		
	30 - 26	2 101/ - 1 101/	1.82 1.86	3.74	********	*******
	30 x 28	$2.10\frac{1}{2} \times 5.2\frac{1}{2}$	1.92	4.09		
	30 x 30	$2.10\frac{1}{2} \times 5.6\frac{1}{2}$	1.96	4.12		
	0 x 32		2.10	4.72	*******	
	2 x 24	$3. 0\frac{1}{2} \times 4. 6\frac{1}{2}$	1.96	4.83	*******	
3		3 012 - 4 1017	2.01	4.19	********	
3	2 x 28	3. $0\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.06	4.79	*******	
	2 x 30	3 01/2 x 5 61/6	2.10	4.83	**	
		3. $0\frac{1}{2} \times 5$. $6\frac{1}{2}$ 3. $0\frac{1}{2} \times 5$. $10\frac{1}{2}$	2.15	5.22		
	6 x 24	3. $4\frac{1}{2} \times 4$. $6\frac{1}{2}$	2.06	4.51	********	
		3. 41/2 × 4 101/2	2.10	4.83		*******
	6 x 28	3. $4\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.15	5.22	********	
3	6 x 30	3. $4\frac{1}{2} \times 5$. $6\frac{1}{2}$	2.19	5.25	********	
3	6 x 32	3. $4\frac{1}{2} \times 5.10\frac{1}{2}$	2.24	5.78	*******	********
3	6 x 36	3. $4\frac{1}{2} \times 5.10\frac{1}{2}$ 3. $4\frac{1}{2} \times 6. 6\frac{1}{2}$	2.33	6.38	*******	*******
1	1	, 2 / 2		3.00	********	
		22				

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings





6/1 Lt.

9/1 Lt.

	6/1 Lt.		9/1	Lt.
Size of Outside				
Glass Size	Open	Glazed	Open	Glazed
$20 \times 162. 0\frac{1}{2} \times 3. 2$	1/2 \$1.87	\$2.76		
20 x 182. 01/2 x 3. 6	/2 1.92	2.90	*********	
20 x 202. 01/2 x 3.10	/2 1.96	3.15	\$2.18	\$3.40
20 x 242. 01/2 x 4. 6	/2 2.04	3.43		
20 x 262. 01/2 x 4.10	/2 2.10	3.54		
20 x 282. 01/2 x 5. 21	/2 2.14	3.68		
20 x 302. 01/2 x 5. 6	/2 2.19	3.82	2.41	4.07
24 x 162. 41/2 x 3. 21	/2 1.96	3.01		
24 x 182. 41/2 x 3. 6	/2 2.00	3.26		
$24 \times 202. 4\frac{1}{2} \times 3.10\frac{1}{2}$	/2 2.04	3.43	2.27	3.69
24 x 242. 41/2 x 4. 6!		3.79	2.36	4.04
24 x 262. 41/2 x 4.10!		3.82	2.41	4.07
24 x 282. 41/2 x 5. 2		4.07	2.45	4.32
24 x 302. $4\frac{1}{2}$ x 5. 6	/2 2.27	4.24	2.49	4.50
$26 \times 20 \dots 2. 6\frac{1}{2} \times 3.10$	$\frac{1}{2}$ 2.41	3.54	2.32	3.79
26 x 242. 61/2 x 46	/2 2.18	3.82	2.41	4.07
26 x 262. 61/2 x 4.10	/2 2.23	4.07	2.45	4.32
26 x 282. 61/2 x 5. 21	/2 2.27	4.35	2.49	4.60
26 x 302. 61/2 x 5. 6	/2 2.31	4.60	2.53	4.85
27 x 202. 71/2 x 3.10	/2 2.14	3.68		
$27 \times 242. 7\frac{1}{2} \times 46$	/2 2.23	4.07	2.45	4.32
27 x 262. $7\frac{1}{2}$ x 4.10!	/2 2.27	4.24	2.49	4.50
$27 \times 282. 7\frac{1}{2} \times 52$		4.39	2.53	4.64
$27 \times 302. 7\frac{1}{2} \times 56$		4.63	2.59	4.88
$27 \times 32 \dots 2 \cdot 7\frac{1}{2} \times 5 \cdot 10$		5.20		
$28 \times 20 \dots 2. 8\frac{1}{2} \times 3.10$	1/2 2.14	3.68		
28 x 242. 8½ x 4. 6	/2 2.23	4.07	2.45	4.32
28 x 262. 8½ x 4.10!	$/_2$ 2.27	4.35	2.49	4.60
28 x 282. 8½ x 5. 2!	/2 2.31	4.60	2.53	4.85
	/2 2.36	4.63	2.59	4.88
$30 \times 202.10\frac{1}{2} \times 3.10\frac{1}{2}$	/2 2.18	3.82		
30 x 242.10½ x 4. 6	/2 2.27	4.24	2.49	4.50
$30 \times 262.10\frac{1}{2} \times 4.10\frac{1}{2}$		4.60	2.53	4.85
$30 \times 282.10\frac{1}{2} \times 5.2!$		4.63	2.59	4.88
$30 \times 302.10 \frac{1}{2} \times 5.6$		5.23	2.63	5.48
36 x 203. $4\frac{1}{2}$ x 3.10!		4.46		
$36 \times 243. 4\frac{1}{2} \times 46$		5.02		
$36 \times 263. 4\frac{1}{2} \times 4.10$		5.34	*******	
$36 \times 283. 4\frac{1}{2} \times 52$		5.73		
$36 \times 303. 4\frac{1}{2} \times 56$	/2 2.64	5.76	********	

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work


Mouldings

abinet

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings



Size of Glass Outside Size Open Glazed 10	4 LIGHTS	Q-402	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Size of Glass Outside Size	Open	Glazed
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		*	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 x 202. $0\frac{1}{2}$ x $3.10\frac{1}{2}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 x 262. $0\frac{1}{2}$ x $4.10\frac{1}{2}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.67	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 x 182. $4\frac{1}{2}$ x 3. $6\frac{1}{2}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.78	2.97
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.89	3.41
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 x 262. $4\frac{1}{2}$ x $4.10\frac{1}{2}$	1.95	3.54
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 x 282. $4\frac{1}{2}$ x 5. $2\frac{1}{2}$	2.00	3.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 x 302. $4\frac{1}{2}$ x 5. $6\frac{1}{2}$	2.06	4.02
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.22	4.22
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 x 202. $6\frac{1}{2}$ x $3.10\frac{1}{2}$	1.86	3.11
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	/ 2	1.97	3.58
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 x 262. $6\frac{1}{2}$ x $4.10\frac{1}{2}$	2.03	3.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	/ 4	2.09	4.02
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.14	4.25
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.31	4.62
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.86	3.17
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1.97	3.64
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.03	3.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	72 /2	2.09	4.12
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.14	4.35
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 x 262. $8\frac{1}{2}$ x $4.10\frac{1}{2}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.09	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	/ 2	2.14	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2.31	4.62
15 x 282.10 $\frac{1}{2}$ x 5. 2 $\frac{1}{2}$ 2.13 4.35 15 x 302.10 $\frac{1}{2}$ x 5. 6 $\frac{1}{2}$ 2.18 4.52			
15 \times 302.10½ \times 5. 6½ 2.18 4.52			
7 2 7 2			
15 x 32 $2.10\frac{1}{2}$ x $5.10\frac{1}{2}$ 2.35 4.79	, 2		
	15 $\times 322.101/2 \times 5.101/2$	2.35	4.79

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings

7

7

3

3

7

3

7

7

9

7





Daitinore Openings	_			
0	Q-400)	Q-40)4
Size of Glass Outside Size	Open	Glazed	Open	Glazed
$20 \times 162. 0\frac{1}{2} \times 3. 2\frac{1}{2}$	\$1.73	\$2.60	\$1.73	\$2.59
$20 \times 182. 0\frac{1}{2} \times 3. 6\frac{1}{2}$	1.77	2.74	1.90	2.88
$20 \times 202. 0\frac{1}{2} \times 3.10\frac{1}{2}$	1.81	2.98	1.94	3.12
$20 \times 242. 0\frac{1}{2} \times 4. 6\frac{1}{2}$	1.90	3.27	2.02	3.41
$20 \times 262. 0\frac{1}{2} \times 4.10\frac{1}{2}$	1.95	3.37	2.08	3.51
$20 \times 282. 0\frac{1}{2} \times 5. 2\frac{1}{2}$	1.99	3.51	2.12	3.65
$20 \times 302. 0\frac{1}{2} \times 5. 6\frac{1}{2}$	2.04	3.65	2.17	3.79
$20 \times 322. 0\frac{1}{2} \times 5.10\frac{1}{2}$	2.16	3.97	2.29	4.11
$24 \times 162. \ 4\frac{1}{2} \times 3. \ 2\frac{1}{2}$	1.81	2.84	1.81	2.84
$24 \times 182. \ 4\frac{1}{2} \times 3. \ 6\frac{1}{2}$	1.85	3.09	1.98	3.23
$24 \times 202. \ 4\frac{1}{2} \times 3.10\frac{1}{2}$	1.90	3.27	2.02	3.41
$24 \times 242. \ 4\frac{1}{2} \times 4. \ 6\frac{1}{2}$	1.99	3.62	2.12	3.76
$24 \times 262. \ 4\frac{1}{2} \times 4.10\frac{1}{2}$	2.04	3.65	2.16	3.79
$24 \times 282. 4\frac{1}{2} \times 5. 2\frac{1}{2}$	2.08	3.90	2.20	4.04
$24 \times 302. \ 4\frac{1}{2} \times 5. \ 6\frac{1}{2}$	2.12	4.08	2.25	4.22
$24 \times 322. \ 4\frac{1}{2} \times 5.10\frac{1}{2}$	2.26	4.50	2.39	4.64
$26 \times 202. 6\frac{1}{2} \times 3.10\frac{1}{2}$	1.95	3.37	2.08	3.51
$26 \times 242. 6\frac{1}{2} \times 4. 6\frac{1}{2}$	2.04	3.65	2.17	3.79
$26 \times 262. 6\frac{1}{2} \times 4.10\frac{1}{2}$	2.08	3.90	2.20	4.04
$26 \times 282. 6\frac{1}{2} \times 5. 2\frac{1}{2}$	2.12	4.18	2.25	4.32
$26 \times 302. 6\frac{1}{2} \times 5. 6\frac{1}{2}$	2.16	4.43	2.29	4.57
$26 \times 322. 6\frac{1}{2} \times 5.10\frac{1}{2}$	2.31	4.57	2.44	4.71 3.65
$27 \times 202. 7\frac{1}{2} \times 3.10\frac{1}{2}$	1.99	3.51	2.12	4.04
$27 \times 242. 7\frac{1}{2} \times 4.6\frac{1}{2}$	2.08	3.90	2.20	4.04
$27 \times 262. 7\frac{1}{2} \times 4.10\frac{1}{2}$	2.12	4.08 4.22	2.29	4.22
27 x 282. $7\frac{1}{2}$ x 5. $2\frac{1}{2}$ 27 x 302. $7\frac{1}{2}$ x 5. $6\frac{1}{2}$	2.16 2.22	4.46	2.34	4.60
	2.36	5.03	2.49	5.17
$27 \times 322. 7\frac{1}{2} \times 5.10\frac{1}{2}$	1.99	3.51	2.12	3.65
$28 \times 202. 8\frac{1}{2} \times 3.10\frac{1}{2}$ $28 \times 242. 8\frac{1}{2} \times 4. 6\frac{1}{2}$	2.08	3.90	2.21	4.04
	2.12	4.18	2.25	4.32
	2.16	4.43	2.29	4.57
$28 \times 282. \ 8\frac{1}{2} \times 5. \ 2\frac{1}{2}$ $28 \times 302. \ 8\frac{1}{2} \times 5. \ 6\frac{1}{2}$	2.22	4.46	2.35	4.60
$28 \times 302. 8\frac{1}{2} \times 5.10\frac{1}{2}$	2.36	5.13	2.49	5.27
$30 \times 202.10\frac{1}{2} \times 3.10\frac{1}{2}$	2.04	3.65	2.17	3.79
$30 \times 242.10\frac{1}{2} \times 46\frac{1}{2}$	2.12	4.08	2.25	4.22
$30 \times 242.10\frac{1}{2} \times 4.10\frac{1}{2}$	2.16	4.43	2.29	4.57
$30 \times 282.10\frac{1}{2} \times 52\frac{1}{2}$	2.22	4.46	2.34	4.60
$30 \times 302.10\frac{1}{2} \times 56\frac{1}{2}$	2.26	5.06	2.39	5.20
$30 \times 322.10\frac{1}{2} \times 5.10\frac{1}{2}$	2.40	5.17	2.53	5.31
20 2 2 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1				

Softwood Doors Colonial Entrance Doors Colonial Entrance Frames Frames Porch Work Stair Work Mouldings

Cabinet



WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings

8 LIGHTS

Size	e o	f Glass	Outside Size	Open	Glazed
8	x	101.	$8\frac{1}{2} \times 3.10\frac{1}{2}$	\$1.84	\$2.77
8	x	121.	$8\frac{1}{2} \times 4.6\frac{1}{2}$	1.94	2.97
9	x	121.1	$01/2 \times 4.61/2$	1.98	3.11
10	x	122.	$0\frac{1}{2} \times 4.6\frac{1}{2}$	2.03	3.24



WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings

12 LIGHTS

Size of			
Glass	Outside Size	Open	Glazed
6 3/3 x 8.	2. $0\frac{1}{2} \times 3$. $2\frac{1}{2}$	\$2.02	\$3.17
6 % x 9.	2. $0\frac{1}{2} \times 3$. $6\frac{1}{2}$	2.02	3.17
	2. $4\frac{1}{2} \times 3$. $2\frac{1}{2}$	2.02	3.17
	2. $4\frac{1}{2} \times 3$. $6\frac{1}{2}$	2.12	3.58
	2. $4\frac{1}{2} \times 3.10\frac{1}{2}$	2.18	3.61
	2. $4\frac{1}{2} \times 4$. $6\frac{1}{2}$	2.28	3.88
8 x 13.	2. $4\frac{1}{2} \times 4.10\frac{1}{2}$	2.34	3.92
8 x 14.	2. $4\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.38	4.05
8 x 15.	2. $4\frac{1}{2} \times 5$. $6\frac{1}{2}$	2.51	4.46
8 x 16.	2. $4\frac{1}{2} \times 5.10\frac{1}{2}$	2.65	4.66
9 x 10.	2. $7\frac{1}{2} \times 3.10\frac{1}{2}$	2.23	3.92
9 x 12.	2. $7\frac{1}{2} \times 4$. $6\frac{1}{2}$	2.33	3.95
9 x 13.	2. $7\frac{1}{2} \times 4.10\frac{1}{2}$	2.39	4.12
9 x 14.	2. $7\frac{1}{2} \times 5$. $2\frac{1}{2}$	2.43	4.25
9 x 15.	2. $7\frac{1}{2} \times 5$. $6\frac{1}{2}$	2.51	4.46
9 x 16.	2. $7\frac{1}{2} \times 5.10\frac{1}{2}$	2.65	4.66
	2.10 $\frac{1}{2}$ x 3.10 $\frac{1}{2}$	2.31	3.85
10 x 12.	$\dots 2.10\frac{1}{2} \times 4.6\frac{1}{2} \dots$	2.41	4.32
	$\dots \dots 2.10\frac{1}{2} \times 4.10\frac{1}{2} \dots$	2.47	4.35
10 x 14.	2.10 $\frac{1}{2}$ x 5. $\frac{21}{2}$	2.51	4.52
10 x 15.	2.10 $\frac{1}{2}$ x 5. 6 $\frac{1}{2}$	2.59	4.69
10 x 16.	$\dots 2.10\frac{1}{2} \times 5.10\frac{1}{2} \dots$	2.73	5.30
			/

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings




16 LIGHTS

Size of						
Gla	ss Outside Size	Open	Glazed			
8 x	$103.0\frac{1}{2} \times 3.10\frac{1}{2}$	\$2.76	\$4.45			
8 x	$123.0\frac{1}{2} \times 4.6\frac{1}{2}$	2.85	4.75			
8 x	$13 \dots 3.0\frac{1}{2} \times 4.10\frac{1}{2} \dots$	2.93	5.09			
8 x	$143.0\frac{1}{2} \times 5. 2\frac{1}{2}$	2.93	5.09			
9 x	$123.4\frac{1}{2} \times 4.6\frac{1}{2}$	2.93	5.02			
9 x	$133.4\frac{1}{2} \times 4.10\frac{1}{2}$	2.98	5.19			
9 x	$143.4\frac{1}{2} \times 5.2\frac{1}{2}$	3.03	5.39			
10 x	$123.8\frac{1}{2} \times 4.6\frac{1}{2}$	3.13	5.36			
10 x	$133.81/2 \times 4.101/2$	3.17	5.56			
10 x	$143.8\frac{1}{2} \times 5. 2\frac{1}{2}$	3.23	5.80			

WHITE PINE CHECK RAIL WINDOWS

13/8"

Philadelphia and Baltimore Openings



18 LIGHTS

Size of			
Glass	Outside Size	Open	Glazed
8 x 10	2. $4\frac{1}{2} \times 5$. $6\frac{1}{2}$	\$2.85	\$4.75
10 x 12	2.10 $\frac{1}{2}$ x 6. 6 $\frac{1}{2}$	3.21	5.75

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Cabinet Work

HOT BED SASH WHITE PINE



13/8" Thick-No. 1 W. P.

6.0 High—1 Hardwood Cross Bar7.0 High—2 Hardwood Cross Bars

	Open	Glazed
3.6 x 7.0—6 Rows 6" Glass, Putty	\$4.95	\$9.94
3.6 x 7.0—6 Rows 6" Glass, Slip	4.95	9.94
3.0 x 6.0—5 Rows 6" Glass, Putty	3.78	6.87
3.0 x 6.0—5 Rows 6" Glass, Slip	3.78	6.87
3.2 x 6.0—4 Rows 8" Glass, Putty	3.49	6.56
3.2 x 6.0—4 Rows 8" Glass, Slip	3.49	6.56

13/8"
1 Light
Sidelight Sash



Putty Glazing
21/4" Stiles and
Top Rail
31/4" Bottom Rail

Q-1000

Outside Size	Open	Glazed
$1.0 \times 4.101/2$	\$1.25	\$2.29
$1.0 \times 5. \ 21/2 \dots$	1.30	2.61
$1.0 \times 5.61/2$	1.36	2.82
$1.6 \times 4.10\frac{1}{2}$	1.33	3.21
$1.6 \times 5. \ 21/2 \dots$	1.40	3.49
$1.6 \times 5. 61/2$	1.44	4.05

WHITE PINE DIVIDED LIGHT TOP WINDOWS

Philadelphia and Baltimore Openings

The following designs can be furnished from any twolight window shown as carried in stock by placing bars in top sash.



Add to the two-light price, open or glazed.

Q-400 Q-404 \$0.30 Open \$0.43 .34 Glazed S. S. .48



Softwood Doors

Colonial

Entrance Doors

Colonial

Entrance

Frames

Porch

Work & Stair

Mould-

Cabinet

00 Q-404



Q-401 Q-405 \$0.32 Open \$1.20 .36 Glazed S.S. 1.20



Q-401 Q-405



Q-402 Q-406 \$0.90 Open \$0.67 .90 Glazed S. S. .76



102 Q-406




Q-403 Q-407 \$1.20 Open \$1.23 1.20 Glazed S. S. 2.06



Q-403 Q-4

GABLE SASH AND FRAMES HALF CIRCLE



No. 30

To match regular stock frames. Half circle outside, square inside. Set up. Complete with glazed sash. Individually carton packed.

	Price Co	mplete
Size		Glazed
3.0 x 1.6		\$13.05

QUARTER CIRCLE



Left No. 28 Right No. 29 (Advise Which Required)

To match regular stock frames. Quarter Circle outside, square inside. Set up. Complete with glazed sash. Individually carton packed.

	Price Co	omplete
Size		Glazed
1.6 x 1.6	Right or Left	\$10.05

Materials: Clear California White Pine throughout. All machine work completed, no cutting or trimming necessary. Ready to install in the opening.

LOUVRE FRAMES

FOR FRAME CONSTRUCTION ONLY

PINE — CARTON PACKED

Completely Set-up

34" Louvres for 4" Stud Wall



Q-25

HALF CIRCLE LOUVRE FRAME



Left Q-26

9

9

9

9

9

b

Right Q-27

(Advise Which Required)

QUARTER CIRCLE LOUVRE FRAME

1.3 x 1.6 to Inside of Jambs, Right or Left..... \$6.00

COPED SASH BARS

For filling in vertical light top and bottom sash. Bars coped to fit our standard warehouse stock sticking.

Glass	Per I	Piece
Height	11/8"	13/8"
16"	\$0.16	\$0.18
18"	.18	.20
20"	.18	.20
24"	.21	.23
26"	.21	.23
28"	.22	.24
30"	.22	.24
32"	.25	.27

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

BLINDS




Q-1400

ROLLING SLATS

ALL WHITE PINE-11/8" Thick

Size of Glass	Outside Size		Per Pair
24 x 202.	4½ x	4.0	\$4.26
24 x 242.	4½ x	4.8	4.97
24 x 262.	$4\frac{1}{2}$ x	5.0	5.33
24 x 282.	4½ x	5.4	5.68
24 x 302.	4½ x	5.8	6.04
27 x 242.	$7\frac{1}{2}$ x	4.8	4.97
27 x 262.	$7\frac{1}{2}$ x	5.0	, 5.33
27 x 282.	$7\frac{1}{2}$ x	5.4	5.68
30 x 242.	10½ x	4.8	4.97
30 x 262.	$10\frac{1}{2}$ x	5.0	5.33
30 x 282.1	$0\frac{1}{2}$ x	5.4	5.63
36 x 243.	41/2 x	4.8	6.23

BLINDS



Q-1404 STATIONARY SLATS

All White Pine-11/8" Thick

	All White	Pine—1 1/8 I hick	
Size of Glass	Outside	Size	Per Pair
		x 4.0	
		x 4.8	
24 x 20	2. 41/2	x 4.0	3.84
24 x 24	,	x 4.8	
	, 2	x 5.0	
24 x 28	, -	x 5.4	
24 x 30	2. 41/2	x 5.8	
26 x 24	2. 61/2	x 4.8	4.48
26 x 26	2. 61/2	x 5.0	4.80
26 x 28	2. 61/2	x 5.4	5.12
26 x 30	2. $6\frac{1}{2}$	x 5.8	5.44
27 x 20	2. 71/2	x 4.0	3.84
27 x 24	2. 71/2	x 4.8	4.48
27 x 26	2. $7\frac{1}{2}$	x 5.0	4.80
27 x 28	2. 71/2	x 5.4	5.12
27 x 30	2. 71/2	x 5.8	5.44
28 x 24	2. 81/2	x 4.8	4.48
28 x 26	2. 81/2	x 5.0	4.80
28 x 28	2. 81/2	x 5.4	5.12
28 x 30	2. 81/2	x 5.8	5.44
30 x 20	2.101/2	x 4.0	3.84
30 x 24	2.101/2	x 4.8	4.48
30 x 26	2.101/2	x 5.0	4.80
30 x 28	2.101/2	x 5.4	5.12
30 x 30	2.101/2	x 5.8	5.44

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames


Frames

Porch Work & Stair Work

Mouldings

Cabinet

BLINDS



Q-1401

STATIONARY SLATS

NO SAW-CUTS

ALL WHITE PINE-11/8" Thick

Size of	Outside		
Glass	Size		Per Pair
24 x 20	2. 41/2 x	4.0	
		4.8	
		5.0	6.00
		5.4	
		5.8	6.80
27 x 24	2. $7\frac{1}{2}$ x	4.8	5.60
27 x 26	2. $7\frac{1}{2}$ x	5.0	6.00
27 x 28	2. $7\frac{1}{2}$ x	5.4	6.40
		4.8	5.60
		5.0	6.00
		5.4	
JO X 20		2.7	0.40



For cut-outs shown on this and opposite pages, add per pair: 57c for Nos. 7, 8, 9, 11, 13, 17, 18, 20, 21, 25. 78c for Nos. 2, 3, 4, 5, 14, 16, 19, 22, 24, 29, 32. \$1.02 for Nos. 1, 6, 10, 12, 15, 23, 26, 27, 28, 30, 31.

SHUTTERS



Q-1405

RAISED PANELS-Two Sides NO SAW-CUTS

ALL WHITE PINE-11/8" Thick

Size		
Gla	ss Size	Per Pair
24 x	202. 4½ x 4.0	\$5.52
24 x	242. 41/2 x 4.8	6.44
24 x	$262. 4\frac{1}{2} \times 5.0$	6.90
24 x	$282. 4\frac{1}{2} \times 5.4$	7.36
24 x	$302. 4\frac{1}{2} \times 5.8$	7.82
27 x	$242. 7\frac{1}{2} \times 4.8$	6.44
27 x	$262. 7\frac{1}{2} \times 5.0$	6.90
27 x	$282. 7\frac{1}{2} \times 5.4$	7.36
30 x	$242.10\frac{1}{2} \times 4.8$	6.44
30 x	$262.10\frac{1}{2} \times 5.0$	6.90
30 x	$282.10\frac{1}{2} \times 5.4$	7.36



9

7

9

3

3

3

9















28

29 30 31

For cut-outs shown on this and opposite pages, add per pair: 57c for Nos. 7, 8, 9, 11, 13, 17, 18, 20, 21, 25. 78c for Nos. 2, 3, 4, 5, 14, 16, 19, 22, 24, 29, 32. \$1.02 for Nos. 1, 6, 10, 12, 15, 23, 26, 27, 28, 30, 31.

Softwood Doors

> Colonial Entrance Doors


Colonial Entrance Frames

Frames

Perch Work & Stair Work

Mouldings

SHUTTERS



Q-1406
RAISED PANELS—Two Sides

ALL WHITE PINE-11/8" Thick

Size of	Outside	
Glass	S'z · Pe	r Pair
24 x 20	2. 41/2 x 4.0	\$5.52
24 x 24.	2. $4\frac{1}{2} \times 4.8$	6.44
24 x 26.	2. 4½ x 5.0	6.90
24×28 .	2. $4\frac{1}{2} \times 5.4$	7.36
24×30 .	2. 4½ x 5.8	7.82
27×24 .	2. $7\frac{1}{2} \times 4.8$	6.44
27×26 .	2. 7½ x 5.0	6.90
27×28 .	2. 71/2 x 5.4	7.36
30×24 .	2.101/2 x 4.8	6.44
30×26 .	2.10 $\frac{1}{2}$ x 5.0	6.90
30 x 28.	2.10 $\frac{1}{2}$ x 5.4	7.36



For cut-outs shown on this and opposite pages, add per pair: 57c for Nos. 7, 8, 9, 11, 13, 17, 18, 20, 21, 25. 78c for Nos. 2, 3, 4, 5, 14, 16, 19, 22, 24, 29, 32. \$1.02 for Nos. 1, 6, 10, 12, 15, 23, 26, 27, 23, 30, 31.

SHUTTERS

RAISED PANELS
Two Sides

9

9

9 9 9

7

3


3

3

7

9

9



ALL WHITE PINE

1 1/8" Thick

Q-1407

Size	- autorac	
Glas	Size	Per Pair
24 x	$202. 4\frac{1}{2} \times 4.0$	\$5.52
24 x	$242. 4\frac{1}{2} \times 4.8$	6.44
	$262. 4\frac{1}{2} \times 5.0$	6.90
	$282. 4\frac{1}{2} \times 5.4$	7.36
	$302. 4\frac{1}{2} \times 5.8$	7.82
24 x	$322. 4\frac{1}{2} \times 6.0$	8.28
27 x	$242. 7\frac{1}{2} \times 4.8$	6.44
27 x	$262. 7\frac{1}{2} \times 5.0$	6.90
27 x	$282. 7\frac{1}{2} \times 5.4$	7.36
27 x	$302. 7\frac{1}{2} \times 5.8$	7.82
27 x	$322. 7\frac{1}{2} \times 6.0$	8.28
30 x	$242.10\frac{1}{2} \times 4.8$	6.44
30 x	$262.10\frac{1}{2} \times 5.0$	6.90
	$282.10\frac{1}{2} \times 5.4$	7.36
	$302.10\frac{1}{2} \times 5.8$	7.82
	$322.10\frac{1}{2} \times 6.0$	8.28



For cut-outs shown on this and opposite pages, add per pair: 57c for Nos. 7, 8, 9, 11, 13, 17, 18, 20, 21, 25. 78c for Nos. 2, 3, 4, 5, 14, 16, 19, 22, 24, 29, 32. \$1.02 for Nos. 1, 6, 10, 12, 15, 23, 26, 27, 28, 30, 31.

Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-


SASH CORD



100 feet to a Hank

	Per	r Hank
"Chester" (High Quality)		\$1.14
"Jefferson" (Highest Grade)		1.20

SASH WEIGHTS



Per Pou	ınd
Round or Square\$0.0	34
DIAMOND POINT DRIVERS	

Self Feeding Gun...... \$4.50

No. 1 DIAMOND GLAZIER'S POINTS Per Box \$0.96

		Doz. Boxes Only
5c Retail	Size	 \$0.60

GLASS CUTTERS

	Each	1
D. 1 D	\$0.21	



Remember! All Libbey-Owens and LUSTRAGLASS

SASH PULLEYS

Standard in All Quigley Frames



Grand Rapids
No. 9

GALVANIZED AND BALL BEARING

Per Dozen \$0.99

AUTHORIZED DISTRIBUTORS
FOR ALL

GRAND RAPIDS PULLEYS

Get our Case Lot Price on all Patterns and Finishes.

"BLUE SEAL" GLAZING PUTTY

Pure Linseed Oil Putty

100 11 5	
100-lb. Drum	\$9.00
25-lb. Drum	2.62
12½-lb. Drum	1.36
5-lb. Can	
1-lb. Can	.15

"SASHMILL" PRIMELESS PUTTY

100-lb.	Drum	•••••	Each \$8.25
25-lb.	Drum	***************************************	2,44

This "SASHMILL" brand is not the ordinary primeless. It is specially prepared where quality and efficiency are demanded. Softwood Doors

> Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldinus

ART-PLY

THE INLAID PLYWOOD with invisible sealed joints



ART-PLY Random Plank (RP-10); inlaid with moulding for random effect. Rabbetted at sides.



ART-PLY Standard Plank (SP-20); inlaid with moulding in 16-inch widths. Rabbetted at sides.



ART-PLY Rectangular Tile (RT-30); inlaid with moulding to form nine 16 in. x 32 in. rectangles. Rabbetted all around.



ART-PLY Square Tile
(T-40); inlaid with moulding to form eighteen 16 in.
x 16 in. squares. Rabbetted
all around.

ART-PLY is manufactured from durable Douglas Fir in standard 4 ft. by 8 ft. panels. The attractive mouldings are inlaid, flush with the surface, and "welded" in with water-resisting glue. Four patterns are available, affording a variation of designs. The artistic effects possible with this modern wallboard are almost unlimited.

For remodeling, ART-PLY has no rival. It can be used to cover old plaster . . . is quickly put up, and requires no expert to install or finish. Extra moulding for the joints comes in each package of panels. Since ART-PLY has a wood surface with attractive grain, the painter can work out any desired finish. In kitchens or bathrooms, ART-PLY can be covered with enamel for waterproof finish.

FOR PRICES, SEE OUR CURRENT SUPPLEMENT

WHITE PINE CUPBOARD DOORS

Bead Sticking 0-702 Raised Panels, | Side Flat Panels, Side O. G. Sticking

Q-701

3

-

Flat Fir Panel





Q-709 Raised Panels. 1 Side Flat Panels, 1 Side O. G. Sticking

2.0 x

2.0 x

2.0

2.0 x 4.6

2.0

3.6-

x 4.0—

5.0-

x 6.0—

Q-701

Q-702

O-709

All Patterns 2.0—3/4 2 x Pan..... \$1.30 X 1.4 1.58 x 1.4 2.4x 1.58 2.6x 1.58 .4 2.8 x 1.62 3.0-Pan.... 1.4 1.72 1.4 x 3.6-2.00 .4 4.0 2.19 x x 1.4 x 4.6 2.51 5.0-1.4 2.84 x 1.4 6.0 x 3.12 6.6 3.43 1.6 2.0 2 x Pan..... 1.35 x 1.6 1.63 x 6 x 2.4 1.63 2.6-16 x 1.63 2.8 1.6 x 1.67 3.0-Pan..... 1.6 1.81 1.6 3.6-2.09 x 1.6 4.0 Pan. 2.33 x x 4.6 1.6 x 2.65 5.0-1.6 2.98 x 1.6 6.0 x 3.30 1.6 x 6.6 3.63 1.8 2.0x 1.35 1.8 1.77 x 1.8 2.4x 1.77 1.8 2.6x 1.8 2.8x 1.81 3.0-1.8 1.95 1.8 3.6x 2.28 1.8 4.0x Pan 2.51 v 1.8 4.6 x 2.88 1.8 5.0-3.21 1.8 x 6.0-3.58 1.8 x 6.6 3.94 2.0 x 2.0-1.58 2.0 x 1.95 2.0 1.95 2.4 x 2.0 2.6x 1.95 2.0 2.8x 2.00 2.0 x 3.0-2.19

See Page 58 for Cupboard Sash Doors

x Pan

Softwood Doors

> Colonial Entrance Doors

Cotonial Entrance Frames

Frames

Porch Work Stair Work

Mould.

2.51

2.84

3.21

3.63

...4.05

FIR PANEL DOORS

Solid Stiles and Rails

Bead and Cove Sticking





Q-80						
	5x F	lat Pan.	5x Rs	5x Rsd. Pan.		
	No. I		No. 1	No. 2		
2. 0 x 6. 0—1 1/8			\$4.08	\$3.83		
2. 4 x 6. 0—1 ½			4.48	4.21		
2. 6 x 6. 0—1 1/3			4.67	4.38		
2. 0 x 6. 6—1 1/8			4.23	3.97		
2. 2 x 6. 6—1½			4.67	4.38		
2. 4 x 6. 6—1 ½	4.67	4.38	4.67	4.38		
2. 6 x 6. 6—1½		4.59	4.89	4.59		
2. 0 x 6. 8—1½			4.34	4.07		
	4.78		4.78	4.49		
78			4.78	4.49		
	5.00		5.00	4.69		
2. 8 x 6. 8—1 ½	5.22	4.90	5.22	4.90		
2. 0 x 6. 0—13/s	4 40	4.01	4.40	4.01		
2. 4 x 6. 0—13/8	4.48	4.21	4.48 5.00	4.21		
2. 6 x 6. 0—138		4.86	5.18	4.86		
2. 8 x 6. 0—13/8		5.07	5.40	5.07		
2. 4 x 6. 4—13/8	5.11	4.80	5.11	4.80		
1. 6 x 6. 6—13/8			4.70			
1. 8 x 6. 6—13/8		*******	4.70			
2. 0 x 6. 6—13/3	4.70	4.42	4.70	4.42		
2. 2 x 6. 6—1 %		4.86	5.18	4.86		
2. 4 x 6. 6—1 3/8		4.86	5.18	4.86		
		5.11	5.44	5.11		
2. 8 x 6. 6—1%	5.66	5.31	5.66	5.31		
1. 8 x 6. 8—1 3/8		*******	4.78 4.78	*******		
2. 0 x 6. 8—13/8		4.49	4.78	4.49		
2. 2 x 6. 8—1 3/8	5.29	4.97	5.29	4.97		
2. 4 x 6. 8—138	5.29	4.97	5.29	4.97		
2. 6 x 6. 8—13/8		5.18	5.51	5.18		
2. 8 x 6. 8—136	5.77	5.42	5.77	5.42		
2.10 x 6. 8—1 %		5.62	5.99	5.62		
3. 0 x 6. 8—1 %	6.25	5.87	6.25	5.87		
2. 4 x 6.10—1 %	5.62	5.28	5.62	5.28		
2. 6 x 6.10—1%		5.52	5.88	5.52		
	6.14	5.76	6.14	5.76		
2.10 x 6.10—138	6.39	6.00 4.86	6.39 5.18	6.00 4.86		
2. 4 x 7. 0—1 3/8	5.70	5.35	5.70	5.35		
2. 6 x 7. 0—13/8	5.95	5.59	5.95	5.59		
2. 8 x 7. 0—1 3/8		5.83	6.21	5.83		
2.10 x 7. 0—1%	6.47	6.07	6.47	6.07		
3. 0 x 7. 0—1 3/8		6.35	6.76	6.35		
2. 8 x 6. 8—134		6.93	7.39	6.93		
3. 0 x 6. 8—134	7.97	7.49	7.97	7.49		
2.10 x 6.10—134			8.16	7.66		
2. 6 x 7. 0—1¾		7.14	7.61	7.14		
2. 8 x 7. 0—1¾ 2.10 x 7. 0—1¾		7.45	7.94	7.45		
3. 0 x 7. 0—1¾	8.27	7.76	8.27	7.76		
/4	8.60	8.07	8.60	8.07		

FIR PANEL DOORS

Solid Stiles and Rails
Bead and Cove Sticking



2 Panel Q-82

	No. 1	No. 2
2. 0 x 6. 0—13/8	\$4.48	\$4.21
2. 4 x 6. 0—13/8	5.00	
2. 6 x 6. 0—13/8	5.18	4.86
1. 6 x 6. 6—13/8	4.70	4.42
1. 8 x 6. 6—13/8	4.70	4.42
2. 0 x 6. 6—13/8	4.70	4.42
2. 2 x 6. 6—13/8	5.18	4.86
2. 4 x 6. 6—13/8	5.18	4.86
2. 6 x 6. 6—13/8	5.44	5.11
2. 8 x 6. 6—1 3/8	5.66	5.31
1. 6 x 6. 8—13/8	4.78	4.49
1. 8 x 6. 8—13/8	4.78	4.49
2. 0 x 6. 8—13/8	4.78	4.49
2. 2 x 6. 8—13/8	5.29	4.97
2. 4 x 6. 8—13/8	5.29	4.97
2. 6 x 6. 8—13/8	5.51	5.18
2. 8 x 6. 8—13/8	5.77	5.42
3. $0 \times 6.8 - 1\frac{3}{8} \dots$	6.25	
2. 4 x 6.10—13/8	5.62	*******
2. 6 x 6.10—13/8	5.88	********
2. 8 x 6.10—13/8	6.14	********
2.10 x 6.10—13/8	6.39	
2. 0 x 7. 0—13/8	5.18	4.86
2. 4 x 7. 0—1 3/8	5.70	5.35
2. 6 x 7. 0— $1\frac{3}{8}$	5.95	5.59
2. 8 x 7. 0—13/8	6.21	5.83
2.10 x 7. 0—13/8	6.47	6.07
3. $0 \times 7. 0 - 13/8$	6.76	6.35
2. 8 x 6. 8—13/4	7.39	********
3. 0 x 7. 0—1 ³ / ₄	8.60	******

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Cabinet

No. 1 FIR PANEL DOORS







Q-83	

Q-84

Q-86

						Q-	86
				Q-83	Q-84	Open	Gla.
2.	0 :	ĸ 6.	0—13/8	*******	\$4.72		******
			6—13/8	\$5.89	4.94	********	
2.	0 ;	¢ 6.	6—13/8	5.89	4.94	\$4.94	\$5.45
2.	2 :	κ 6.	6-13/8	6.37	5.42		
			6—13/8	6.37	5.42	5.42	6.11
2.	6 5	6.	6—13/8	6.63	5.68	5.68	6.53
			6—13/8	6.85	5.90	********	
			8—1 3/8	5.97	5.02		
			8—13/8	5.97	5.02	********	
			8—13/8	6.48	5.53		
			8—13/8	6.48	5.53	5.53	6.22
			8—13/8	6.70	5.75	5.75	6.60
			8—13/8	6.96	6.01	6.01	6.91
			0—13/8	7.13	6.19	0.01	
			0-13/8	7.95	7.00	*********	*******
_	0 3		0 1/8	1.50	7.00	********	*******
2.	8 x	6.	8—13/4	8.57	7.63		*******
			8—13/4	9.15	8.21		********
			0-13/4	8.79	7.85		

Layout Overall

8.84

	Q-83	Q-84	Q-86
Stiles	4 16"	4 16"	4 18"
Top Rail	4 %"	5 3/8"	4 18"
Bottom Rail	93/8"	113/8"	93/8"
Insert Frame	2 3/4"		

Q-83 Raised Insert Frames—Ovolo Sticking. Q-84 and Q-86—Bead and Cove Sticking.

3. 0×7 . $0 - 1\frac{3}{4}$ 9.78

MIRROR DOORS

Layout Overall
Stiles 45%"
Top Rail 45%"
Bottom Rail, 93%"

7

3

9

3

3

9

3

3



B. & C. Sticking

Q-85

		Fir Glazed
2.0 x 6.0—13/8	\$4.95	
2.0 x 6.6—13/8	5.18	
2.4 x 6.6—13/8	5.66	
2.6 x 6.6—13/8	5.92	
2.0 x 6.8—13/8	5.26	
2.4 x 6.8—13/8	5.77	PHONE
2.6 x 6.8—13/8	5.99	FOR PRICES
2.8 x 6.8—13/8	6.25	I KICES
2.0 x 7.0—13/8	5.66	
2.6 x 7.0—13/8	6.43	
3.0 x 7.0—13/8	7.24	

NOTE—A loose Fir Panel for mirror back is set in each door.



Mirror Doors in Bedroom, Bath or Vestibule are a great convenience, in fact almost a necessity in the modern home or apartment. Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

FIR SASH DOORS

Raised Panels only—B. & C. Sticking—Beads for Glass



Q-112

Q-112

Three Cross R. P. One Light

No. 1

		140. 1	
		Fir	
		Open	Glazed
2 .6 x	6. 6—13/8	\$5.11	\$6.38
2. 4 x	6. 8—13/8	4.97	6.24
2. 6 x	6. 8—13/8	5.18	6.61
2. 8 x	6. 8—13/8	5.42	6.99
2.10 x	6.10—13/8	6.00	7.82
2. 8 x	7. 0—13/8	5.83	7.66
3. 0 x	7. 0—13/8	6.35	8.59



Q-113

Three Cross R. P. Four Lights

No 1

	No. 1		
	Open Glazeo	,	
2 (1	
2. 6 x 6. 6—13/8	\$5.49 \$6.59)	
2. 4 x 6. 8—13/8	5.35 6.45	5	
2. 6 x 6. 8—13/8	5.56 6.81		
2. 8 x 6. 8—13/8	5.80 7.08	3	
2.10 x 6.10—13/8	6.38 7.95	ì	
2. 8 x 7. 0—13/8	6.21 7.77		
3. 0 x 7. 0—13/8	6.73 8.50		


Q-113

FIR SASH DOORS

Raised Panels only-B. & C. Sticking-Beads for Glass

Q-114

2 x R. P. 1 Light



Q-114

Q.115

2 x R. P. 4 Lights



		N	o. 1	No	o. 2
		Open	Glazed	Open	Glazed
2. 6 x 6. 0	1 3/8 .	\$5.56	\$6.99	\$5.24	\$6.67
2. 4 x 6. 6	-1 % .	5.56	6.99	5.24	6.67
2. 6 x 6. 6	-1 % .	5.82	7.25	5.49	6.92
2. 8 x 6. 6	-1 % .	6.04	7.60	5.69	7.25
2. 4 x 6. 8	-1 %	5.67	7.10	5.35	6.78
2. 6 x 6. 8	-1%.	5.89	7.32	5.56	6.99
2. 8 x 6. 8	-1 % .	6.15	7.71	5.80	7.36
3. 0 x 6. 8	1 3% .	6.63	8.40	*******	*******
2. 6 x 6.10	-1 3/8	6.26	7.94	5.90	7.58
2.10 x 6.10	-1 % .	6.77	8.60	*******	********
2. 6 x 7. 0	-1 % .	6.33	8.27	5.97	7.90
2. 8 x 7. 0	1 % .	6.59	8.30	6.21	7.92
3. 0 x 7. 0	—1 ¾ .	7.14	9.12	6.73	8.71

Q-115

2.	8	x	6.	8-13/4.	7.77	9.33	********	********
3.	0	x	6.	8-13/4.	8.35	10.12	********	*******
3.	0	x	7.	0-13/4.	8.98	10.96	*******	

Colonial Entrance Doors

Cotonial Entrance Frames

Frames

Perch Work & Stair Work

Mould-

FIR SASH DOORS

Raised Panels only-B. & C. Sticking-Beads for Glass

· Q-116



2 x R. P. 6 Lights

			No. 1	Fir
			Open	Glazed
2. 6	óχ	6. 6—1 3/8	\$6.15	\$7.69
2. 8	3 x	6. 8—1 3/8	6.48	8.02
2.10) x	6.10—13/8	7.10	9.18
3.	0 x	7. 0—13/8	7.47	9.55
2.	8 x	6. 8—1 3/4	8.10	9.64
3.	0 x	7. 0—1 3/4	9.31	11.39

Q-116



Q-119

2 x R. P. 9 Lights

					F	ır
					Open	Glazed
2.	6	x	6.	6-13/8	\$6.75	\$7.98
2.	6	x	6.	8-13/8 4	6.82	8.17
2.	8	x	6.	8-13/8	7.08	8.57
3.	0	x	7.	$0 - 1\frac{3}{8}$	8.07	9.85
				7		7 6

Q-119

FIR FRONT DOORS

Layout Overall				
Stiles	51/2"			
Top Rails	51/2"			
Lock Rails	63/4"			
Bottom Rails	93/8"			
Raised Panels				
B. & C. Sticking				



No. 1

O-	П	5	2
~	۰	-	_

	1	Fir
2 / / / / / / /	Open	Glazed
2. 6 x 6. 6—1 ³ / ₈	\$6.84	\$8.49
2. 6 x 6. 8—13/8	6.92	8.75
2. 8 x 6. 8—13/8	7.19	9.25
2. 8 x 6. 8—13/4	0.07	10.00
2.10 × 6.10—13/	8.87	10.93
2.10 x 6.10—13/4	9.67	12.24
3. 0 x 7. 0—13/4	10.13	13.13

Dentil and Water Table, add \$0.60

2 R. P. 8 Lights



3

3

9

9

3

4

Layout Overall				
Stiles 51/2"				
Top Rails 51/2"				
Bottom Rails				
B. & C. Sticking				

No. 1 FIR

Q-134	F	ir
	Open	Glazed
2. 6 x 6. 6—13/8	\$8.26	\$8.95
2. 8 x 6. 8—1 3/8	8.61	9.35
2. 8 x 6. 8—1 ³ / ₄	10.29	11.03
3. 0 x 7. 0—1 ³ / ₄	11.55	12.37

Colonial Entrance Doors


Cotonial Entrance Frames

Frames

Porch Work Stair Work

Mouldings

No. 1 FIR FRONT DOORS



Q-136-15 Lights

	F	ir
	Open	
2.6 x 6.8—1 3/4	\$7.64	\$10.31
2.8 x 6.8—134	7.91	10.58
3.0 x 6.8—13/4	8.34	11.31
2.10 x 6.10—13/4	8.47	11.74
2.6 x 7.0—1 ³ / ₄	8.07	11.00
2.8 x 7.0—1 ³ / ₄	8.31	11.23
3.0 x 7.0—1 ³ / ₄	8.80	12.07

Q-1360-5 Lights

	F	ir
	Open	Glazed
1.0 x 6.8—13/8	\$3.79	\$4.77
1. 0 x 6.10—13/8	3.97	4.95
1.0 x 7.0—13/8	4.01	4.99
1.0.1		

Layout Overall

	Q-130	Q-1360
Stiles	51/2"	21/2"
Top Rails	51/2"	51/2"
Bottom Rails	111/2"	111/3"

B. & C. Sticking.

No. 1 FIR FRENCH DOORS







6-121	Q-	1	3	7	
-------	----	---	---	---	--

Q-137	Q-135	Q	-1350
	Q-137-10 Lights	Open	Glazed
2.0 x 6.6—13/8.	£ 101 10 mg	\$4.57	\$6.52
		4.62	6.57
, 0		5.00	8.30
		5.16	7.60
		4.92	6.87
		5.30	8.60
		5.48	8.22
= 176 ·			
		5.62	7.57
$2.6 \times 6.8 - 13/4$		6.27	9.84
$2.0 \times 7.0 - 13/4$		5.97	7.92
		6.70	10.63
		6.46	10.96
2.6 x 7.6—13/4		7.19	11.69
	Q-135-15 Lights		
2.6 x 6.6—13/8	Q-133—13 Lights	\$5.74	\$8.41
		5.79	8.46
		5.98	8.65
		6.33	9.30
		6.44	9.71
		6.11	9.03
		6.30	9.22
		6.71	9.98
3.0 X 7.0—178		0.11	
		6.90	9.57
		7.17	9.84
2.6 x 7.0—1 3/4		7.33	10.26
		7.57	10.50
$3.0 \times 7.0 - 13/4$		8.06	11.33
	Q-1350-5 Lights		
1.0 x 6.6—13/8	Q-1000—0 Lights	\$3.79	\$4.77
, ,		3.97	4.95
, , , , , , , , , , , , , , , , , , , ,		4.01	4.99
7,8			
	Layout Overall Q-137	Q-135	Q-1350
Stiles		43/4"	21/2"
Stiles	· · · · · · · · · · · · · · · · · · ·	774	4/2

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work Stair

Mould-

ings

Cabinet

B. & C. Sticking.

Top Rails Bottom Rails 43/4" 93/8"

43/4" 93/8"

43/4" 93/8"

No. 1 FIR FRONT DOORS

Q-138-1 Light

Layout Overall

Stiles	. 63/8"
Top Rails	. 63/8"
Bottom Rails	. 203/8"

B. & C. Sticking



Q-138

	Fir		
	Open	Glazed	
2.8 x 6.8—1 ³ / ₄	\$7.68	\$12.36	
2.10 x 6.10—13/4	8.24	13.85	
$2.0 \times 7.0 - 1\frac{3}{4}$	7.11	10.49	
$2.6 \times 7.0 - 1\frac{3}{4}$	7.84	12.52	
3.0 x 7.0—1 3/4	8.57	14.51	

Dentil and Water Table, add \$0.60



DOOR T ASTRAGALS

	White Pin	e Fir
For 13/8—7.0 Door	\$0.66	\$0.66
For 13/4—7.0 Door	.85	.85

GARAGE DOOR T ASTRAGALS

For 13/4-8.0 Door	* \$1.	14 \$1.14
-------------------	--------	-----------

No. 1 GARAGE DOORS

FIR



9

9

3

3

3

Q-92-Colonial

		F	ir
Opening		Open	Glazed
8. 0 x 8. 0—13/4	Per Pair	\$23.64	\$25.94
8. 0 x 7. 6—13/4	Per Pair	23.64	25.94

No. 1 GARAGE DOORS

FIR



Q-89

Vertical Panel

							Fin	r
	Opening						Open	Glazed
8.	0	x	8.	0-13/4	Per	Pair	\$20.10	\$22.50
8.	0	x	7.	6-13/4	Per	Pair	20.10	22.50
8.	0	x	7.	0-13/4	Per	Pair	20.10	22.50
7.	6	x	7.	6-13/4	Per	Pair	20.10	22.50
7.	0	x	7.	6-13/4	Per	Pair	20.10	22.50
7.	0	x	7.	0-13/4	Per	Pair	20.10	22.50

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

Cabine

No. 1 GARAGE DOORS

FIR



Q-900

	OF	en	ing								of Three Glazed
8.	0	x	8.	0-13/4	ea.	door	2/8	X	8/0	\$21.30	\$23.70
8.	0	x	7.	6-13/4	ea.	door	2/8	x	7/6	21.30	23.70
8.	0	x	7.	0-13/4	ea.	door	2/8	x	7/0	21.30	23.70
7.	6	x	7.	6—13/4	ea.	door	2/6	x	7/6	21.30	23.70
7.	6	x	7.	0-13/4	ea.	door	2/6	x	7/0	21.30	23.70



Q-910

		Or	en	ing							Per Set Open	of Three Glazed
1	8.	0	x	8.	013/4	ea.	door	2/8	x	8/0	\$23.70	\$26.10
١	8.	0	x	7.	6-13/4	ea.	door	2/8	x	7/6	23.70	26.10

No. 1 GARAGE DOORS

è

9

9

3

3

3

3

FIR



Q-90

Vertical Panel

							FI	r
	Op	eni	ng				Open	Glazed
8.	0	x	8.	0-13/4	Per	Pair	\$20.10	\$22.50
7.	6	x	8.	0-13/4	Per	Pair	20.10	22.50
8.	0	x	7.	$6 - 1\frac{3}{4}$	Per	Pair	20.10	22.50
8.	0	x	7.	0-13/4	Per	Pair	20.10	22.50
7.	6	x	7.	6-13/4	Per	Pair	20.10	22.50
7.	6	x	7.	0-13/4	Per	Pair	20.10	22.50



Q-91

Cross Brace

								ir
	Op	en	ing				Open	Glazed
8.	0	x	8.	0-13/4	Per	Pair	\$22.50	\$24.90
8.	0	x	7.	6-13/4	Per	Pair	22.50	24.90
8.	0	x	7.	0-13/4	Per	Pair	22.50	24.90
7.	6	x	7.	6-13/4	Per	Pair	22.50	24.90


Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-



DOUGLAS FIR PANELS

3 Ply Laminated, Waterproof Glue Rotary Cut Veneers

FOR PRICES

SEE CURRENT SUPPLEMENT

QUIGLEY'S PROTRACTOR MADE FRAMES ARE BETTER

WHITE PINE GARAGE DOORS



Q-96

Opening	Open	Glazed
8. 0 x 8. 0—13/4 Per Pair	. \$25.29	\$27.69
8. 0 x 7. 6—13/4 Per Pair	. 24.74	27.14

7



Q-960

Opening	e Pine of Three Glazed	
	ea. door 2/8 x 8/0 ea. door 2/8 x 7/6	\$27.69 27.14
la control of		

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

CUPBOARD SASH DOORS

Beads for Glass C. & B. Sticking



3/4" Thick

				3 Lights	White Open	Pine Glazed
1.	3	x	3.	0—3/4"	\$1.28	\$1.59
1.	3	x	3.	6—3/4"	1.32	1.69
1.	3	x	4.	0—3/4"	1.41	2.03

Beads for Glass C. & B. Sticking



3/4" Thick

6 Lights	White Pine Open Glazed
1. 3 x 3. 0—3/4"	\$1.92 \$2.30
1. 3 x 3. 6—3/4"	1.96 2.46
1. 3 x 4. 0—3/4"	2.11 2.69
1. 6 x 3. 0—3/4"	1.92 2.30
1. 6 x 3. 6—3/4"	1.96 2.46
1. 6 x 4. 0—3/4"	2.11 2.69
1. 8 x 3. 0—3/4"	1.94 2.40
1. 8 x 3. 6—3/4"	1.98 2.56
2. 0 x 3. 0—3/4"	1.97 2.56
2. 0 x 3. 6—3/4"	2.02 2.76

Beads for Glass C. & B. Sticking



3/4" Thick

				And State And State Control of		
				8 Lights		e Pine
					Open	Glazed
1.	6	x	4.	0-3/4"	\$2.52	\$3.36
1.	8	x	4.	0-3/4"	2.54	3.50
2.	0	x	4.	0—3/4"	2.60	3.56

WHITE PINE PANEL DOORS

Solid White Pine Stiles, Rails and Panels

3

9

9

9

7

7

7



5 x R. P. O. G. No. 1

Q-70			
2. 0 x 6. 0—13/8	AF =0		
2. 6 x 6. 0—13/8	\$5.58 6.45		
2. 8 x 6. 0—13/8	6.73		
2. 0 x 6. 6—13/8	5.86		
2. 2 x 6. 6—13/8	6.18		
2. 4 x 6. 6—13/8	6.45		
2. 6 x 6. 6—13/8	6.77		
2. 8 x 6. 6—13/8	7.05		
2. 0 x 6. 8—13/8	5.95		
2. 2 x 6. 8—1 ³ / ₈	6.27		
2. 4 x 6. 8—13/8	6.59		
	6.86		
1/0::::::::::::::::::::::::::::::::::::	7.18		
2. 4 x 6.10—13/8	7.00		
2. 8 x 6.10—13/8	7.32 7.64		
2. 0 x 7. 0—13/8	6.45		
2. 4 x 7. 0—13/8	7.09		
2. 6 x 7. 0—13/8	7.41		
2. 8 x 7. 0—13/8	7.73		
2.10 x 7. 0—13/8	8.05		
3. 0 x 7. 0—13/8	8.42		
2. 6 x 6. 6—1¾	9.31 9.45		
2. 8 x 6. 8—134	9.45		
2. 6 x 7. 0—13/4	10.25		
2. 8 x 7. 0—1 ³ / ₄	10.23		
2.10 x 7. 0—1 ³ / ₄	11.14		
3. 0 x 7. 0—13/4	11.58		
Layout Overall			
Stiles	43/4"		
Top Rails	43/4"		
Lock Rails	43/4"		
Bottom Rails	93/8"		

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

lould-

Cabinet

WHITE PINE PANEL DOORS

INTERIOR



No. 1

O. G. Sticking

Raised Panels 2 Sides

4	Reg.	Panel
---	------	-------

2. 0 x 6. 0—1½	\$4.83
2. 4 x 6. 0—1½	5.31
2. 6 x 6. 0—11/8	5.52
2. 0 x 6. 6—11/8	5.00
2. 4 x 6. 6—1½	5.52
2. 6 x 6. 6—1½	5.79
2. 0 x 6. 8—1½	5.13
2. 4 x 6. 8—1½	5.66
2. 6 x 6. 8—1½	5.92
2. 8 x 6. 8—1½	6.18
2. 0 x 6. 0—13/8	5.31
2. 6 x 6. 0—1 3/8	6.13
2. 0 x 6. 6—13/8	5.57
2. 2 x 6. 6—13/8	5.87
2. 4 x 6. 6—13/8	6.13
2. 6 x 6. 6—13/8	6.44
2. 0 x 6. 8—13/8	5.66
2. 4 x 6. 8—13/8	6.26
2. 6 x 6. 8—13/8	6.53
2. 8 x 6. 8—13/8	6.83
	7.05
3. 0 x 7. 0—13/8	8.00
Stiles 43/4"	
Top Rails 43/4"	
Lock Rails 9"	
Bottom Rails 83/4"	

WHITE PINE PANEL DOORS

INTERIOR



Raised Panels
2 Sides

1 x 0.0 = 1

P. + x 6. 3

No. 1

O. G. Sticking

3

3

3

Q-75 5 Reg. Panel

2.	0	x	6.	0—13/8	\$5.58
2.	0	x	6.	6—13/8	5.86
				6—13/8,	
2.	6	x	6.	6—13/8	6.77
2.	0	x	6.	8—13/8	5.95
2.	4	x	6.	8—13/8	6.59
2.	6	x	6.	8—13/8	6.86
				8—13/8	

Stiles	43/4"
Top Rails	43/4"
Lock Rails	43/4"
Bottom Rails	93/8"

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

CLIMAX DOORS

Q-72-F Solid White Pine Stiles and Rails Veneered Fir Panels



Q-72-B Solid White Pine Stiles and Rails Uns. Birch Veneered Panels

"Climax" Q-72

	Fir Panel	Birch Panel
2. 0 x 6. 0—13/8	\$5.40	\$5.95
1. 6 x 6. 6—13/8	********	5.66
2. 0 x 6. 6—1 3/8	5.66	6.24
2. 2 x 6. 6—1 3/8	5.97	6.58
2. 4 x 6. 6—1 3/8	6.24	6.87
2. 6 x 6. 6—13/8	6.55	7.22
2. 0 x 6. 8—1 3/8	5.75	6.34
2. 2 x 6. 8—1 3/8	6.06	6.68
2. 4 x 6. 8—1 3/8	6.37	7.02
2. 6 x 6. 8—1 3/8	6.63	7.31
2. 8 x 6. 8—1 3/8	6.95	7.65
2. 0 x 7. 0—1 3/8	6.24	6.87
2. 2 x 7. 0—1 3/8		7.22
2. 4 x 7. 0—1 3/8	*******	7.56
2. 6 x 7. 0—1 3/8	7.17	7.90
2. 8 x 7. 0—1 3/8		8.24
2.10 x 7. 0—13/8		8.58
3. 0 x 7. 0—13/8	8.14	8.97

Layout Overall

2 x F. P.

C. & B. No. 1

Stiles	43/4"
Top Rails	43/4"
Lock Rails	8"
Bottom Rails	93/8"

WHITE PINE PANEL DOORS

Solid White Pine Stiles and Rails



Uns. Birch Insert and Panel

"MIRACLE"

Q-73

2. 0 x 6. 0—13/8	\$6.95
2. 0 x 6. 6—13/8	7.30
2. 2 x 6. 6—13/8	7.70
2. 4 x 6. 6—13/8	8.04
2. 6 x 6. 6—13/8	8.44
2. 0 x 6. 8—13/8	7.41
2. 2 x 6. 8—13/8	7.81
2. 4 x 6. 8—13/8	8.21
2. 6 x 6. 8—13/8	8.55
2. 8 x 6. 8—13/8	8.95
2. 0 x 7. 0—13/8	8.04
2. 6 x 7. 0—13/8	9.23
3. 0 x 7. 0—13/8	10.49

Layout Overall

Stiles, Face	41/4"
Stiles and Insert	7 "
Bottom Rail, Face	91/2"
Bottom Rail and Insert	123/4"

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

WHITE PINE PANEL DOORS



Raised Panels 2 Sides

No. 1 OVOLO Sticking

Q-71

2. 0 x 6	. 0—13/8	\$6.41
2. 6 x 6	. 0—13/8	7.27
1. 6 x 6	. 6—1 3/8	6.04
1. 8 x 6	. 6—1 3/8	6.13
2. 0 x 6		6.68
2. 2 x 6		7.00
2. 4 x 6		7.27
2. 6 x 6		7.59
2. 8 x 6	. 6—1 3/8	7.87
1. 6 x 6		6.08
1. 8 x 6		6.18
2. 0 x 6		6.77
2. 2 x 6		7.09
2. 4 x 6		7.41
2. 6 x 6		7.69
2. 8 x 6		8.01
3. 0 x 6.		8.60
2. 0 x 7.		7.27
2. 4 x 7		7.91
2. 6 x 7.		8.24
2. 8 x 7		8.56
3. 0 x 7.		9.24
3. 0 A		
	0 13/	9.95
2. 4 x 6.		10.35
2. 6 x 6.	/ 4	10.35
2. 8 x 6.		
3. 0 x 6.		11.63 9.80
2. 0 x 7		
2. 4 x 7.	/4	10.69
2. 6 x 7.		
2. 8 x 7.		11.58
3. 0 x 7.	. 0—13/4	12.47

NOTE—The 1/6 Doors are made with 3 Rsd. Panels but line with our Q-71.

S. and T. R. 43/4", L. R. 95/8", B. R. 81/4".

No. 1 WHITE PINE FRONT DOORS



3

9

3

3

3

3

7

3

3

3

Q-121

	No. 1	
	Open	Glazed
2. 6 x 6. 6—13/8	\$6.63	\$8.06
2. 6 x 6. 8—13/8	6.68	8.25
2. 8 x 6. 8—13/8	6.86	8.69
3. 0 x 7. 0—13/8	7.69	10.25
2. 8 x 6. 8—13/4	10.82	12.65
2.10 x 6.10—13/4	10.92	13.16
3. 0 x 7. 0—13/4	12.06	14.62

Dentil and Water Table, add \$0.75

Layout Overall

	1 %" Doors	1¾" Doors
Stiles	4 3/4 "	51/2"
Top Rails	4 3/4 "	51/2"
Bottom Rails	9 3/8"	9 3% "

Raised Panels-B. & C. Sticking

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Cabinet

WHITE PINE SASH DOORS

Raised Panels Only

O. G. Sticking Beads for Glass No. 1





Q-101

Q-102

3 R. P.-1 Light-Q-101

					No. 1	
					Open	Glazed
2.	6	x	6.	6—13/8	\$6.36	\$7.93
2.	8	x	6.	8—13/8	6.59	8.42
3.	0	x	6.	8—13/8	6.86	9.10
3.	0	x	7.	0—13/8	7.32	9.88

3 R. P.-4 Lights-Q-102

	No. 1	
		Glazed
2. 6 x 6. 6—1 3/8	\$7.09	\$8.34
2. 8 x 6. 8—1 3/8	7.32	8.88
3. 0 x 6. 8—13/8	7.59	9.36
3. 0 x 7. 0—13/8	8.05	10.03

Layout Overall
Stiles and Top Rail 43/4", Lock Rail 43/4",
Bottom Rail 93/8"

WHITE PINE SASH DOORS

Raised Panels Only

•

O. G. Sticking Beads for Glass No. 1

 $2.6 \times 6.6 - 1\frac{3}{8} \dots$

 $2.6 \times 6.8 - 1\frac{3}{8} \dots$

 $2.8 \times 6.8 - 1\frac{3}{8} \dots$

2.10 x 6.10—13/8..... 3.0 x 7.0—13/8.....





Q-104

Q-105

2 x R. P. 1 Light

Q-104

No.	. 1
Open	Glazed
 \$6.18	\$7.83
 6.27	8.10
 6.41	8.46
 6.95	9.51
 7.18	10.17

9.90

11.46

13.02

2.6	x	6.6—1 3/4	8.66	10.31
2.6	x	6.8—13/4	8.76	10.59
2.8	x	6.8—13/4	8.96	11.01
3.0	x	7.0—13/4	10.10	13.09

2 x R. P. 4 Lights Q-105

140.	
Open	Glazed
\$6.91	\$8.34
7.00	8.43
7.14	8.70
7.69	9.52
7.91	9.89
9.60	11.03
9.70	11.13
	Open \$6.91 7.00 7.14 7.69 7.91

Layout Overall

2.8 x 6.8—1³/₄.....

 $3.0 \times 7.0 - 1\frac{3}{4} \dots 11.04$

Stiles and Top Rail 43/4", Lock Rail 43/4" Bottom Rail 93/8"

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work Stair Work

Mould-

WHITE PINE SASH DOORS







Q-109

	140. 1			
	Q-	106	Q-1	09
	Open	Glazed	Open	Glazed
2. 6 x 6. 6—1 3/8	\$7.32	\$8.79	\$7.64	\$9.24
2. 6 x 6. 8—13/8	7.37	8.84	7.69	9.29
2. 8 x 6. 8—1 3/8	7.50	9.30	7.82	9.42
2. 6 x 6. 8—1 ³ / ₄	10.30	11.77	10.74	12.34
2. 8 x 6. 8—1 ³ / ₄	10.49	12.29	10.94	12.54
3. 0 x 7. 0—1 ³ / ₄	11.53	13.95	11.98	14.09


Raised Panels-Cove and Bead Sticking

Wood Beads for Glass

Layout Overall


Stiles	43/4"
Top Rails	43/4"
Bottom Rails	93/8"

WHITE PINE SASH DOORS



9

Q-107 2 V. R. P. 1 Light



Q-108 2 V. R. P. 4 Lights

No. 1

	Q-	107	Q-108	
	Open	Glazed	Open	Glazed
2. 6 x 6. 6—13/8	\$6.08	\$7.91	\$6.86	\$8.48
2. 6 x 6. 8—13/8				
2. 8 x 6. 8—13/8	6.27	8.51	7.05	8.77
2 6 - 6 9 12/				
2. 6 x 6. 8—1 ³ / ₄				
2. 8 x 6. 8—1 ³ / ₄				
3. 0×7 . $0 - 13/4$	9.90	13.58	10.94	13.32

Raised Panels—Cove and Bead Sticking
Wood Beads for Glass
Layout Overall

Stiles	43/4"
Top Rails	43/4"
Bottom Rails	

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

No. 1 WHITE PINE FRENCH DOORS







Q-125 Q-127-10 Lights



Q-1250

White Pine

	Open	Glazed
2. 0 x 6. 6—13/8	. \$6.09	\$8.04
2. 0 x 6. 8—13/8	. 6.17	8.12
2. 4 x 6. 8—13/8	. 6.30	8.54
2. 6 x 6. 8—13/8		8.78
2. 0 x 7. 0—13/8	. 6.51	8.46
2. 4 x 7. 0—13/8		9.05
2. 6 x 7. 0—13/8	. 6.68	9.42
2 0 (0 10)		
2. 0 x 6. 8—13/4	. 8.65	10.60
2. 6 x 6. 8—13/4		11.36
2. 0×7 . $0 - 1\frac{3}{4}$		11.15
2. 6 x 7. 0—1 ³ / ₄		12.21
2. 0 x 7. 6—13/4		13.25
2. 6 x 7. 6—1 ³ / ₄	. 10.11	13.25
Q-12515 Lights		
2. 6 x 6. 6—13/8	. \$6.93	\$9.60
2. 0 x 6. 8—13/8	. 6.85	8.81
2. 6 x 6. 8—13/8	. 7.01	9.68
2. 8 x 6. 8—13/8	. 7.06	9.73
$3. \ 0 \times 6. \ 8 - 1\frac{3}{8} \dots$. 7.18	10.15
2.10 x 6.10—13/8	. 7.43	10.70
2 0 7 0 13/		

2				_		 _		-		-			
3.	U			0	0		• • •		• • •	٠	•	7.56	10.83
				0								7.43	10.35
				0		 :						7.35	-10.27
				0								7.18	9.19
				0		 						7.43	10.70
				8-		 				٠.,		7.18	10.15
2.	8	X	6.	8	13/8							7.06	9.73
2	^					 						1.01	0.00

2.	6	x	6.	8—13/4	9.84	12.51
2.	8	x	6.	8—13/4	9.93	12.60
3.	0	x	6.	8—13/4	10.11	13.08
2.	6	x	7.	0—13/4	10.39	13.31
2.	8	x	7.	0—13/4	10.48	13.40
3.	0	¥	7	0_13/		


1	Ω		6	Q-1250—5 Lights		
3.	0	x	7.	0—13/4	. 10.48	13.40 13.93
2.	6	x	7.	0—1 ³ / ₄ 0—1 ³ / ₄	10.30	13.31
				- /4		10.00

		C		
1. 0 x	6. $6 - 13/8$		\$4.46	\$5.35
1. 0 x	6. $8 - 13/8$		4.46	5.35
1. 0 x	6.10 - 13/8		4.66	5.63
1. 0 x	7. 0—13/8		4.70	5.63

Layout Overall Q-125 Q-127}—S. and T. R. 43/4", B. R. 91/2".

Q-1250—S. 21/2", T. R. 43/4", B. R. 91/2". Cove and Bead Sticking

No. 1 WHITE PINE FRONT DOORS







Q-1260

Q-126-15 Lights

Q-126

White	Pine
Open	Glazed
\$10.93	\$13.60
11.03	13.70
11.12	13.79
11.30	14.27
11.67	14.34
11.57	14.49
11.67	14.59
11,85	15.12
	\$10.93 11.03 11.12 11.30 11.67 11.57 11.67

Q-1260-5 Lights

	White Pine		
	Open	Glazed	
1. 0 x 6. 8—13/8	\$4.56	\$5.45	
1. 0 x 6.10—13/8	4.75	5.72	
1. 0 x 7. 0—13/8	4.80	5.77	

Layout Overall

Q-126—S. and T. R. $5\frac{1}{2}$ ", B. R. $11\frac{1}{2}$. Cove and Bead Sticking. Glass Size—2.8 x 6.8, app. 7" x $12\frac{1}{4}$ ".

Q-1260—ST. 2½", T. R. 5½", B. R. 11½". Cove and Bead Sticking. Glass Size—1.0 x 6.8, app. 7" x 12¼".

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

Work

No. 1 WHITE PINE FRENCH DOORS COLONIAL DESIGNS



Ovolo Sticking
3-Ply Flat Panel 2 Sides
Bars and Munts 1/4" Between Glass

Q-123

	Siz	zes	Open	Glazed
2.	6 x 6.	6—13/8	\$8.06	\$10.20
2.	6 x 6.	8—13/8	8.11	10.25
2.	8 x 6.	8—13/8	8.30	10.68
2.	8 x 6.	8—1 3/4	11.28	13.66



Ovolo Sticking
3-Ply Flat Panel 2 Sides
Bars and Munts 1/4"
Between Glass

Q-124

			Siz	es		Open	Glazed
2.	0	x	6.	6—1 3/8	•••••	\$6.86	\$8.44
2.	0	x	6.	8—13/8		6.91	8.49
2.	0	x	6.	8-13/4		10.04	11.62

Layout Overall

Stiles $3\frac{5}{16}$ "; Top Rail $3\frac{1}{2}$ "; Lock Rail $5\frac{1}{8}$ "; Bottom Rail 8".

WHITE PINE STORM DOORS



3

Q-103 1 1/8" Thick

				For Doors	No. 1 White Pin Open Gla	e zed
2.	7	x	6.	$7\frac{1}{2}$ 2. 6 x 6. 6	\$7.01 \$	8.28
2.	7	x	6.	$9\frac{1}{2}$ 2. 6 x 6. 8	7.06	8.49
2.	9	x	6.	$9\frac{1}{2}$ 2. 8 x 6. 8	7.25	8.82
3.	1	x	6.	$9\frac{1}{2}$ 3. 0 x 6. 8	7.54	9.37
2.	9	x	7.	$1\frac{1}{2}$ 2. 8 x 7. 0	7.68	9.51
2.1	1	x	7.	$1\frac{1}{2}$ 2.10 x 7. 0	7.82 1	0.06
3.	1	x	7.	$1\frac{1}{2}$ 3. 0 x 7. 0	8.02	0.26

Raised Panels-Cove and Bead Sticking

Wood Beads for Glass Layout Overall

Stiles	43/4"
Top Rails	43/4"
Bottom Rails	9"

Colonial Entrance Doors


Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

No. 1 WHITE PINE FRONT DOORS



Q-128-1 R. P. 1 Light

					White Pine		
						Glazed	
2.	8	x	6.	8—13/8	\$7.44	\$11.04	
3.	0	x	7.	0—13/8	8.26	12.83	
2.	8	x	6.	8—13/4	10.69	14.29	
3.	0	x	6.	8—1 3/4	11.11	15.68	
2.1	0	x	6.1	0-13/4	11.57	16.14	
3.	0	x	7.	0—13/4	11.88	16.45	

Q-1280-1 R. P. 1 Light

				White	Pine
				Open	Glazed
1.	0	x	6. 8—13/8	\$4.08	\$5.44
1.	0	x	6.10—13/8	4.27	5.67
1.	0	x	7. 0—13/8	4.32	5.72

Q-129-1 R. P. 12 Lights

				White	Pine
				Open	
2.	8	X	6.	8—13/8\$9.94	\$11.89
2.	8	x	6.	8—13/4	15.85
3.	0	\mathbf{x}	6.	8—1 3/4 14.31	16.53
2.1	0	x	6.1	0—13/4	16.76
3.	0	x	7.	0—13/4	17.47
				0 1000 + B B 4 4 4	17.47

Q-1290-1 R. P. 4 Lights

														Wh	ite F	Pine
														pen	(Glazed
1.	0	x	6.	8-13/8	٠.		 							\$ 4.85		\$5.51
1.	0	x	6.1	10-13/8		 	 							5.04		5.70
1.	0	x	7.	0-13/8		 	 							5.09		5 75
				, 0				•	•	٠.	•	•	•	0.00	,	3.13

Layout Overall

Q-1281 Q-129 S. and T	. R. 51/2	", L. R.	83/4", B.	R. 111/2".
--------------------------	-----------	----------	-----------	------------

Glass Size—Q-128—2.8 x 6.8, app. 22" x 45½". Glass Size—Q-129—2.8 x 6.8, app. 7" x 11".

Q-1280) Q-1290}St. 2½", T. R. 5½", L. R. 8¾", B. R. 11½".

Glass Size—Q-1280—1.0 x 6.8, app. 7" x 451/2". Glass Size—Q-1290—1.0 x 6.8, app. 7" x 11".

Cove and Bead Sticking

No. 1 WHITE PINE FRONT DOORS







Q-1370

3

3

3

3

3

3

Q-137

Q-140

Q-1400

Q-137—BORDER LIGHT

	White	Pine
	Open	Glazed
2. 8 x 6. 8—13/8	\$8.15	\$12.27
3. 0 x 7. 0—13/8	8.86	14.05
2. 8 x 6. 8—1 ³ / ₄	11.48	15.60
2.10 x 6.10—13/4	12.26	17.40
3. 0 x 7. 0—13/4	12.58	17.77

Q-1370-S. L. BORDER LIGHT

	White Pine	
	Open Glaze	d
1. 0 x 6. 8—13/8	\$5.38 \$7.1	4
1. 0 x 6.10—13/8	5.57 7.3	
1. 0 x 7. 0—13/8	5.62 7.3	_
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7.5	O

Q-140-9 LIGHT

		Glazed
2. 8 x 6. 8—13/8	\$8.15	\$12.17
3. 0 x 7. 0—13/8	8.86	14.56
2. 8 x 6. 8—1 ³ / ₄	11.48	15.50
$2.10 \times 6.10 - 1\frac{3}{4} \dots$	12.26	16.91
3. 0 x 7. 0—1 3/4	12.58	18.28

Q-1400-S. L. 1 LIGHT

l	1.	0	x	6.	81	3/8			 						\$3.94	\$5.70
ı	1.	0	x	6.1	0-1	3/8			 						4.13	5.89
I	1.	0	x	7.	0-1	3/8									4.18	5.94

Layout Overall

 $\begin{array}{c} Q-137 \\ Q-140 \end{array}$ —S. and T. R. $51_2''$, B. R. $171_2''$. Cove and Bead Sticking.
Q-1370
Q-1400
ST. 2½", T. R. 5½", B. R. 17½".

and Bead Sticking.

Colonial Entrance Doors

Cotonial Entrance Frames

Frames

Porch Work Stair Work

Mouldings

No. 1 WHITE PINE FRONT DOORS









Q-1410

Q-141

Q-142

Q-1420

Q-141-10 Marginal Light

	White	Pine
	Open	Glazed
2. 8 x 6. 8—13/8	\$8.40	\$12.52
3. 0 x 7. 0— $1\frac{3}{8}$	9.11	14.30
2. 8 x 6. 8—1 ³ / ₄	11.80	15.92
2.10 x 6.10—1 ³ / ₄	12.58	17.72
3. 0 x 7. 0—1 3/4		18.09

Q-1410-S. L. 1 Light

				White	Pine
				Open	Glazed
1.	0	x	6. 8—1 3/8	 \$3.94	\$5.70
1.	0	x	6.10—13/8	 4.13	5.89
1.	0	x	7. 0—13/8	 4.18	5.94

Q-142-12 Light

	White	Pine
	Open	
2. 8 x 6. 8—13/8		\$13.58
3. 0×7 . $0-1\frac{3}{8}$	9.62	15.56
2. 8 x 6. 8—1 ³ / ₄	12.44	17.12
2.10 x 6.10—1 ³ / ₄	13.22	18.83
3. 0 x 7. 0—13/4	13.54	19.48

Q-1420-S. L. 1 Light

	White	Pine
	Open	Glazed
1. 0 x 6. 8—13/8	 \$3.94	\$5.70
1. 0 x 6.10—13/8	 4.13	5.89
1. 0 x 7. 0— $1\frac{3}{8}$	 4.18	5.94

Layout Overall

Q-141 Q-142 —S. and T. R. 51/2", B. R. 171/2".

Q-1410 Q-1420 —ST. 21/2", T. R. 51/2", B. R. 171/2". Cove and Bead Sticking

No. 1 WHITE PINE FRONT DOORS



•







Q-1430

Q-143

Q-144

Q-1440

Q-143-1 R. P. 9 Light

					White	Pine
					Open	Glazed
2.	8	x	6. 8—13	3/8	\$9.12	\$10.96
3.	0	x	7. 0—1	3/8	9.94	12.58
2.	8	x	6. 8—13	3/4	12.97	14.81
2.1	0	x	6.10—13	3/4	13.85	15.84
3.	0	x	7. 0—1	3/4	14.16	16.80

Q-1430-1 R. P. 1 Light

				White Pine		
				Open	Glazed	
1.	0	X	6. 8—1 3/8	 \$4.08	\$5.44	
1.	0	x	6.10—13/8	 4.27	5.67	
1.	0	x	7. 0—1 3/8	 4.32	5.72	

Q-144-1 R. P. Border Light

				White Pine		
				Open	Glazed	
2.	8	X	6. 8—13/8	 \$9.84	\$12.66	
3.	0	X	7. 0—1 3/8	 10.66	14.51	
2.	8	x	6. 8—1 3/4	 13.74	16.56	
2.1	0	x	6.10-13/4	 14.62	17.93	
3.	0	x	7. 0—1 3/4	 14.94	18.79	

Q-1440-1 R. P. 1 Light

				White	White Pine		
				Open	Glazed		
1.	0	x	6. 8—1 3/8	 \$4.08	\$5.44		
I.	0	x	$6.10 - 1\frac{3}{8}$	 4.27	5.67		
1.	0	x	7. 0—1 3/8	 4.32	5.72		

Layout Overall

Q-143 S. Q-144 S.	and T.	R.	5½", L.	R.	83/4", B.	R.	111/2".
Q-1430 St.	21/2",	T.	R. 51/2",	L.	R. 83/4",	B.	R. 111/2".

Cove and Bead Sticking

Colonial Entrance Doors

Cotonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

No. 1 WHITE PINE FRONT DOORS







Q-131

Q-1	30	-1	Lig	ht
-----	----	----	-----	----

			Q-130—1 Light		
				White Pine	
				Open	Glazed
8	x	6.	8—13/8	\$7.15	\$11.83
0	x	7.	0—13/8	7.97	13.91
6	x	6.	8—13/4	9.99	14.67
8	x	6.	8—13/4	10.19	14.87
0	x	6.1	0—13/4	11.07	16.68
0	x	7.	0—1 3/4	10.14	13.51
6	x	7.	0—13/4	10.76	15.44
8	x	7.	0—1 3/4	11.02	16.63
0	x	7.	0—13/4	11.44	17.38
	0 6 8 0 6 8	0 x 6 x 8 x 0 x 0 x 6 x 8 x	0 x 7. 6 x 6. 8 x 6. 0 x 6. 0 x 7. 6 x 7. 8 x 7.	8 x 6. 8—13/8 0 x 7. 0—13/8 6 x 6. 8—13/4 8 x 6. 8—13/4 0 x 6.10—13/4 0 x 7. 0—13/4 6 x 7. 0—13/4 8 x 7. 0—13/4	White Open 8 x 6. 8—13/8 \$7.15 0 x 7. 0—13/8 7.97 6 x 6. 8—13/4 9.99 8 x 6. 8—13/4 10.19 0 x 6.10—13/4 11.07 0 x 7. 0—13/4 10.14 6 x 7. 0—13/4 10.76 8 x 7. 0—13/4 11.02

Dentil and Water Table, add \$0.75

Q-131-2 R. P. 8 Lights

			White	Pine
			Open	Glazed
2. 8 x	6.	8—13/8	 \$10.03	\$10.77
2. 6 x	6.	8-13/4	 13.59	14.27
2. 8 x	6.	8—13/4	 13.85	14.59
3. 0 x	7.	0-13/4	 15.56	16.39

Layout Overall

Q-130-White Pine-S. and T. R. 51/2", B. R. 171/2"

Q-131-White Pine-S. and T. R. 53/8", B. R. 113/8".

Cove and Bead Sticking

MODERNE FRONT DOORS







Q-1830

Q-183

Q-1830

All No. 1 White Pine

Flush Veneers

Q-183

						Open	Glazed
2.	8	x	6.	8—1 3/4	• • • • • • • • • • • • • • • • • • • •	\$34.20	\$35.75
3.	0	x	6.	8—1 3/4		35.76	37.26
3.	0	x	7.	0—13/4	• • • • • • • • • • • • • • • • • • • •	36.28	37.78

Q-1830

		Open	Glazed
1. 6 x 6. 8—	-1 ³ / ₄	\$20.50	\$21.00
1. 6 x 7. 0—	-1 3/4	21.17	21.67

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work &_ Stair Work

Mould-

MODERNE FRONT DOORS



Q-169

Flush Veneers
"V" Joint Grooves

Q-169-No. 1 W. P.

\$20.57	 	 	 $-1\frac{3}{4}$.	6.	x	8	2.
22.09	 	 	 -13/4.	6.	x	0	3.
22.63	 	 	 $-1\frac{3}{4}$.	7.	x	0	3.

MODERNE FRONT DOORS



Q-170

Flush Veneers
"V" Joint Grooves

Q-170-No. 1 W. P.

				Open	Glazed Wood Bars
2.	8 x	6.	8—1 3/4	\$30.32	\$31.57
3.	0 x	6.	8—1 3/4	31.84	33.09
3.	0 x	7.	0—13/4	32.38	33.63

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

MODERNE FRONT DOORS

Flush Veneers
"V" Joint Grooves



Q-171-No. 1 W. P.

Open Glazed Wood Bars

2.8 x 6.8—1¾....\$28.97 \$29.57

3.0 x 6.8—1¾.... 30.50 31.10

3.0 x 7.0—1¾.... 31.04 31.64

Q-171



Q-172-No. 1 W. P.

Open Glazed
2.8 x 6.8—1¾....\$32.77 \$33.57
3.0 x 6.8—1¾.... 34.29 35.09
3.0 x 7.0—1¾.... 34.83 35.63

Q-173

Q-173-No. 1 W. P.

Open Wood Bars

2.8 x 6.8—1¾ . . . \$36.82 \$37.72

3.0 x 6.8—1¾ . . . 38.34 39.24

3.0 x 7.0—1¾ . . . 38.88 39.78

MODERNE FRONT DOORS

Flush Veneers "V" Joint Grooves



Q-174-No. 1 W. P.

		Open	Glazed Wood Bars
2.8	x	6.8—1¾ \$37.07	\$38.12
3.0	x	6.8—134 38.59	39.64
3.0	x	7.0—13/4 39.13	40.18



Q-175-No. 1 W. P.

			Open	Glazed
2.8	x	6.8—134	\$29.57	\$30.47
3.0	x	6.8—134	31.09	31.99
3.0	x	7.013/4	31.63	32.53

Q-175



Q-176-No. 1 W. P.

			Open	Glazed Wood Bars
2.8	x	6.8—134	\$26.47	\$27.07
0.	х	6.8—13/4	28.00	28.60
3.0	x	7.0—134	28.54	29.14

Q-176.

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work Stair Work

Mouldings

THE ARISTOCRAT

BROWN ASH



Q-200

A beautiful one panel and insert door made with solid sticking—thus doing away with unsightly nail holes and open joints. A stronger, richer door at remarkably low prices, in Brown Ash Veneered Doors.

For stock sizes and prices of Aristocrat Doors,

See next Page

BROWN ASH DOORS VENEERED

One Panel

THE ARISTOCRAT



See description on

7

7

page 84

Q-200

2. 0 x 6. 6—13/8—	. \$12.72
2. 2 x 6. 6— "	. 12.97
2. 4 x 6. 6— "	. 13.30
2. 6 x 6. 6— "	. 13.70
2. 0 x 6. 8— "	. 12.80
2. 2 x 6. 8— "	. 13.05
2. 4 x 6. 8— "	. 13.38
2. 6 x 6. 8— "	. 13.79
2. 8 x 6. 8— "	. 14.29
2. 6 x 7. 0— "	. 14.78

See illustration on opposite Page

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

BROWN ASH DOORS VENEERED

C. & B.

13/8"—2 P.



Q-201

2.0	x	6.6—13/8		\$11.70
2.2	x	6.6— "		11.95
2.4	x	6.6— "		12.28
2.6	x	6.6— "		12.69
2.0	x	6.8— "		11.78
2.2	x	6.8— "		12.03
2.4	x	6.8— "		12.36
2.6	x	6.8— "		12.77
2.8	x	6.8— "		13.27
2.6	x	6.10— "		13.35
		7.0— "		13.76
3.0	x	7.0— "	• • • • • • • • • • • • • • • • • • • •	15.49

BIRCH VENEERED DOORS

Birch Veneered Stiles, Rails and Panels

Cove and Bead Sticking



Q-325

				Veneered
			J	Inselected
				Birch
2 0				
2.0	X	6.6—1	3/8	\$10.78
2.2	x	6.6	**	. 11.01
2.4	x	6.6—		. 11.32
			• • • • • • • • • • • • • • • • • • • •	
			** ************************************	
			**	
			······································	
2.6	x	7.0—	"	. 12.73

Colonial Entrance Doors

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mould-

COLONIAL ENTRANCE DOOR



Q-443

No. 1 White Pine

		Open	Glazed
2. 8 x	6. 8—1 3/4	\$19.75	\$20.41
3. 0 x	6. 8—13/4	20.50	21.50
2.10 x	6.10—13/4	21.35	22.15
3. 0 x	7. 0—1 3/4	21.97	22.97

Layout Overall

Stiles	1/2"
Lock Rails	1/2"
Bottom Rails11	1/2"

Raised Panels

Cove and Bead Two Sides

COLONIAL ENTRANCE DOOR



Q-444

No. 1 White Pine

		 Open	Glazed
2. 8 x 6.	8-13/4	 \$25.70	\$26.36
3. 0 x 7.	0-13/4	 27.92	28.92

Stiles 51/2 Inches, B. R. 81/4 Inches

Raised Moulding, Heavy Raised Panels outside; Cove and Bead, Flat Panels inside.

Colonial Entrance Doors

Cotonial Entrance Frames


Frames

Porch Work &_ Stair Work

Mouldings

COLONIAL ENTRANCE DOORS

No. 1 W. P.



Q-425

Ovolo Sticking.

Heavy 3/4" Solid Raised Panels 2-S.

St. & T. Rl. 43/4 in.

Bot. Rl. 8 in. Overall.

			Open	Glazed
2.0			•	
		6.8—1 3/4		\$22.40
		$6.8 - 1\frac{3}{4} \dots$		23.32
3.0	x	7.0 - 13/4	24.25	25.15

Q-425



Q-426

Ovolo Sticking.

Heavy 3/4" Solid Raised Panels 2-S.
St. & T. Rl. 43/4 in.
Bot. Rl. 8 in. Overall.

		•	Open	Glazed
2.8	x	6.8—13/4	.\$21.53	\$22.03
3.0	x	6.8-13/4	. 22.35	22.91
3.0	\mathbf{x}	7.0—13/4	. 23.88	24.68

Q-426



Q-433

Ovolo Sticking.

Heavy 3/4" Solid Raised Panels 2-S.

St. & T. Rl. 51/2"

Bot. Rl. 111/2" Overall.


		Open	Glazed
2.8	x	$6.8 - 1\frac{3}{4} \dots \12.00	\$12.92
3.0	x	6.8—1 3/4 13.25	14.17
3.0	x	7.0—13/4 14.13	15.05

Q-433

These doors interchangeable with those shown in Entrances.

COLONIAL ENTRANCE DOORS

No. 1 W. P.



Q-434


Ovolo Sticking.

Heavy $\frac{3}{4}$ " Solid Raised Panels 2-S. St. & T. Rl. $5\frac{1}{2}$ in.

Bot. Rl. 111/2 in. Overall.

2.8	x	6.8—1 3/4\$12.51
		6.8—13/4
3.0	x	7.0—1 3/4 14.14

Q-434



Q-412


Ovolo Sticking.

Heavy 3/4" Solid Raised Panels 2-S. St. & T. Rl. 43/4 in.

Bot. Rl. 8 in, Overall.

			Open	Glazed
2.8	x	6.8—13/4	.\$27.83	\$29.56
3.0	x	6.8—13/4	. 28.03	30.13
3.0	x	7.0-13/4	. 28.65	31.26

Q-412



Q-417

Ovolo Sticking.

Heavy 3/4" Solid Raised Panels 2-S.
St. & T. Rl. 43/4 in.
Bot. Rl. 8 in. Overall.

			Open	Glazed
2.8	x	6.8-13/4\$	12.37	\$13.87
3.0	x	6.8—1 3/4	12.78	14.44
3.0	x	7.0—13/4	13.51	15.30

Q-417

These doors interchangeable with those shown in Entrances.

Colonial Entrance Frames

Frames

Porch Work & Stair

Mould-

No. 1 WHITE PINE COLONIAL DOORS



Q-132


	White Pine
2. 8 x 6. 8—1 ³ / ₄	\$12.11
3. 0 x 6. 8—13/4	12.90
2.10 x 6.10—13/4	13.15
3. 0 x 7. 0—1 ³ / ₄	13.74

Layout Overall

Stiles	51/2"
Top Rails	51/2"
Bottom Rails	11/2"

OVOLO Sticking

WHITE PINE PANEL DOORS



9

•

9

•

9

9

9

Raised Panels 2 Sides

0-71

Q-71	
2. 0 x 6. 0—1 ³ / ₈	\$6.41
2. 6 x 6. 0—1 ³ / ₈	7.27
1. 6 x 6. 6—13/8	6.04
1. 8 x 6. 6—1 ³ / ₈	6.13
2. 0 x 6. 6—13/8	6.68
2. 2 x 6. 6—1 ³ / ₈	7.00
2. 4 x 6. 6—1 ³ / ₈	7.27
2. 6 x 6. 6—13/8	7.59
2. 8 x 6. 6—13/8	7.87
1. 6 x 6. 8—13/8	6.08
1. 8 x 6. 8—13/8	6.18
2. 0 x 6. 8—13/8	6.77
2. 2 x 6. 8—13/8	7.09
2. 4 x 6. 8—13/8	7.41
2. 6 x 6. 8—13/8	7.69
2. 8 x 6. 8—1 3/8	8.01
3. 0 x 6. 8—1 3/8	8.60
2. 0 x 7. 0—13/8	7.27
2. 4 x 7. 0—1 3/8	7.91
2. 6 x 7. 0—1 3/8	8.24
2. 8 x 7. 0—1 3/8	8.56
3. 0 x 7. 0—13/8	9.24
2. 4 x 6. 8—1 ³ / ₄	9.95
2. 6 x 6. 8—1 ³ / ₄	10.35
2. 8 x 6. 8—1 ³ / ₄	10.84
3. 0 x 6. 8—1 ³ / ₄	11.63
2. 0 x 7. 0—1 ³ / ₄	9.80
2. 4 x 7. 0—1 3/4	10.69
2. 6 x 7. 0—1 ³ / ₄	11.14
2. 8 x 7. 0—1 ³ / ₄	11.58
3. 0 x 7. 0—1 ³ / ₄	12.47
NOTE-The 1/6 Doors are made with 3 Rsd. P.	anels

but line with our Q-71.

S. and T. R. 43/4", L. R. 95/8", B. R. 81/4".

Colonial Entrance Frames


Frames

Porch Work & Stair

Work

Mouldings

COLONIAL ENTRANCE FRAMES



Q-468

No. 1 W. P.—OAK SILL ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 3.0 x 6.8—13/4" or 3.0x7.0—13/4" and Sidelights 1.0 wide 13/8".

ENTRANCE FRAME

	sembled
Q-468For 2 x 4 Stud Construction	\$74.00
Q-468-B For 9" Brick Construction	
(Plain Jambs)	84.00
	84.00

Note: When ordering, specify exact width of jambs wanted.

TRANSOM (Fan Light)


								Glazed
4	68-T	5' 5" x	1' 3'	"-13/8	No. 1	W.	P	\$16.80

FAN PANEL TRANSOM

468-P5' 5" x 1' 3"—13/8 No	o. 1 W. P \$18.45
----------------------------	-------------------

Door shown above is Q-132 and Sidelight Q-1290. Other designs of Colonial Doors listed on pages 88 to 93 may be used in this Frame.

COLONIAL ENTRANCE FRAMES



Q-461

No. 1 W. P.—OAK SILL

ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x $6.8-1\frac{3}{4}$ ", 3.0 x $6.8-1\frac{3}{4}$ " and 3.0 x $7.0-1\frac{3}{4}$ ".

ENTRANCE FRAME

	Assembled
Q-461For 2 x 4 Stud Construction	\$67.00
Q-461-BFor 9" Brick Construction	
(Plain Jambs)	76.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.

Colonial Entrance Frames

Frames

Porch Work & Stair Work

Mouldings

COLONIAL ENTRANCE FRAMES



Q-462

No. 1 W. P.—OAK SILL

ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x 6.8— $1\frac{3}{4}$ ", 3.0 x 6.8— $1\frac{3}{4}$ " and 3.0 x 7.0— $1\frac{3}{4}$ ".

ENTRANCE FRAME

As	sembled
Q-462For 2 x 4 Stud Construction	\$61.00
Q-462-B. For 9" Brick Construction	
(Plain Jambs)	70.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.

COLONIAL ENTRANCE FRAMES



Q-463

No. 1 W. P.—OAK SILL

ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x 6.8— $1\frac{3}{4}$ ", 3.0 x 6.8— $1\frac{3}{4}$ " and 3.0 x 7.0— $1\frac{3}{4}$ ".

ENTRANCE FRAME

As	sembled
Q-463For 2 x 4 Stud Construction	\$64.00
Q-463-B-For 9" Brick Construction	
(Plain Jambs)	73.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.

Frames

Porch Work &_ Stair Work

Mouldings

COLONIAL ENTRANCE FRAMES



Q-457

No. 1 W. P.—OAK SILL

ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x 6.8— $1\frac{3}{4}$ ", 3.0 x 6.8— $1\frac{3}{4}$ " and 3.0 x 7.0— $1\frac{3}{4}$ ".

ENTRANCE FRAME

Ass	embled
Q-457For 2 x 4 Stud Construction	\$54.00
Q-457-BFor 9" Brick Construction	
(Plain Jambs)	63.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.

COLONIAL ENTRANCE FRAMES



Q-458

No. 1 W. P.—OAK SILL

ALL PARTS ROT-PROOFED

9

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x 6.8— $1\frac{3}{4}$ ", 3.0 x 6.8— $1\frac{3}{4}$ " and 3.0 x 7.0— $1\frac{3}{4}$ ".

ENTRANCE FRAME

As	sembled
Q-458For 2 x 4 Stud Construction	\$57.00
Q-458-BFor 9" Brick Construction	
(Plain Jambs)	66.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.


Frames

Porch Work

Stair Work

Mould-

COLONIAL ENTRANCE FRAMES



Q-459

No. 1 W. P.—OAK SILL


ALL PARTS ROT-PROOFED

COMPLETELY assembled and includes Outside Trim, Jambs and Sill. For Doors 2.8 x 6.8—13/4", 3.0 x 6.8—13/4" and 3.0 x 7.0—13/4".

ENTRANCE FRAME

Ass	sembled
Q-459For 2 x 4 Stud Construction	\$66.00
Q-459-B., For 9" Brick Construction	
(Plain Jambs)	75.00

Note: All Colonial Door designs listed pages 88 to 93 may be used in this Frame.



CELLAR
FRAMES
WHITE PINE

Specifications:

Reveal Moulding	
Head Jambs	
Side Jambs	
Sill	

		-	No. 1
Glass Size	Sash Size	Whi	ite Pine
8 x 8—3	Lights2. 4½ x 1.1		\$1.65
8 x 10—3	Lights2. $4\frac{1}{2} \times 1.3$		1.65
8 x 12—3	Lights2. $4\frac{1}{2} \times 1.5$		1.70
	Lights2. $4\frac{1}{2} \times 1.7$		1.75
8 x 16—3	Lights2. $4\frac{1}{2} \times 1.9$,	1.80
8 x 20—3	Lights2. $4\frac{1}{2} \times 2.1$		1.90
8 x 24—3	Lights2. $4\frac{1}{2} \times 2.5$		2.00
9 x 12—3	Lights2. $7\frac{1}{2} \times 1.5$		1.87
9 x 14—3	Lights2. $7\frac{1}{2} \times 1.7$		1.92
9 x 16—3	Lights2. $7\frac{1}{2} \times 1.9$		1.98
9 x 24—3	Lights2. $7\frac{1}{2} \times 2.5$		2.17
10 x 12—3	Lights2.10 $\frac{1}{2}$ x 1.5		1.93
10 x 14—3	Lights2.10 $\frac{1}{2}$ x 1.7		1.98
10 x 16—3	Lights2.10 $\frac{1}{2}$ x 1.9		2.03
10 x 24—3	Lights2.10 $\frac{1}{2}$ x 2.5		2.23

Style "C" Bundling

If Set Up Add to List \$0.45


NOTE—Above List Price is for a complete Frame with Moulding

Frames

Porch Work & Stair Work

Mould-

FRAME HOUSE WINDOW FRAMES



MADE OF SOFT, CLEAR PINE

NEW!! POCKETS

Cut, broken out and screwed in with rust-proof screws.



OUTSIDE CASINGS and BLIND STOPS

Tongued & Grooved

For 13/8" Check Rail Windows

Specifications

Drip Cap	x	21/2
Bed Moulding 3/4	x	13/4
Head Casing	x	51/2
Blind Stop 3/4	x	1 2
Jambs 3/4	x	4 18
Parting Bead	x	7/8
Side Casing	x	33/4
Mullion Casing	х	51/2
Sill	x	7

Pulleys-Ballbearing and Galvanized

For Price List

of Frame House Window Frames, See Pages 103 & 104

PROTRACTOR MADE

ARE

ACCURATE

FRAME HOUSE WINDOW FRAMES "CLEAR" WHITE PINE

All Frames Knocked Down

(Without Pulleys)

Style "C" Bundling

		Dunumg	
Glass Size	Sash Size	Singles	
16 x 14	.1. $8\frac{1}{2} \times 2.10\frac{1}{2}$	4 \$3.19	
16 x 16		4 3.49	
16 x 18	.1. 81/2 x 3. 61/	4 3.62	
16 x 24			For
16 x 26	.1. $8\frac{1}{2} \times 4.10\frac{1}{2}$		1.01
16 x 28	.1. $8\frac{1}{2} \times 5$. $2\frac{1}{2}$		K. D.
16 x 30	.1. $8\frac{1}{2} \times 5$. $6\frac{1}{2}$	4 4.45	K. D.
16 x 32			Twin
18 x 14		4 3.30	1 44 111
18 x 16		3.60	Frames
	$1.10\frac{1}{2} \times 3.6\frac{1}{2}$		1 Idilica
18 x 18		4 3.73	Double
18 x 20		4 3.92	Doubic
18 x 24			the Single
18 x 26	$1.10\frac{1}{2} \times 4.10\frac{1}{2}$		the bingle
18 x 28	$1.10\frac{1}{2} \times 5.2\frac{1}{2}$	4 4.43	Price and
18 x 30			
18 x 32			Add \$0.35
20 x 14	.2. $01/2 \times 2.101/2$	3.66	
	.2. $0\frac{1}{2} \times 3$. $2\frac{1}{2}$	3.87	
	.2. $0\frac{1}{2} \times 3$. $2\frac{1}{2}$		
20 x 18		4 4.00	
20 x 20		4 4.19	
20 x 24			
20 x 26	$1.2. 0\frac{1}{2} \times 4.10\frac{1}{2}$	4 4.57	
20 x 28	.2. $0\frac{1}{2} \times 5$. $2\frac{1}{2}$	4 4.70	For
20 x 30		4 4.83	
20 x 32	2 01/2 × 5 101	5.04	K. D.
24 x 14	.2. $4\frac{1}{2} \times 2.10\frac{1}{2}$	4 3.99	
	2 41/ - 2 21	4 3.99	Triple
24 x 18	.2. $4\frac{1}{2} \times 3$. $6\frac{1}{2}$	4 4.33	Frames
24 x 20	.2. $41/2 \times 3.101$	4 4.52	
24 x 24	2. $41/2 \times 4$. 61/	4 4.78	Triple
24 x 26	2. $41/2 \times 4.101$	4 4.91	1 0: 1
24 x 28	2. $4\frac{1}{2} \times 5$. $2\frac{1}{2}$	4 5.04	the Single
24 x 30	2. $41/2 \times 5$. 61	4 5.16	D . I
24 x 32	2. $4\frac{1}{2} \times 5.10\frac{1}{2}$	4 5.37	Price and
26 x 16	2 61/2 3 21	4 4.31	00.00 [[]
26 x 10	2. $6\frac{1}{2} \times 3$. $2\frac{1}{2} \times 3$. $6\frac{1}{2} \times 3$. $6\frac{1}{2} \times 3$. $6\frac{1}{2} \times 3$.	4 4.31	Add \$0.90
26 x 18	2. $6\frac{1}{2} \times 3$. $6\frac{1}{2}$	4 4.44	
26 x 20		4 4.63	
26 x 24	2. $6\frac{1}{2} \times 4$. 6	4 4.88	
26 x 26		4 5.01	
26 x 28	$1.2.6\frac{1}{2} \times 5.2\frac{1}{2}$	4 5.14	
26 x 30	2. $61/2 \times 5$. $61/2$	4 5.27	
26 x 32		4 5.47	
20 x >2	0/2 23.109	4	

(Continued on Next Page)

Work Stair

Mould-

Cahinet

CONTINUED FROM PAGE 103

FRAME HOUSE WINDOW FRAMES "CLEAR" WHITE PINE

All Frames Knocked Down (Without Pulleys) Style "C" Bundling

Glass Size	Sash Size	Singles	
27 x 16	.2. $7\frac{1}{2} \times 3$. $2\frac{1}{4} \dots$. \$4.48	
27 x 18	.2. $7\frac{1}{2} \times 3$. $6\frac{1}{4} \dots$		
27 x 20	$2.7\frac{1}{2} \times 3.10\frac{1}{4} \dots$. 4.80	
27 x 24	2. $7\frac{1}{2} \times 4$. $6\frac{1}{4} \dots$. 5.05	
27 x 26	$2. 7\frac{1}{2} \times 4.10\frac{1}{4} \dots$. 5.18	
27 x 28	$2. 7\frac{1}{2} \times 5. 2\frac{1}{4} \dots$. 5.31	
27 x 30	$2. 7\frac{1}{2} \times 5. 6\frac{1}{4} \dots$. 5.44	
27 x 32	2. $7\frac{1}{2} \times 5.10\frac{1}{4} \dots$. 5.64	
28 x 16	$2.8\frac{1}{2} \times 3.2\frac{1}{4} \dots$. 4.48	For
28 x 18		4.61	
28 x 20			K. D.
28 x 24		. 5.05	Twin
28 x 26			1 WIII
28 x 28	2. $8\frac{1}{2} \times 5$. $2\frac{1}{4} \dots$		Frames
28 x 30 28 x 32	2. $8\frac{1}{2} \times 5$. $6\frac{1}{4}$ 2. $8\frac{1}{2} \times 5$. $10\frac{1}{4}$		D 11
28 x 32 30 x 16			Double
30 x 16			the Single
	$2.10\frac{1}{2} \times 3.10\frac{1}{4} \dots$		
30 x 24			Price and
30 x 26			A 11 #0 25
30 x 28			Add \$0.35
30 x 30	$2.10\frac{1}{2} \times 5.6\frac{1}{4} \dots$		
30 x 32	$2.101/2 \times 5.101/4$		
32 x 16	3. $0\frac{1}{2} \times 3$. $2\frac{1}{4} \dots$		
32 x 18	3. $0\frac{1}{2} \times 3$. $6\frac{1}{4} \dots$	4.88	
32 x 20	3. $0\frac{1}{2} \times 3.10\frac{1}{4} \dots$	5.07	For
32 x 24	3. $0\frac{1}{2} \times 4$. $6\frac{1}{4}$	5.33	
32 x 26	3. $0\frac{1}{2} \times 4.10\frac{1}{4}$		K. D.
32 x 28	3. $0\frac{1}{2} \times 5$. $2\frac{1}{4} \dots$		Triple
32 x 30	3. $0\frac{1}{2} \times 5$. $6\frac{1}{4} \dots$		Tiple
32 x 32 36 x 16			Frames
36 x 16 36 x 18	3. $4\frac{1}{2} \times 3$. $2\frac{1}{4} \dots$		TT - 1
36 x 20		5.02	Triple
36 x 24	3. $4\frac{1}{2} \times 3.10\frac{1}{4} \dots$ 3. $4\frac{1}{2} \times 4.6\frac{1}{4} \dots$		the Single
36 x 26	3 41/2 = 4 101/4		
36 x 28	3. 4½ x 5. 2¼ 3. 4½ x 5. 6¼	. 1	Price and
36 x 30	3. $4\frac{1}{2} \times 5$. $6\frac{1}{4} \dots$		Add \$0.90
36 x 32	3. $4\frac{1}{2} \times 5.10\frac{1}{4}$		Add \$0.90
36 x 36	3. $4\frac{1}{2} \times 6$. $6\frac{1}{4}$		
40 x 20	3. $8\frac{1}{2} \times 3.10\frac{1}{4}$	5.72	
40 x 24	3 81/2 × 4 61/4	5.98	
40 x 26	3. $8\frac{1}{2} \times 4.10\frac{1}{4}$	6.10	
40 x 28	3. $8\frac{1}{2} \times 5$. $2\frac{1}{4} \dots$	6.23	
40 x 30	3. $8\frac{1}{2} \times 5$. $6\frac{1}{4}$	6.36	
40 x 32	3. $8\frac{1}{2} \times 5.10\frac{1}{4} \dots$	6.57	
40-x 36	3. $8\frac{1}{2} \times 6$. $6\frac{1}{4} \dots$	6.75	

FOR SETTING UP


Add to List of any size Frame:

Single, \$0.82 + Pulleys \$0.33 = \$1.15Twin, 1.50 + Pulleys .66 = 2.16

Triple, 2.47 + Pulleys .99 =

For Description of Frames, see Page 102

FRAME HOUSE CASEMENT FRAMES



9

9

9

9

9

9

Drip Cap ... | 1 2 x 2 1/2

Bed Moulding . 3/4 x 1 3/4

Head Casing .1 1/8 x 5 1/2

Jambs ... 3/4 x 5 1/4

Side Casing ... 1 1/8 x 3 3/4

Sill ... 15/8 x 7

"Clear" White Pine Bundled Style "C"

> All Frames Knocked Down

	K.D.
	White Pine
Sash Size Glass Size	Singles
2. $0\frac{1}{2} \times 2$. 1	\$2.98
2. $0\frac{1}{2} \times 2$. 5	3.12
2. $0\frac{1}{2} \times 2.11$	3.33
2. $0\frac{1}{2} \times 3$. 5	3.60
2. $0\frac{1}{2} \times 3.1120 \times 42$	4.06
2. $0\frac{1}{2} \times 4$. 5	4.13
2. $4\frac{1}{2} \times 2$. 1	3.30
2. $4\frac{1}{2} \times 2$. 5	3.45
2. $4\frac{1}{2} \times 2.11$	3.66
2. $4\frac{1}{2} \times 3$. 5	3.92
2. $4\frac{1}{2} \times 3.11$	4.28
2. $4\frac{1}{2} \times 4$. 5	4.45
$2.10\frac{1}{2} \times 2. 130 \times 20$	3.67
$2.10\frac{1}{2} \times 2.530 \times 24$	3.81
$2.10\frac{1}{2} \times 2.1130 \times 30$	4.03
$2.10\frac{1}{2} \times 3.5$ 30 x 36	4.29
$2.10\frac{1}{2} \times 3.1130 \times 42$	4.65
$2.10\frac{1}{2} \times 4.530 \times 48$	4.82

K. D. "Twins"—Double the List then add \$0.35K. D. "Triples"—3 Times the List then add \$0.90

FOR SETTING UP


Add to List of any size frame:

Single, \$0.60; Twin, \$1.12; Triple, \$1.72

Porch Work & Stair

Mouldings

FRAME HOUSE DOOR FRAMES



Drip Cap | 1 x 2 ½

Bed Moulding ... 3/4 x | 3/4

Head Casing ... | 1/8 x 5 ½

Jambs | 1/8 x 5 ½

Side Casing ... | 1/8 x 3 3/4

Sill | 5/8 x 7½

"Clear" White Pine Bundled Style "C"

All Frames Knocked Down

Door Size		K.D.with Pine Sill	K.D.with Oak Sill
2. 4 x 6. 6	5	\$6.01	\$7.29
2. 6 x 6. 6	5	6.01	7.29
2. 6 x 6. 8	3	6.09	7.37
2. 6 x 7. 0)	6.25	7.53
2. 8 x 6. 6	5	6.18	7.46
2. 8 x 6. 8	3	6.26	7.54
2. 8 x 7. 0	0	6.42	7.70
2.10 x 6.10)	6.47	7.75
3. 0 x 6, 8	3	6.47	7.75
3. 0 x 7. 0)	6.63	7.91

Setting Up Add \$0.82

TRANSOM DOOR FRAMES

1

0

3

9

-

9

9

3

3

9

3

9

3

3

3

3

3

3

3

3

9

9

For TRANSOM DOOR FRAMES, add to the K. D. list prices of door frames on opposite page as follows:

Transom	Door	Frames	K.	D.	Add.		 \$2.33
Transom	Door	Frames	As	sem	bled	Add	 3.90

NOTE: To compute Plank Front or Reveal TRANSOM Door Frames, use the above list extras and add to the respective Door Frame sizes.

SIDELIGHT DOOR FRAMES

Triple the Single	Door Frame	price and	add	.\$0.75
For Assembling,	add extra			2.02

FRAME HOUSE EXTRAS

For reducing the width of jambs on all Frame House Frames, add to the list price of any Frame 30c per opening.

Where $7\frac{1}{2}$ " mullion casings are wanted on Frame House Window Frames, there will be an extra charge of 38c list per mullion over the regular $5\frac{1}{2}$ " mullion Frame.

We Also Carry in Stock OR

Will Make to Your Detail

SIDE-LIGHT DOOR FRAMES with TRANSOMS

OR


COMBINATION DOOR and WINDOW FRAMES

Porch Work & Stair Work

Mould-

Cabinet

CIRCLE HEAD DOOR FRAMES



No. 1 W. P.—OAK SILL


COMPLETELY assembled with $1\frac{3}{32}$ " x $3\frac{3}{4}$ " casings and sill $1\frac{5}{8}$ " x $7\frac{1}{4}$ ".

This Frame stocked in three sizes: 2.8×6.8 , 3.0×6.8 and 3.0×7.0 .

Assen	bled
Frame House Construction\$1	6.50
Masonry Construction	6.50

PLAIN RAIL WINDOW FRAMES FRAME HOUSE

FOR 11/8" PLAIN RAIL WINDOWS



9

9

9

9

9

9

9

9

9

9

9

9

3

9

3

9

9

3

3

9

Specifications:

Drip Cap ... 18 x 1 1/8
Head Casing .. 3/4 x 3 1/2
Jambs ... 3/4 x 4 1/8
Head Stop ... 3/8 x 1 1/8
Sill ... 11/8 x 5 5/8
Side Casing .. 3/4 x 3 1/2

No Sash Beads

"CLEAR" WHITE PINE

Bundled Style "C"

	Outside Size	Each K. D.
8 x 10—12 12 x 20— 4 24 x 20— 2	lts. }2. 4½ x 3.10¼	\$2.59
	lts. 2. 4½ x 4. 6¼	
12 x 26— 4 24 x 26— 2	lts. 2. 4½ x 4.10¼	2.88
12 x 28— 4 24 x 28— 2	lts. 2. 41/2 x 5. 21/4	2.98
9 x 12—12 27 x 24— 2	lts. 2. 7½ x 4. 6¼	2.96
10 x 12—12 15 x 24— 4 30 x 24— 2	lts. 2.10½ x 4. 6¼	3.00
	If Set Up Add \$0.60	


--- --- +----

Porch Work & Stair Work

Mould-

Cabinet

PLANK FRONT WINDOW FRAMES



MADE OF SOFT, CLEAR PINE

NEW!! POCKETS

Cut, broken out and screwed in with rustproof screws

For 13/8" Check Rail Windows Specifications

Plank Moulding 3/4	x	13/4
Front Casing	x	4
Blind Stops 3/4	x	13/8
Head Jamb	x	31/4
Inside Casing—Head	x	13/4
Pulley Stiles 3/4		
Parting Bead		
Inside Casing—Side		
Back Lining 3/4	x	4
Front Mullion Casing	x	7
Inside Mullion Casing	x	7
Center Box Lining		
Sill		

Pulleys-Ballbearing and Galvanized

For Price List

on Plank Front Window Frames, see Pages 111 & 112

PROTRACTOR MADE ARE ACCURATE

PLANK FRONT WINDOW FRAMES

MADE OF GENUINE

SOFT, CLEAR WHITE PINE

All Frames Knocked Down (Without Pulleys) Bundled Style "C"

Singles

Sash Size

Glass Size

9

3

9

3

3

		DILC	Dusii Dize	Singles	
	20 x	16	$1. 0\frac{1}{2} \times 3. 2\frac{1}{4} \dots$	\$4.49	
	20 x	182	$1.0\frac{1}{2} \times 3.6\frac{1}{4} \dots$		
	20 x	202	$0\frac{1}{2} \times 3.10\frac{1}{4}$		
	20 x	24 2	$0\frac{1}{2} \times 4.6\frac{1}{4}$		
	20 x	262	$0\frac{1}{2} \times 4.10\frac{1}{4} \dots$		
	20 x	282	$0\frac{1}{2} \times 5. 2\frac{1}{4} \dots$		
	20 x	302			
١	20 x	322	$0\frac{1}{2} \times 5.10\frac{1}{4} \dots$		
	24 x	162	$4\frac{1}{2} \times 3. 2\frac{1}{4} \dots$		
	24 x	182			
	24 x	202	$4\frac{1}{2} \times 3.10\frac{1}{4} \dots$		
	24 x	242	$4\frac{1}{2} \times 4.6\frac{1}{4} \dots$		
	24 x	262			
	24 x	282	$4\frac{1}{2} \times 5. 2\frac{1}{4} \dots$		
	24 x	302			
	24 x	322			
	26 x	162	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
	26 x	182	$. 6\frac{1}{2} \times 3. 2\frac{1}{4} \dots$ $. 6\frac{1}{2} \times 3. 6\frac{1}{4} \dots$		
	26 x	202	(17 0 0017		
	26 x	242	$6\frac{1}{2} \times 3.10\frac{1}{4} \dots$		
	26 x	262	$6\frac{1}{2} \times 4.6\frac{1}{4} \dots$		
	26 x	282	$6\frac{1}{2} \times 4.10 / 4 \dots$ $6\frac{1}{2} \times 5.2\frac{1}{4} \dots$		
	26 x	302			
	26 x	322	$6\frac{1}{2} \times 5.6\frac{1}{4} \dots$		
	27 x	162	$6\frac{1}{2} \times 5.10\frac{1}{4} \dots$		
		102	$7\frac{1}{2} \times 3. 2\frac{1}{4} \dots$		
	~ ···	182	$.7\frac{1}{2} \times 3.6\frac{1}{4} \dots$ $.7\frac{1}{2} \times 3.10\frac{1}{4} \dots$		
		24 2	$.7\frac{1}{2} \times 3.10\frac{1}{4} \dots$		
	0.77	242	. / /2 X 4. 0 /4		
		262	$7\frac{1}{2} \times 4.10\frac{1}{4} \dots$		
	27 x	282	. / 1/2 x 2. Z 1/4		
	27 x 27 x	302	11/2 x 5 61/4		
	27 x	322	$7\frac{1}{2} \times 5.10\frac{1}{4} \dots$	7.10	
	28 x	162	$8\frac{1}{2} \times 3. 2\frac{1}{4} \dots$		
	28 x	182	$8\frac{1}{2} \times 3.6\frac{1}{4} \dots$		-
	28 x	202	$8\frac{1}{2} \times 3.10\frac{1}{4} \dots$. 5.63	
	28 x	242	$8\frac{1}{2} \times 4.6\frac{1}{4} \dots$	6.09	
	28 x	262	$8\frac{1}{2} \times 4.10\frac{1}{4}$. 6.31	
	28 x	282	$8\frac{1}{2} \times 5$ $2\frac{1}{4}$	6.53	
	28 x	282 302	$.8\frac{1}{2} \times 5.6\frac{1}{4} \dots$. 6.75	
	28 x	322	$8\frac{1}{2} \times 5.10\frac{1}{4} \dots$	7.10	

For
K. D.
Triple
Frames
Triple
the Single
Price and
Add \$0.90

For K. D. Twin

Frames
Double
the Single
Price and
Add \$0.35

(Continued on Next Page)

Porch Work & Stair

Mouldings

CONTINUED

FROM PAGE 111

PLANK FRONT WINDOW FRAMES

MADE OF GENUINE

SOFT, CLEAR WHITE PINE

All Frames Knocked Down

(Without Pulleys)

Bundled Style "C"

Glass Size	Sash Size	Singles	
30 x 16	$.2.10\frac{1}{2} \times 3. 2\frac{1}{4}$	\$5.25	
	$.2.10\frac{1}{2} \times 3.6\frac{1}{4}$		
30 x 20	$.2.10\frac{1}{2} \times 3.10\frac{1}{4}$	5.80	
30 x 24	$2.10\frac{1}{2} \times 4.6\frac{1}{4}$	6.26	For
30 x 26	$.2.10\frac{1}{2} \times 4.10\frac{1}{4}$	6.48	K. D.
30 x 28	$.2.10\frac{1}{2} \times 5. 2\frac{1}{4}$	6.70	т
30 x 30	$.2.10\frac{1}{2} \times 5.6\frac{1}{4}$	6.93	Twin
30 x 32	$.2.10\frac{1}{2} \times 5.10\frac{1}{4}$		Frames
	.3. $0\frac{1}{2} \times 3$. $2\frac{1}{4}$		Double
	.3. $0\frac{1}{2} \times 3$. $6\frac{1}{4}$		
	.3. $0\frac{1}{2} \times 3.10\frac{1}{4}$		the Single
	.3. $0\frac{1}{2} \times 4$. $6\frac{1}{4}$		Price and
	.3. $0\frac{1}{2} \times 4.10\frac{1}{4}$		Add \$0.35
	.3. $0\frac{1}{2} \times 5$. $2\frac{1}{4}$		
	$3.0\frac{1}{2} \times 5.6\frac{1}{4}$		
	.3. $0\frac{1}{2} \times 5.10\frac{1}{4}$		Г
	.3. $4\frac{1}{2} \times 3$. $2\frac{1}{4}$		For
	.3. $4\frac{1}{2} \times 3$. $6\frac{1}{4}$		K. D.
	.3. $4\frac{1}{2} \times 3.10\frac{1}{4}$		Triple
	.3. $4\frac{1}{2} \times 4$. $6\frac{1}{4}$		
	.3. $4\frac{1}{2} \times 4.10\frac{1}{4}$.3. $4\frac{1}{2} \times 5$. $2\frac{1}{4}$		Frames
	.3. $4\frac{1}{2} \times 5$. $6\frac{1}{4}$		Triple
	.3. $4\frac{1}{2} \times 5.10\frac{1}{4}$		the Single
	3. $8\frac{1}{2} \times 3.10\frac{1}{4}$		
	3. $81/2 \times 4$. $61/4$)	Price and
	3. $8\frac{1}{2} \times 4.10\frac{1}{4}$		Add \$0.90
	3. $8\frac{1}{2} \times 5$. $2\frac{1}{4}$		
	3. $8\frac{1}{2} \times 5$. $6\frac{1}{4}$		

FOR SETTING UP

Add to List of any Size Frame:


 $40 \times 32....3. 8\frac{1}{2} \times 5.10\frac{1}{4}....$

Single, \$0.97 + Pulleys...\$0.33 = \$1.30 Twin, 1.95 + Pulleys .66 = 2.61 Triple, 3.15 + Pulleys .99 = 4.14 For Description of Frames, see Page 110

EXTRAS

3" White Pine Sills can be supplied with any Plank Front Window or Casement Frame. For each opening add \$1.32 list.

PLANK FRONT DOOR FRAMES



"CLEAR"
WHITE PINE

Bundled Style "C"

All Frames Knocked Down

Specifications:

Plank Moulding		3/4 x 13/4					
Outside Casing	Outside Casing						
Head Jamb	1	18 x 51/2					
Hanging Stile	1	3/8 x 13/4					
Sill	1	5/8 x 81/2					
	K.D.with Pine Sill	K.D.with Oak Sill					
2. 6 x 6. 6	\$6.80	\$7.43					
2. 6 x 6. 8	6.89	7.52					
2. 6 x 7. 0	7.08	7.71					
2. 8 x 6. 6	6.90	7.53					
2. 8 x 6. 8	6.99	7.62					
2. 8 x 7. 0	7.18	7.81					
2.10 x 6.10	7.45	8.08					
3. 0 x 6. 6	7.16	7.79					
3. 0 x 6. 8	7.26	7.89					
3. 0 x 7. 0	7.45	8.08					
For Setting Ila Add \$0	0.9						

For Setting Up Add \$0.82


If Sill is omitted, Deduct from Pine Sill List \$1.50

NOTE THE PLANK FRONT DOOR FRAME ABOVE WITH ITS 5/4 CLEAR CASINGS Porch Work & Stair

Mould-

Cabinet

PLANK FRONT CASEMENT FRAMES



Bundled Style "C"
"Clear" White Pine

All Frames Knocked Down

Specifications

Plank Moulding	3/4	x	13/4
Head Jambs	1 75	x	51/4
Side Jambs Note	1 5	x	51/4
Side Jambs Note These Features	15/8	x	7

	K. D. White Pine
6 1 6:	White Pine
Sash Size Glass Size	Singles
1. $8\frac{1}{2} \times 2$. 1	\$2.54
1. $8\frac{1}{2} \times 2$. 5	2.69
1. $8\frac{1}{2} \times 3$. 5	3.30
1. $8\frac{1}{2} \times 4$. 5	3.89
2. $0\frac{1}{2} \times 2$. 1	2.68
2. $0\frac{1}{2} \times 2$. 5	2.84
2. $0\frac{1}{2} \times 2.11$	3.08
2. $0\frac{1}{2} \times 3$. 5	3.45
2. $0\frac{1}{2} \times 4$. 5	4.04
2. $4\frac{1}{2} \times 2$. 1	2.98
2. $4\frac{1}{2} \times 2$. 5	3.14
2. $4\frac{1}{2} \times 2.11$	3.38
2. $4\frac{1}{2} \times 3$. 5	3.74
2. $4\frac{1}{2} \times 4$. 5	4.33
$2.10\frac{1}{2} \times 2. 130 \times 20$	3.25
$2.10\frac{1}{2} \times 2.530 \times 24$	3.40
$2.10\frac{1}{2} \times 3.530 \times 36$	
$2.10\frac{1}{2} \times 4.530 \times 48$	


K. D. "Twins"—Double the List then add \$0.35

K. D. "Triples"-3 Times the List then add \$0.90

FOR SETTING UP

Add to List of any size frame: Single, \$0.60; Twin, \$1.12; Triple, \$1.72

REVEAL DOOR FRAMES



"CLEAR"
WHITE PINE

Bundled Style "C"

All Frames
Knocked Down

Reveal Moulding
Head Jamb
Side Jamb
Hanging Stile
Sill

	K.D.with Pine Sill	K.D.with Oak Sill
2. 6 x 6. 6	\$5.64	\$6.27
2. 6 x 6. 8	5.64	6.27
2. 6 x 7. 0	5.78	6.41
2. 8 x 6. 6	5.64	6.27
2. 8 x 6. 8	5.64	6.27
2. 8 x 7. 0	5.78	6.41
2.10 x 6.10	5.85	6.48
3. 0 x 6. 6	5.71	6.34
3. 0 x 6. 8	5.71	6.34
3. 0 x 7. 0	5.85	6.48

For Setting Up Add \$0.82


If Sill is omitted, Deduct from Pine Sill List \$1.50

Porch Work & Stair

Mouldings

Cabinet

REVEAL WINDOW FRAMES



MADE OF SOFT, CLEAR PINE

NEW!! POCKETS

Cut, broken out and screwed in with rust-proof screws.

For 13/8" Check Rail Windows

Specifications

Reveal Moulding
Front Casing—Head 3/4 x 21/2
Head Jamb
Inside Casing—Head
Front Casing—Sides 3/4 x 41/2
Pulley Stiles 3/4 x 3 1/4
Parting Bead 3/8 x 7/8
Inside Casing—Side
Back Lining 3/4 x 3 1/4
Front Mullion Casing
Inside Mullion Casing
Center Box Lining
Sill

Pulleys-Ballbearing and Galvanized

For Price List
of Reveal Window Frames, see Opposite Page

PROTRACTOR MADE

ACCURATE

REVEAL WINDOW FRAMES

"CLEAR" WHITE PINE

All Frames Knocked Down

(Without Pulleys)

Bundled Style "C"

CI C:	C 1 C:	C: 1
Glass Size	Sash Size	Singles
20 x 162.		\$3.89
20 x 182.	$0\frac{1}{2} \times 3.6\frac{1}{4} \dots$	4.07
20 x 202.	$0\frac{1}{2} \times 3.10\frac{1}{4} \dots$	4.42
20 x 242.	$01/2 \times 4.61/4$	4.82
20 x 262.	$0\frac{1}{2} \times 4.10\frac{1}{4}$	5.02
20 x 282.	$0\frac{1}{2} \times 5$, $2\frac{1}{4}$	5.22
20 x 302.	$01/3 \times 5$. $61/4$.	5.40
20 x 322.		5.68
24 x 162.	$41/2 \times 3$, $21/4$	4.18
24 x 182.		4.36
24 x 202.	$4\frac{1}{2} \times 3.10\frac{1}{4}$	4.71
24 x 242.	41/2 x 4. 61/4	5.11
24 x 262.	41/2 x 4.101/4	5.31
24 x 282.	41/2 x 5. 21/1	5.51
24 x 302.		5.69
24 x 322.	4½ x 5.10¼	5.97
26 x 162.	$6\frac{1}{2} \times 3. 2\frac{1}{4}$	4.27
26 x 182.		4.45
26 x 202.		4.45
26 x 242.		5.20
26 x 262.		5.40
26 x 282.		5.59
26 x 302.		5.78
26 x 322.		6.05
27 x 162.		
27 x 182.	$7\frac{1}{2} \times 3. \ 6\frac{1}{4} \dots$	4.37
	$7\frac{1}{2} \times 3.6\frac{1}{4} \dots$	
		4.90
	$7\frac{1}{2} \times 4.6\frac{1}{4} \dots$	5.30
	$7\frac{1}{2} \times 4.10\frac{1}{4} \dots$	5.50
	$7\frac{1}{2} \times 5$. $2\frac{1}{4}$	5.69
	$7\frac{1}{2} \times 5.6\frac{1}{4}$	5.88
27 x 322. 28 x 162.	$7\frac{1}{2} \times 5.10\frac{1}{4}$	6.16
		4.37
28 x 182.		4.55
28 x 202.		4.90
28 x 242.		5.30
28 x 262.		5.50
28 x 282.	$8\frac{1}{2} \times 5. \ 2\frac{1}{4} \dots$	5.69
28 x 302.	$8\frac{1}{2} \times 5.6\frac{1}{4} \dots$ $8\frac{1}{2} \times 5.10\frac{1}{4} \dots$	5.88
28 x 322.	81/2 x 5.101/4	6.16

For
K. D.
Triple
Frames
Triple
the Single
Price and
Add \$0.90

For
K. D.
Twin
Frames
Double
the Single
Price and
Add \$0.35

(Continued on Next Page)

Porch Work &_ Stair

Mould-

Work

CONTINUED

FROM PAGE 117

REVEAL WINDOW FRAMES

"CLEAR" WHITE PINE

All Frames Knocked Down (Without Pulleys)

Bundled Style "C"

Glass S	Size	S	ash	Size		Singles	
30 x	16	.2.10				 \$4.52	
30 x	18	.2.10	/2 X	3. (61/4	 4.70	
30 x	20	.2.10	/2 X	3.10	01/4	 5.05	
30 x	24	2.10	/2 x	4.	61/4	 5.45	For
30 x	26	.2.10	1/2 X	4.11	01/4	 5.65	
30 v	28	2.10	/2 X	5	21/4	 5.85	K. D.
30 -	30	. 2.10	1/2 X	5.	6 1/4	 6.04	Twin
30 -	32	. 2.10	1/2 X	5.1	0 1/4	 0.31	Frames
32 x	16	3. 0	/2 X	3.	2 1/4	 4.63	Double
32 x	18	3. 0	1/2 X	3.	6 1/4	 4.81	the Single
32 x	20	3. 0	1/2 x	3.1	01/4	 . 5.16	Price and
32 x	24	3. 0	1/2 x	4.	$6\frac{1}{4}$. 5.57	
32 x	26	3. 0	1/2 x	4.1	$0\frac{1}{4}$. 5.76	Add \$0.35
32 x	28	3. 0	1/2 x	5.	21/4	 . 5.96	
	30	3. 0					
	32						-
	16		1/2 x	3.	21/4	 . 4.81	For
	18						K. D.
	20						Triple
36 x			1/2 X	4.	01/4		Frames
	26		1/2 x				
	28		1/2 x				Triple
	30					 	the Single
	32		1/2 x				Price and
	20		$\frac{1}{2}$ x			 0.00	Add \$0.90
	24		$\frac{1}{2}$ x				
	26	2 8	1/2 X	5	21/		
	28		$1/2 \times 1/2 $	5	61/		
	30						
40 x	32).	1/2 x		072	 . 5.00	

FOR SETTING UP


Add to List of any Size Frame:

Single, \$0.97 + Pulleys \$0.33 = \$1.30 Twin, 1.95 + Pulleys .66 = 2.61 Triple, 3.15 + Pulleys .99 = 4.14 For Description of Frames, see Page 116

EXTRAS

3" White Pine Sills can be supplied with any Reveal Window or Casement Frame. For each opening add \$1.32 list.

REVEAL CASEMENT FRAMES



Bundled Style "C"
"Clear" White Pine

All Frames Knocked Down

Reveal Moulding								 			۰		1 18	x	13/4
Head Jamb		٠						 				1	15	x	51/4
Side Jamb								 		 	٠	1	1 18	x	51/4
Sill	٠.			٠.			•	 					15/8	x	7

	K. D.
	White Pine
Sash Size Glass Size	
1. $8\frac{1}{2} \times 2$. 1	
1. $8\frac{1}{2} \times 2$. 5	2.80
1. $8\frac{1}{2} \times 3$. 5	3.42
1. $8\frac{1}{2} \times 4$. 5	4.04
2. $0\frac{1}{2} \times 2$. 1	2.73
2. $0\frac{1}{2} \times 2.5$	2.89
2. $0\frac{1}{2} \times 2.11$	3.13
$2. 0\frac{1}{2} \times 3. 520 \times 36$	3.51
2. $0 \frac{1}{2} \times 4.5$	
2. $4\frac{1}{2} \times 2$. 1	3.03
2. 4½ x 2. 5	
2. $4\frac{1}{2} \times 2.11$	
2. $4\frac{1}{2} \times 3$. 5	
2. $\frac{41}{2} \times 4$. 5	
$2.10\frac{1}{2} \times 2.130 \times 20$	
$2.10\frac{1}{2} \times 2.530 \times 24$	
$2.10\frac{1}{2} \times 3.530 \times 36$	
$2.10\frac{1}{2} \times 4.530 \times 48$	

K. D. "Twins"-Double the List then add \$0.35

K. D. "Triples"-3 Times the List then add \$0.90

FOR SETTING UP


Add to List of any size frame:

Single, \$0.60; Twin, \$1.12; Triple, \$1.72

Porch Work & Stair Work

Mould-

UNIQUE BALANCE WINDOW FRAMES



MADE OF SOFT, CLEAR PINE

NO POCKETS
NO PULLEYS
NO WEIGHTS
NO CORDS

A combination frame suitable for all types of construction. Same frame for masonry or wood frame or brick veneer construction.

For 13/8" Check Rail Windows

Specifications

Drip Cap	1 16	x	15/8
Head Casing	118	x	2
Head Blind Stop	3/4	x	2
Side Blind Stop	3/4	x	31/2
Jambs	3/4	x	4 16
Parting Bead	3/8	x	7/8
Side Casing	1 18	x	2
Mullion Casing	118	x	2
Sill	15/8	x	7

For Price List of Unique Balance Window Frames

See Pages 121 and 122

PROTRACTOR MADE ARE ACCURATE

UNIQUE BALANCE WINDOW FRAMES

"CLEAR" WHITE PINE

All Frames Knocked Down Bundled Style "C"

Balances Extra—See Page 123

20 x 16. 2. 01/2 x 3. 21/4 \$3.04 20 x 18. 2. 01/2 x 3. 61/4 3.15 20 x 20. 2. 01/2 x 3.101/4 3.36 20 x 24. 2. 01/2 x 4. 61/4 3.60 20 x 26. 2. 01/2 x 5. 21/4 3.84 20 x 30. 2. 01/2 x 5. 61/4 3.96 20 x 32. 2. 01/2 x 5. 101/4 4.13 24 x 16. 2. 41/2 x 3. 61/4 3.85 24 x 20. 2. 41/2 x 3. 101/4 3.65 24 x 24. 2. 41/2 x 3. 101/4 3.65 24 x 24. 2. 41/2 x 4. 61/4 3.89 24 x 26. 2. 41/2 x 4. 101/4 4.01 24 x 28. 2. 41/2 x 5. 61/4 4.13 24 x 30. 2. 41/2 x 5. 61/4 4.13 24 x 30. 2. 41/2 x 5. 61/4 4.13 24 x 30. 2. 41/2 x 5. 61/4 4.13 26 x 18. 2. 61/2 x 3. 21/4 3.41 26 x 18. 2. 61/2 x 3. 21/4 3.53 26 x 20. 2. 61/2 x 3. 101/4 3.53 26 x 20. 2. 61/2 x 3. 101/4 3.53 26 x 20. 2. 61/2 x 3. 101/4 3.74 26 x 24. 2. 61/2 x 3. 101/4 4.10 26 x 28. 2. 61/2 x 5. 101/4 4.10 26 x 28. 2. 61/2 x 5. 101/4 4.10 26 x 28. 2. 61/2 x 5. 101/4 4.10 27 x 16. 2. 71/2 x 3. 21/4 3.46 27 x 16. 2. 71/2 x 3. 21/4 3.46 27 x 20. 2. 71/2 x 3. 21/4 3.46 27 x 20. 2. 71/2 x 3. 101/4 3.79 27 x 24. 2. 71/2 x 4. 101/4 4.15 27 x 20. 2. 71/2 x 3. 101/4 3.79 27 x 24. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 3. 101/4 3.79 27 x 24. 2. 71/2 x 3. 21/4 3.51 27 x 20. 2. 71/2 x 3. 101/4 3.79 27 x 24. 2. 71/2 x 3. 101/4 3.79 27 x 28. 2. 71/2 x 3. 101/4 3.79 27 x 28. 2. 71/2 x 3. 101/4 3.51 28 x 16. 2. 81/2 x 3. 21/4 3.51 28 x 16. 2. 81/2 x 3. 21/4 3.51 28 x 18. 2. 81/2 x 3. 21/4 3.51 28 x 18. 2. 81/2 x 3. 101/4 3.84 28 x 24. 2. 81/2 x 4. 101/4 4.08 28 x 24. 2. 81/2 x 4. 101/4 4.08 28 x 24. 2. 81/2 x 4. 101/4 4.08 28 x 24. 2. 81/2 x 4. 101/4 4.08 28 x 24. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.20 28 x 28. 28. 2. 81/2 x 5. 21/4 4.20 28 x 28. 28. 28. 28. 28. 28. 28. 28. 28. 28.	Glass Size	Sash Size	Singles	
20 x 18	20 x 162.	$0\frac{1}{2} \times 3. 2\frac{1}{4}$	\$3.04	
20 x 20 . 2. 01/2 x 3.101/4 . 3.66 20 x 24 . 2. 01/2 x 4. 61/4 . 3.60 20 x 26 . 2. 01/2 x 5. 101/4 . 3.72 20 x 28 . 2. 01/2 x 5. 101/4 . 3.96 20 x 30 . 2. 01/2 x 5. 101/4 . 4.13 24 x 16 . 2. 41/2 x 3. 21/4 . 3.33 24 x 18 . 2. 41/2 x 3. 101/4 . 3.65 24 x 20 . 2. 41/2 x 3.101/4 . 3.65 24 x 24 . 2. 41/2 x 4. 61/4 . 3.89 24 x 26 . 2. 41/2 x 5. 101/4 . 4.13 24 x 30 . 2. 41/2 x 5. 101/4 . 4.13 24 x 30 . 2. 41/2 x 5. 101/4 . 4.13 24 x 32 . 2. 41/2 x 5. 101/4 . 4.13 25 x 32 . 2. 41/2 x 5. 101/4 . 4.13 26 x 16 . 2. 61/2 x 3. 21/4 . 3.41 26 x 16 . 2. 61/2 x 3. 61/4 . 3.53 26 x 20 . 2. 61/2 x 3. 61/4 . 3.53 26 x 20 . 2. 61/2 x 3. 101/4 . 3.74 26 x 24 . 2. 61/2 x 4. 101/4 . 4.10 26 x 28 . 2. 61/2 x 5. 101/4 . 4.10 26 x 28 . 2. 61/2 x 5. 101/4 . 4.20 26 x 30 . 2. 61/2 x 5. 101/4 . 4.51 27 x 16 . 2. 71/2 x 3. 61/4 . 3.58 27 x 20 . 2. 71/2 x 3. 61/4 . 3.58 27 x 20 . 2. 71/2 x 3. 101/4 . 3.79 27 x 24 . 2. 71/2 x 3. 61/4 . 3.58 27 x 20 . 2. 71/2 x 3. 101/4 . 3.79 27 x 24 . 2. 71/2 x 3. 101/4 . 4.90 27 x 30 . 2. 71/2 x 5. 61/4 . 4.90 27 x 28 . 2. 71/2 x 5. 101/4 . 4.90 27 x 28 . 2. 71/2 x 5. 101/4 . 4.90 27 x 28 . 2. 71/2 x 5. 101/4 . 4.90 28 x 18 . 2. 81/2 x 3. 101/4 . 3.84 28 x 20 . 2. 81/2 x 3. 101/4 . 3.84 28 x 24 . 2. 81/2 x 3. 101/4 . 3.84 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 26 . 2. 81/2 x 4. 101/4 . 4.20 28 x 28 . 2. 81/2 x 4. 101/4 . 4.20 28 x 28 . 2. 81/2 x 4. 101/4 . 4.20 28 x 28 . 2. 81/2 x 4. 101/4 . 4.20 28 x 28 . 2. 81/2 x 5. 21/4 . 4.20 28 x 28 . 2. 81/2 x 5. 21/4 . 4.20 28 x 28 . 2. 81/2 x 5. 21/4 . 4.20		$01/2 \times 3.61/4$		
20 x 24	20 x 202.	$01/2 \times 3.101/4$		
20 x 26 . 2. 01/2 x 4.101/4	20 x 242.	$0\frac{1}{2} \times 4.6\frac{1}{4}$	3.60	
20 x 30 . 2. 01/2 x 5. 61/4	20 x 262.	$01/2 \times 4.101/4$	3.72	For
20 x 30 . 2. 01/2 x 5. 61/4	20 x 282.	$0\frac{1}{2} \times 5. 2\frac{1}{4}$	3.84	V D
20 x 32 . 2. 01/2 x 5.101/4 . 4.13 24 x 16 . 2. 41/2 x 3 . 21/4 . 3.33 24 x 18 . 2. 41/2 x 3 . 61/4 . 3.45 24 x 20 . 2. 41/2 x 3.101/4 . 3.65 24 x 24 . 2. 41/2 x 4.61/4 . 4.01 24 x 28 . 2. 41/2 x 5 . 21/4 . 4.13 24 x 30 . 2. 41/2 x 5 . 61/4 . 4.25 24 x 32 . 2. 41/2 x 5 . 61/4 . 4.25 24 x 32 . 2. 41/2 x 5 . 61/4 . 4.25 24 x 32 . 2. 41/2 x 5 . 61/4 . 4.32 26 x 16 . 2. 61/2 x 3 . 61/4 . 3.53 26 x 20 . 2. 61/2 x 3 . 61/4 . 3.53 26 x 20 . 2. 61/2 x 3 . 61/4 . 3.98 26 x 26 . 2. 61/2 x 4 . 61/4 . 3.98 26 x 26 . 2. 61/2 x 5 . 61/4 . 4.10 26 x 28 . 2. 61/2 x 5 . 61/4 . 4.33 26 x 32 . 2. 61/2 x 5 . 61/4 . 4.33 26 x 32 . 2. 61/2 x 5 . 61/4 . 4.10 27 x 16 . 2. 71/2 x 3 . 61/4 . 3.58 27 x 20 . 2. 71/2 x 3 . 61/4 . 3.58 27 x 20 . 2. 71/2 x 3 . 61/4 . 3.79 27 x 24 . 2. 71/2 x 4 . 61/4 . 4.03 27 x 28 . 2. 71/2 x 3 . 61/4 . 3.79 27 x 24 . 2. 71/2 x 4 . 101/4 . 4.15 27 x 28 . 2. 71/2 x 4 . 101/4 . 4.15 27 x 28 . 2. 71/2 x 5 . 61/4 . 4.39 27 x 30 . 2. 71/2 x 5 . 61/4 . 4.39 27 x 30 . 2. 71/2 x 5 . 61/4 . 4.39 27 x 30 . 2. 71/2 x 5 . 61/4 . 4.39 27 x 30 . 2. 71/2 x 5 . 61/4 . 4.56 28 x 16 . 2. 81/2 x 3 . 61/4 . 3.63 28 x 20 . 2. 81/2 x 3 . 61/4 . 3.63 28 x 24 . 2. 81/2 x 3 . 61/4 . 3.84 28 x 24 . 2. 81/2 x 3 . 61/4 . 4.20 28 x 28 . 2 81/2 x 4 . 61/4 . 4.20 28 x 28 . 2 81/2 x 5 . 21/4 . 4.20 28 x 28 . 2 81/2 x 5 . 21/4 . 4.20 28 x 28 . 2 81/2 x 5 . 21/4 . 4.20		$0\frac{1}{2} \times 5.6\frac{1}{4}$	3.96	K. D.
24 x 16		$0\frac{1}{2} \times 5.10\frac{1}{4}$	4.13	Twin
24 x 20		$4\frac{1}{2} \times 3. 2\frac{1}{4}$		1 44 111
24 x 24. 2. 41/2 x 4. 61/4 3.89 24 x 26. 2. 41/2 x 4. 101/4 4.01 24 x 28. 2. 41/2 x 5. 21/4 4.13 24 x 30. 2. 41/2 x 5. 61/4 4.25 24 x 32. 2. 41/2 x 5. 101/4 4.42 26 x 16. 2. 61/2 x 3. 21/4 3.41 26 x 18. 2. 61/2 x 3. 101/4 3.53 26 x 20. 2. 61/2 x 3. 101/4 3.98 26 x 24. 2. 61/2 x 4. 61/4 4.10 26 x 28. 2. 61/2 x 5. 61/4 4.10 26 x 28. 2. 61/2 x 5. 61/4 4.33 26 x 30. 2. 61/2 x 5. 61/4 4.33 26 x 30. 2. 61/2 x 5. 61/4 4.33 26 x 30. 2. 61/2 x 5. 101/4 4.10 26 x 28. 2. 61/2 x 5. 101/4 4.51 27 x 16. 2. 71/2 x 3. 21/4 3.46 27 x 18. 2. 71/2 x 3. 61/4 3.58 27 x 20. 2. 71/2 x 3. 101/4 3.58 27 x 20. 2. 71/2 x 3. 101/4 4.15 27 x 28. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 101/4 4.56 28 x 16. 2. 81/2 x 3. 61/4 3.63 28 x 20. 2. 81/2 x 3. 101/4 3.84 28 x 24. 2. 81/2 x 3. 61/4 3.84 28 x 24. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 5. 21/4 4.20		$4\frac{1}{2} \times 3. 6\frac{1}{4}$		Frames
24 x 24 . 2. 4\forall_2 x 4.10\forall_4 . 4.01 24 x 28 . 2. 4\forall_2 x 5. 2\forall_4 . 4.13 24 x 30 . 2. 4\forall_2 x 5. 6\forall_4 . 4.25 24 x 32 . 2. 4\forall_2 x 5. 6\forall_4 . 4.25 24 x 32 . 2. 4\forall_2 x 5. 10\forall_4 . 4.42 26 x 16 . 2. 6\forall_2 x 3. 2\forall_4 . 3.51 26 x 20 . 2. 6\forall_2 x 3. 10\forall_4 . 3.74 26 x 24 . 2. 6\forall_2 x 3. 10\forall_4 . 3.74 26 x 24 . 2. 6\forall_2 x 3. 10\forall_4 . 3.74 26 x 24 . 2. 6\forall_2 x 3. 10\forall_4 . 3.98 26 x 26 . 2. 6\forall_2 x 3. 10\forall_4 . 4.10 26 x 28 . 2. 6\forall_2 x 5. 2\forall_4 . 4.33 26 x 30 . 2. 6\forall_2 x 5. 6\forall_4 . 4.33 26 x 30 . 2. 6\forall_2 x 5. 6\forall_4 . 4.33 26 x 32 . 2. 6\forall_2 x 5. 6\forall_4 . 4.33 27 x 16 . 2. 7\forall_2 x 3. 2\forall_4 . 3.69 27 x 18 . 2. 7\forall_2 x 3. 10\forall_4 . 3.79 27 x 20 . 2. 7\forall_2 x 3. 10\forall_4 . 3.79 27 x 24 . 2. 7\forall_2 x 3. 10\forall_4 . 3.79 27 x 26 . 2. 7\forall_2 x 3. 10\forall_4 . 3.79 27 x 28 . 2. 7\forall_2 x 4. 6\forall_4 . 4.03 27 x 28 . 2. 7\forall_2 x 3. 10\forall_4 . 3.63 28 x 16 . 2. 8\forall_2 x 3. 10\forall_4 . 3.61 28 x 18 . 2. 8\forall_2 x 3. 10\forall_4 . 3.84 28 x 20 . 2. 8\forall_2 x 3. 10\forall_4 . 3.84 28 x 24 . 2. 8\forall_2 x 3. 10\forall_4 . 3.84 28 x 24 . 2. 8\forall_2 x 4. 6\forall_4 . 4.20 28 x 28 . 2. 8\forall_2 x 4. 10\forall_4 . 4.20 28 x 28 . 2. 8\forall_2 x 4. 10\forall_4 . 4.20 28 x 28 . 2. 8\forall_2 x 4. 10\forall_4 . 4.20 28 x 28 . 2. 8\forall_2 x 5. 2\forall_4 . 4.32	24 x 202.	$4\frac{1}{2} \times 3.10\frac{1}{4} \dots$	3.65	D 11
24 x 28. 2. 41/2 x 5. 21/4 4.13 24 x 30. 2. 41/2 x 5. 61/4 4.25 24 x 32. 2. 41/2 x 5.101/4 4.42 26 x 16. 2. 61/2 x 3. 21/4 3.41 26 x 18. 2. 61/2 x 3. 61/4 3.53 26 x 20. 2. 61/2 x 3.101/4 3.74 26 x 24. 2. 61/2 x 4. 61/4 3.98 26 x 26. 2. 61/2 x 5. 61/4 4.10 26 x 28. 2. 61/2 x 5. 21/4 4.22 26 x 30. 2. 61/2 x 5. 61/4 4.33 26 x 32. 2. 61/2 x 5. 61/4 4.33 26 x 32. 2. 61/2 x 5. 101/4 4.51 27 x 16. 2. 71/2 x 3. 21/4 3.46 27 x 18. 2. 71/2 x 3. 61/4 3.79 27 x 24. 2. 71/2 x 3. 101/4 3.79 27 x 24. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 4. 101/4 4.15 27 x 28. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 27 x 30. 2. 71/2 x 5. 61/4 4.39 28 x 18. 2. 81/2 x 3. 61/4 3.63 28 x 18. 2. 81/2 x 3. 61/4 3.84 28 x 24. 2. 81/2 x 3. 101/4 3.84 28 x 24. 2. 81/2 x 4. 61/4 4.08 28 x 26. 2. 81/2 x 4. 61/4 4.08 28 x 26. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 4. 101/4 4.20 28 x 28. 2. 81/2 x 5. 21/4 4.20 28 x 28. 2. 81/2 x 5. 21/4 4.20 28 x 28. 2. 81/2 x 5. 21/4 4.20 28 x 28. 2. 81/2 x 5. 21/4 4.20	24 x 242.	$41/2 \times 4.61/4$	3.89	Double
24 x 30 . 2. 41/2 x 5. 61/4 . 4.25 24 x 32 . 2. 41/2 x 5. 61/4 . 4.25 26 x 16 . 2. 61/2 x 3. 21/4 . 3.41 26 x 18 . 2. 61/2 x 3. 61/4 . 3.53 26 x 20 . 2. 61/2 x 4. 61/4 . 3.98 26 x 24 . 2. 61/2 x 4. 61/4 . 4.10 26 x 28 . 2. 61/2 x 5. 61/4 . 4.33 26 x 30 . 2. 61/2 x 5. 61/4 . 4.33 26 x 30 . 2. 61/2 x 5. 61/4 . 4.33 26 x 32 . 2. 61/2 x 5. 101/4 . 4.51 27 x 16 . 2. 71/2 x 3. 21/4 . 3.58 27 x 20 . 2. 71/2 x 3. 61/4 . 3.58 27 x 20 . 2. 71/2 x 3. 61/4 . 3.58 27 x 20 . 2. 71/2 x 3. 61/4 . 3.58 27 x 26 . 2. 71/2 x 3. 61/4 . 4.03 27 x 28 . 2. 71/2 x 4. 61/4 . 4.03 27 x 28 . 2. 71/2 x 4. 61/4 . 4.03 27 x 28 . 2. 71/2 x 5. 61/4 . 4.35 27 x 28 . 2. 71/2 x 5. 61/4 . 4.35 27 x 28 . 2. 71/2 x 5. 61/4 . 4.35 27 x 28 . 2. 71/2 x 5. 61/4 . 4.39 27 x 30 . 2. 71/2 x 5. 61/4 . 4.39 27 x 30 . 2. 71/2 x 5. 61/4 . 4.39 27 x 30 . 2. 71/2 x 5. 61/4 . 4.39 27 x 30 . 2. 71/2 x 5. 61/4 . 4.36 28 x 16 . 2. 81/2 x 3. 61/4 . 3.63 28 x 20 . 2. 81/2 x 3. 61/4 . 3.63 28 x 24 . 2. 81/2 x 3. 61/4 . 3.84 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 26 . 2. 81/2 x 4. 61/4 . 4.08 28 x 26 . 2. 81/2 x 4. 61/4 . 4.20 28 x 28 . 2. 81/2 x 5. 21/4 . 4.32		$4\frac{1}{2} \times 4.10\frac{1}{4}$	4.01	the Single
24 x 32		$4\frac{1}{2} \times 5. \frac{2\frac{1}{4}}{4}$		the Diligie
26 x 16 2. 61/2 x 3. 21/4				Price and
26 x 18 2. 61/2 x 3. 61/4 3.53 26 x 20 2. 61/2 x 3. 101/4 3.98 26 x 24 2. 61/2 x 4. 61/4 4.10 26 x 28 2. 61/2 x 5. 21/4 4.22 26 x 30 2. 61/2 x 5. 101/4 4.33 26 x 32 2. 61/2 x 5. 101/4 4.51 27 x 16 2. 71/2 x 3. 21/4 3.58 27 x 20 . 2. 71/2 x 3. 61/4 3.58 27 x 20 . 2. 71/2 x 3. 101/4 3.58 27 x 26 . 2. 71/2 x 3. 101/4 4.15 27 x 28 . 2. 71/2 x 4. 101/4 4.15 27 x 28 . 2. 71/2 x 5. 21/4 4.39 27 x 30 . 2. 71/2 x 5. 61/4 4.39 27 x 30 . 2. 71/2 x 5. 61/4 4.39 27 x 30 . 2. 71/2 x 5. 101/4 4.56 28 x 16 . 2. 81/2 x 3. 61/4 3.63 28 x 20 . 2. 81/2 x 3. 61/4 3.63 28 x 24 . 2. 81/2 x 3. 61/4 3.63 28 x 24 . 2. 81/2 x 4. 61/4 4.08 28 x 24 . 2. 81/2 x 4. 101/4 4.20 28 x 28 . 2. 81/2 x 4. 101/4 4.20 28 x 28 . 2. 81/2 x 5. 21/4 4.32		$4\frac{1}{2} \times 5.10\frac{1}{4}$		
26 x 20 2. 61/2 x 3.101/4 3.74 26 x 24 2. 61/2 x 4. 61/4 3.98 26 x 26 2. 61/2 x 5. 21/4 4.10 26 x 28 2. 61/2 x 5. 21/4 4.22 26 x 30 2. 61/2 x 5. 61/4 4.31 26 x 32 2. 61/2 x 5. 101/4 4.51 27 x 16 2. 71/2 x 3. 21/4 3.46 27 x 18 2. 71/2 x 3. 61/4 3.58 27 x 20 2. 71/2 x 3. 101/4 3.79 27 x 24 2. 71/2 x 4. 101/4 4.15 27 x 28 2. 71/2 x 4. 101/4 4.15 27 x 28 2. 71/2 x 5. 61/4 4.27 27 x 30 2. 71/2 x 5. 61/4 4.39 27 x 30 2. 71/2 x 5. 61/4 4.39 27 x 30 2. 71/2 x 5. 61/4 4.39 28 x 16 2. 81/2 x 3. 61/4 3.51 28 x 18 2. 81/2 x 3. 61/4 3.63 28 x 20 2. 81/2 x 3. 101/4 3.84 28 x 24 2. 81/2 x 4. 61/4 4.08 28 x 26 2. 81/2 x 4. 101/4 4.20 28 x 28 x 28 2. 81/2 x 5. 21/4 4.32		$6\frac{1}{2} \times 3. \frac{2\frac{1}{4}}{4}$		Add \$0.35
26 x 24 . 2. 61/2 x 4. 61/4		$6\frac{1}{2} \times 3.6\frac{1}{4}$		
26 x 26 . 2. 61/2 x 4.101/4	26 x 202.	$6\frac{1}{2} \times 3.10\frac{1}{4}$		
26 x 28		$6\frac{1}{2} \times 4.6\frac{1}{4}$		
26 x 30 2. 61/2 x 5. 61/4 4.33 26 x 32 2. 61/2 x 5. 101/4 4.51 27 x 16 2. 71/2 x 3. 21/4 3.46 27 x 18 2. 71/2 x 3. 61/4 3.58 27 x 20 2. 71/2 x 3. 101/4 3.79 27 x 24 2. 71/2 x 4. 61/4 4.03 27 x 26 2. 71/2 x 4. 101/4 4.15 27 x 28 2. 71/2 x 5. 21/4 4.27 27 x 30 2. 71/2 x 5. 61/4 4.39 27 x 32 2. 71/2 x 5. 61/4 4.56 28 x 16 2. 81/2 x 3. 61/4 3.63 28 x 20 2. 81/2 x 3. 61/4 3.63 28 x 24 2. 81/2 x 3. 101/4 3.84 28 x 24 2. 81/2 x 4. 61/4 4.20 28 x 28 2. 81/2 x 4. 101/4 4.20 28 x 28 2. 81/2 x 5. 21/4 4.32		$6\frac{1}{2} \times 4.10\frac{1}{4}$		
26 x 32 . 2. 61/2 x 5.101/4		$6\frac{1}{2} \times 5. \frac{2\frac{1}{4}}{4}$		For
27 x 16 . 2. 71/2 x 3. 21/4		$6\frac{1}{2} \times 5.6\frac{1}{4}$		101
27 x 18		$6\frac{1}{2} \times 5.10\frac{1}{4}$	4.51	K. D.
27 x 24 2. 7½ x 3.10¼ 4.03 27 x 24 2. 7½ x 4.6¼ 4.03 27 x 26 2. 7½ x 4.10¼ 4.15 27 x 28 2. 7½ x 5. 2¼ 4.27 27 x 30 2. 7½ x 5. 6¼ 4.39 27 x 32 2. 7½ x 5.10¼ 4.56 28 x 16 2. 8½ x 3. 2¼ 3.51 28 x 18 2. 8½ x 3. 6¼ 3.63 28 x 20 2. 8½ x 3.10¼ 3.84 28 x 24 2. 8½ x 4.6¼ 4.08 28 x 24 2. 8½ x 4.10¼ 4.20 28 x 28 2. 8½ x 4.10¼ 4.20 28 x 28 2. 8½ x 5. 2¼ 4.32		71/2 x 3. 21/4	3.40	
27 x 24 . 2. 7/2 x 4. 6/4 . 4.05 27 x 26 . 2. 7/2 x 4.10/4 . 4.15 27 x 28 . 2. 7/2 x 5. 21/4 . 4.27 27 x 30 . 2. 7/2 x 5. 61/4 . 4.39 27 x 32 . 2. 7/2 x 5.10/4 . 4.56 28 x 16 . 2. 81/2 x 3. 21/4 . 3.51 28 x 18 . 2. 81/2 x 3. 61/4 . 3.63 28 x 20 . 2. 81/2 x 3.101/4 . 3.84 28 x 24 . 2. 81/2 x 4. 61/4 . 4.08 28 x 26 . 2. 81/2 x 4.101/4 . 4.20 28 x 28 . 2. 81/2 x 5. 21/4 . 4.32		71/2 x 3. 61/4		Triple
27 x 30 2. 71/2 x 5. 61/4 4.56 27 x 32 2. 71/2 x 5.101/4 4.56 28 x 16 2. 81/2 x 3. 21/4 3.51 28 x 18 2. 81/2 x 3. 61/4 3.63 28 x 20 2. 81/2 x 3.101/4 3.84 28 x 24 2. 81/2 x 4. 61/4 4.08 28 x 26 2. 81/2 x 4.101/4 4.20 28 x 28 2. 81/2 x 5. 61/4 4.32		$71/2 \times 3.101/4$		E
27 x 30 2. 71/2 x 5. 61/4 4.56 27 x 32 2. 71/2 x 5.101/4 4.56 28 x 16 2. 81/2 x 3. 21/4 3.51 28 x 18 2. 81/2 x 3. 61/4 3.63 28 x 20 2. 81/2 x 3.101/4 3.84 28 x 24 2. 81/2 x 4. 61/4 4.08 28 x 26 2. 81/2 x 4.101/4 4.20 28 x 28 2. 81/2 x 5. 61/4 4.32		71/2 x 4. 01/4 · :	4.05	Frames
27 x 30 2. 71/2 x 5. 61/4 4.56 27 x 32 2. 71/2 x 5.101/4 4.56 28 x 16 2. 81/2 x 3. 21/4 3.51 28 x 18 2. 81/2 x 3. 61/4 3.63 28 x 20 2. 81/2 x 3.101/4 3.84 28 x 24 2. 81/2 x 4. 61/4 4.08 28 x 26 2. 81/2 x 4.101/4 4.20 28 x 28 2. 81/2 x 5. 61/4 4.32		71/2 X 4.10/4		Triple
28 x 24 2. 8½ x 4. 6¼ 4.08 28 x 26 2. 8½ x 4.10¼ 4.20 28 x 28 2, 8½ x 5. 2¼ 4.32		$71/2 \times 3. 21/4$		
28 x 24 2. 8½ x 4. 6¼ 4.08 28 x 26 2. 8½ x 4.10¼ 4.20 28 x 28 2, 8½ x 5. 2¼ 4.32	27 x 302.	71/2 x 3. 01/4		the Single
28 x 24 2. 8½ x 4. 6¼ 4.08 28 x 26 2. 8½ x 4.10¼ 4.20 28 x 28 2, 8½ x 5. 2¼ 4.32	20 - 16 2	91/ - 3 21/		D.: J
28 x 24 2. 8½ x 4. 6¼ 4.08 28 x 26 2. 8½ x 4.10¼ 4.20 28 x 28 2, 8½ x 5. 2¼ 4.32		81/2 x 3. 2/4	3.63	Frice and
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		81/2 x 3. 01/4		Add \$0.90
28 x 262. 8½ x 4.10¼ 4.20 28 x 282, 8½ x 5. 2¼ 4.32	28 × 24 2	81/2 × 4 61/		
$ 28 \times 28 \dots 2, 81/2 \times 5, 21/4 \dots 4.32 $	28 × 26 2	81/2 × 4 101/	4.00	
20 20 20 27 7 27 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		81/2 × 5 21/4	4.20	
1 /8 v 111 / 81/2 v 2 b1/4 4.44	28 x 302.	$8\frac{1}{2} \times 5.6\frac{1}{4}$	4.44	
$28 \times 322. \ 8\frac{1}{2} \times 5.10\frac{1}{4} \ 4.61$	28 × 32 2	81/2 x 5 101/4		
20 x 32, 2. 0/2 x 30/4 1.01	1 20 % 322.	0/2 x 3.10/4	1.01	

(Continued on Next Page)

9

9

Stair Work

Perch Work

Mouldings

Cabinet

CONTINUED

FROM PAGE 121

UNIQUE BALANCE WINDOW FRAMES

"CLEAR" WHITE PINE

All Frames Knocked Down

Bundled Style "C"

Balances Extra-See Next Page

Dalances Little Dec Ment 1 ago	
Glass Size Sash Size	Singles
30 x 162.10 $\frac{1}{2}$ x 3. $\frac{2}{4}$. \$3.60
$30 \times 182.10\frac{1}{2} \times 3.6\frac{1}{4}$	
$30 \times 20 \dots 2.10 \frac{1}{2} \times 3.10 \frac{1}{4} \dots$. 3.92
30×24	. 4.16
30×26	. 4.28
$30 \times 28 \dots 2.10\frac{1}{2} \times 5.2\frac{1}{4} \dots$. 4.40
$30 \times 30 \dots 2.10 \frac{1}{2} \times 5.6 \frac{1}{4} \dots$. 4.52
$30 \times 32 \dots 2.10 \frac{1}{2} \times 5.10 \frac{1}{4} \dots$. 4.69
32×16	. 3.69
$32 \times 18 \dots 3.0 \frac{1}{2} \times 3.6 \frac{1}{4} \dots$. 3.81
$32 \times 20 \dots 3.0\frac{1}{2} \times 3.10\frac{1}{4} \dots$. 4.02
32×24	. 4.26
32×26	. 4.38
32×28	. 4.50
$32 \times 30 \dots 3. 0\frac{1}{2} \times 5. 6\frac{1}{4} \dots$. 4.62
$32 \times 32 \dots 3.0\frac{1}{2} \times 5.10\frac{1}{4} \dots$. 4.79
36×16	. 3.88
36×18	. 4.00
36×20	. 4.21
36×24	. 4.45
36×26	
36×28 $3. 4\frac{1}{2} \times 5. 2\frac{1}{4}$	
36×30	
$36 \times 323. 4\frac{1}{2} \times 5.10\frac{1}{4}$. 4.98
40×20	. 4.46
40×24	. 4.70
40×26 $3. 8\frac{1}{2} \times 4.10\frac{1}{4}$	
40×28 $3. 8\frac{1}{2} \times 5. 2\frac{1}{4}$	
40×30	. 5.06
40×32 $3. 81/2 \times 5.101/4$	
/ 4 / 1	

K. D. "Twins"-Double the List then add \$0.35

K. D. "Triples"-3 Times the List then add \$0.90

FOR SETTING UP

Add to List of any size frame:

Single, \$0.82; Twin, \$1.50; Triple, \$2.47

For Description of Frames, see Page 120

"UNIQUE WINDOW BALANCES

Does Away with the Old-Style Sash Weights and Cord



Ploughing Stock Windows for Unique Balances (Ploughing only)38

To install, first fit window to frame and then groove the stiles in center full length 5/8" wide, 3/4" deep.

Balance set in groove as shown.

Note: Use Type B for all windows 40 lbs. or less.

(Type C)

Per Set	of Gla	ass I	er Set of
4 Balanc	es Heis	ghts 4	Balance
(Type B)		Type C)
\$2.36	12	2"	
2.36	14	t‴	4
2.36	15	5"	*******
2.36	16	5"	\$3.23
2.36	18	3"	3.23
2.36	20)"	3.23
2.36	22	2"	3.23
2.36	24	t"	3.23
2.36	26	j"	3.23
2.85	28	3"	3.23
2.85	30)"	3.23
2.85	32	2"	3.60
*******	34	<i>"</i>	3.96
*******	36	·"	4.35

Note: Above sizes of balances to be used on all windows ranging in width from 16" Glass to 40" Glass.

Porch Work Stair Work

Mouldings

LINEAL FRAME STOCK

"CLEAR" WHITE PINE

	Per 100
	Lin. Ft.
Fr. House Window Sill—15/8x7	\$34.50
Plank Window Sill—15/8x7	. 34.50
Plank Window Sill—23/4x7	. 62.10
Reveal Window Sill—15/8×7	. 34.50
Reveal Window Sill—23/4x7	. 62.10
Bed Moulding—3/4x13/4	. 3.51
Plank Moulding 3/4×13/4	. 3.51
Reveal Moulding-116x13/4	. 5.73
Drip Cap—1 \$2x21/2	. 7.79
Parting Bead—3/8 x 7/8	. 1.30

FOR PHILADELPHIA STYLE

"BAY" FRAMES

USE REVEAL WINDOW FRAME LIST-

PAGES 117 AND 118

FOR FRAME HOUSE

BOX WINDOW FRAMES

USE PLANK FRONT WINDOW FRAME LIST—
PAGES 111 AND 112

USEFUL INFORMATION STUD OPENING FOR CASEMENT FRAMES

3

3

3

-

9

3

3

3

3

3

	Sing	Twin Frames	Triple
Glass Size	Frame	Frames	Frames
20 x 20	2. 6 x 2. 6	.4.103/4 x 2. 6.	$.7.3 \times 2.6$
20 x 24	2. 6 x 2.10	$.4.10\frac{3}{4} \times 2.10.$	$1.7.3 \times 2.10$
20 x 30	2. 6 x 3. 4	$.4.10\frac{3}{4} \times 3.4.$	$.7.3 \times 3.4$
20 x 36	2. 6 x 3.10	$.4.10\frac{3}{4} \times 3.10.$	$.7.3 \times 3.10$
		$.4.10\frac{3}{4} \times 4.4.$	
		$.4.10\frac{3}{4} \times 4.10.$	
		.5. $6\frac{3}{4} \times 2$. 6.	
		.5. $6\frac{3}{4} \times 2.10$.	
		.5. $6\frac{3}{4} \times 3$. 4	
		.5. $6\frac{3}{4} \times 3.10$.	
		$.5. 6\frac{3}{4} \times 4. 4.$	
		.5. $6\frac{3}{4} \times 4.10.$	
		.6. $6\frac{3}{4} \times 2$. 6.	
		.6. $6\frac{3}{4} \times 2.10$.	
		$.6. 6\frac{3}{4} \times 3. 4.$	
		.6. $6\frac{3}{4} \times 3.10$.	
		$.6.6\frac{3}{4} \times 4.4.$	
30 x 48	$3. 4 \times 4.10$	$.6. 6\frac{3}{4} \times 4.10$	$.9.9 \times 4.10$

TO COMPUTE WALL OPENING for PLANK FRONT CASEMENT FRAMES

use scale shown above, and:

- On Sing: Add 1" to width; deduct 1/2" from height.
- On Twins: Deduct 1" from width; deduct 1/2" from height.
- On Trips: Deduct 21/2" from width; deduct 1/2" from height.

TO COMPUTE WALL OPENINGS for REVEAL CASEMENT FRAMES

Use scale shown above, and:

- On Sing: Deduct 1" from width; deduct 11/2" from height.
- On Twins: Deduct 3" from width; deduct 11/2" from height.
- On Trips: Deduct 41/2" from width; deduct 11/2" from height.

WALL OPENING: CELLAR FRAMES

8	x	10-3	Lights.		 		i							2.		8	x	1.	-	6
8	x	12-3	Lights.		 				,					2.		8	x	1.	1	8
8	x	14-3	Lights.		 	 ٠								2.		8	x	1.	10	0
8	x	16-3	Lights.		 		٠							2.		8	x	2.	- (0
9	x	12-3	Lights.		 									2.	1	1	x	1.	- {	8
9	x	143	Lights.		 									2.	1	1	x	1.	1	0
9	x	16-3	Lights.		 								۰	2.	1	1	x	2.	(0
10	$\bar{\mathbf{x}}$	12-3	Lights.		 									3.		2	x	1.	- {	8
10	x	14-3	Lights.											3.		2	x	1.	11	0
10	x	16-3	Lights.		 									3.		2	x	2.	(0

Work &_ Stair Work

Porch

Mouldings

Cabinet

USEFUL INFORMATION STUD OPENING FOR FRAMES

2 LIGHT

Size of Glass	Sing. Frame	Twin Frame	Triple Frames
Glass 16 x 18. 18 x 18. 20 x 16. 20 x 18. 20 x 20. 20 x 24. 20 x 26. 20 x 30. 20 x 32. 24 x 16. 24 x 24. 24 x 24. 24 x 24. 25 x 26. 26 x 20. 26 x 20. 26 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 30. 27 x 24. 28 x 26. 29 x 28. 20 x 20. 28 x 24. 28 x 26. 29 x 28. 20 x 28. 20 x 28. 21 x 28. 22 x 28. 23 x 28. 24 x 28. 25 x 28. 26 x 28. 27 x 30. 27 x 28. 27 x 28. 27 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 20. 27 x 24. 27 x 26. 27 x 28. 27 x 30. 27 x 24. 27 x 26. 27 x 28. 27 x 30. 27 x 28. 28 x 26. 28 x 26. 28 x 28. 28 x 28. 28 x 28. 28 x 28.	Frame .2. 2½ x 3.11 .2. 4½ x 3.11 .2. 6½ x 3.11 .2. 6½ x 3.11 .2. 6½ x 4.3 .2. 6½ x 4.11 .2. 6½ x 5.3 .2. 6½ x 5.7 .2. 6½ x 5.7 .2. 6½ x 5.11 .2. 6½ x 6.3 .2.10½ x 3.7 .2.10½ x 3.7 .2.10½ x 4.11 .2.10½ x 4.11 .2.10½ x 5.7 .2.10½ x 5.11 .2.10½ x 5.3 .2.10½ x 5.3 .3. 0½ x 4.3 .3. 0½ x 5.11 .3. 0½ x 5.11 .3. 0½ x 5.3 .3. 0½ x 4.3 .3. 0½ x 4.11 .3. 0½ x 5.7 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 4.11 .3. 0½ x 5.7 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 5.11 .3. 0½ x 5.7 .3. 0½ x 5.11 .3. 0½ x 5.7 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 5.11 .3. 0½ x 6.3 .3. 0½ x 6.3 .3. 0½ x 4.11 .3. 1½ x 5.7	Frame .4.4½ x 3.114.8½ x 3.115.0½ x 3.175.0½ x 3.115.0½ x 3.115.0½ x 4.115.0½ x 5. 75.0½ x 5. 75.0½ x 5. 115.0½ x 5. 115.8½ x 3. 115.8½ x 3. 115.8½ x 5. 75.8½ x 4. 35.8½ x 5. 115.8½ x 5. 115.8½ x 5. 116.0½ x 5. 36.0½ x 4.116.0½ x 5. 116.0½ x 5. 36.0½ x 4.116.0½ x 5. 116.0½ x 5. 12	Frames 6.61/2 x 3.11 7.01/2 x 3.11 7.61/2 x 3.7 7.61/2 x 4.3 7.61/2 x 4.3 7.61/2 x 5.3 7.61/2 x 5.1 8.61/2 x 5.1 8.61/2 x 4.3 8.61/2 x 4.3 8.61/2 x 4.3 9.01/2 x 4.3 9.01/2 x 5.3 9.01/2 x 5.3 9.01/2 x 5.3 9.01/2 x 5.3 9.01/2 x 5.1 9.01/2 x 5.3 9.01/2 x 5.3 9.01/2 x 5.1 9.01/2 x 5.3 9.01/2 x 5.3 9.01/2 x 5.1 9.01/2 x 5.3
30 x 26. 30 x 28. 30 x 30.	3. $4\frac{1}{2} \times 5$. 3 3. $4\frac{1}{2} \times 5$. 7 3. $4\frac{1}{2} \times 5$. 11	$6.8\frac{1}{2} \times 5.3$ $6.8\frac{1}{2} \times 5.7$	$10.0\frac{1}{2} \times 5.3$ $10.0\frac{1}{2} \times 5.7$ $10.0\frac{1}{2} \times 5.11$
30 x 32. 32 x 24. 32 x 26.	3. $6\frac{1}{2} \times 5$. 3	$0.6.8\frac{1}{2} \times 6.3.$ $0.7.0\frac{1}{2} \times 4.11.$ $0.7.0\frac{1}{2} \times 5.3.$	$10.0\frac{1}{2} \times 6.3$ $10.6\frac{1}{2} \times 4.11$ $10.6\frac{1}{3} \times 5.3$
32 x 28. 32 x 30. 32 x 32.	3. $6\frac{1}{2} \times 5$. 7 3. $6\frac{1}{2} \times 5$.11 3. $6\frac{1}{2} \times 6$. 3	$7.0\frac{1}{2} \times 57$ $7.0\frac{1}{2} \times 5.11$ $7.0\frac{1}{2} \times 63$	$10.61/2 \times 6.3$
36 x 26.	$3.10\frac{1}{2} \times 5.3$ $3.10\frac{1}{2} \times 5.7$	$1.7.8\frac{1}{2} \times 4.11$	$11.6\frac{1}{2} \times 5.3$ $11.6\frac{1}{2} \times 5.7$
36 x 32.	$3.10\frac{1}{2} \times 6.3$	$7.8\frac{1}{2} \times 6.3$	$11.6\frac{1}{2} \times 6.3$

NOTE:—FOR PLANK FRONT FRAMES AND REVEAL FRAMES, SEE OPPOSITE PAGE

USEFUL INFORMATION

TO COMPUTE WALL OPENING FOR PLANK FRONT FRAMES

Use scale shown on opposite page and ADD to the dimensions shown:

Add		Add	d	Add			
For	Sing.	For T	win	For Triple			
Fra	mes	Fran	es	Frame	es		
Width	Hgt.	Width	Hgt.	Width	Hgt.		
21/4"	13/4"	4"	.13/4"	6"	.13/4"		

TO COMPUTE WALL OPENING FOR REVEAL FRAMES

Use scale shown on opposite page and SUBTRACT from dimensions shown:

Sul	otract	Subtract						
For	r Sing.	For Twin						
Fr	ames	Fr	ames					
Width	Height	Width	Height					
21/4"	11/4"	3/4"	11/4"					

FOR TRIPLE FRAMES

SUBTRACT	from	height.	 	 	 	 .11/4"	

WALL AND STUD OPENING FOR DOOR FRAMES

	Frame Plan	nk
Door Size	House From	nt Reveal
2.6 x 6.6	.2. $8\frac{1}{2} \times 6.112.11 \times$	6.112. $9\frac{1}{2} \times 6.10$
2.6 x 6.8	.2. $8\frac{1}{2} \times 7$. 12.11 ×	7. 12. $9\frac{1}{2} \times 7$.
2.6 x 7.0	.2. $8\frac{1}{2} \times 7$. 52.11 x	7. 52. $9\frac{1}{2} \times 7$. 4
2.8 x 6.6	$.2.10\frac{1}{2} \times 6.113.1 \times$	$6.112.11\frac{1}{2} \times 6.10$
2.8 x 6.8	$.2.10\frac{1}{2} \times 7. 13. 1 \times$	7. 12.11 $\frac{1}{2}$ x 7.
2.8 x 7.0	$.2.10\frac{1}{2} \times 7.5.3.1 \times$	7. 5 2.11 $\frac{1}{2}$ x 7. 4
3.0 x 6.8	.3. $2\frac{1}{2} \times 7$. 13. 5 x	7. 13. $3\frac{1}{2} \times 7$.
3.0 x 7.0	.3. $2\frac{1}{2} \times 7$. 53. 5 x	7. 53. 31/2 x 7. 4

Porch Work & Stair

Mouldings

Work

BALUSTER STOCK



		W. P. Redwood
11/8 x 11/8	S4S\$2.18	.\$3.95\$2.18
13/8 x 13/8	S4S 3.14	. 5.51 3.14
$1\frac{3}{4} \times 1\frac{3}{4}$	S4S 5.15	. 9.47 5.15

STAIR BRACKET

Birch



Q-129 $_{16}^{5} \times 7\frac{1}{2} \times 10\frac{3}{4} \0.50 4 x 4...\$14.08 per 100

CORNER BLOCKS

White Pine





PLINTH BLOCKS

White Pine, 4 x 8....Ea. \$0.22

THRESHOLDS



				Y. Pine	Oak
5/8	x	35/8	x 3.1Each	\$0.22	\$0.28 1/2
			Lineal Feetper ft.		
7/8	x	35/8	x 3.1Each	********	.36
			Lineal Feetper ft.		

FIR PORCH BALUSTERS







Q-118

	Per 100 Pieces			
	Q-117	Q-118		
11/8 x 11/8—28"	\$4.76	********		
11/8 x 11/8—32"	5.45	******		
11/8 x 11/8—36"	6.12			
13/8 x 13/8—24"	5.91	\$9.79		
13/8 x 13/8—28"	6.90	11.42		
13/8 x 13/8—32"	7.88	*******		
13/4 x 13/4—20"	******	11.28		
$1\frac{3}{4} \times 1\frac{3}{4} - 24'' \dots$	10.49	13.55		
$1\frac{3}{4} \times 1\frac{3}{4} - 28'' \dots$	12.24	15.81		
$1\frac{3}{4} \times 1\frac{3}{4} - 32$ "	13.98			

See other size Balusters on Pages 142 and 147

BEADED BALUSTER STOCK



(Redwood Only)

			Lin. Ft.
11/4	x 11/4	(118 x	l 1 to 1 t
11/2	$x 1 \frac{1}{2}$	(1 16 x	1 15)
2	x 2	(111 x	1 1 1 1 5

Porch Work & Stair Work

Mouldings

Per 100

PORCH COLUMNS

No. 1 FIR





No. 2217

No. 2214

No. 2215

COMPLETE WITH CAPS AND BASES

		Fir	Fir	Fir
		No. 2217	No. 2214	No. 2215
		Built Up	Built Up	Built Up
6 x	6— 6.0	\$4.38	********	
6 x	6— 8.0	5.37	\$4.70	*******
6 x	6— 9.0	5.84	*******	
8 x	8— 6.0	6.15	5.37	\$5.37
8 x	8— 8.0	6.90	6.68	6.68
8 x	8— 9.0	7.92	7.32	7.32
8 x	8—10.0	8.70		8.00
10 x	10— 6.0	7.79	6.80	6.80
10 x	10— 8.0	9.21	8.43	8.43
10 x	10— 9.0	10.41	9.27	9.27
10 x	10—10.0	11.76		********
12 x	12— 6.0	10.05	********	
12 x	12— 8.0	12.45	10.05	
12 x	12— 9.0	13.52		******
12 x	12—10.0	14.64		
			D	C-1

Per Col.

Splitting Columns	to Make PilastersAd	d \$1.13
Fluting Columns	Ad	d 4.50

CAPS AND BASES

Where only Shafts or extra Caps and Bases are Wanted.

				Allowance		Charge	
				Cap	Base	Cap	Base
For	6"	Col.	Column	\$0.20	\$0.43	\$0.33	\$0.71
For	8"	Col.	Column	.32	.61	.53	1.01
For	10"	Col.	Column	.43	.88	.72	1.46
For	12"	Col.	Column	.55	1.09	.92	1.82

PORCH NEWELS

No. 1 FIR BUILT UP



3

3

-

-3

7

3

3

No. 2227

8-4.0 \$3.60 10 x 10—4.0 4.62

No. 2224

8-4.0 \$3.60 10 x 10—4.0.... 4.62



No. 2224



No. 2227

PORCH NEWELS No. 1 FIR

No. 2221 No. 2222 4 x 4—4.0.... \$1.12 \$1.12

1.76 6 x 6-4.0..... 2.53 2.53

5 x 5-4.0....

2221



2222

No. 2200

2.53

3.51

3.95

4.39


5.06

5.69

6.33

PORCH POSTS

1.76



2200

Mouldings

PORCH RAIL

FIR



Q-A



Q-N

						Lin. Ft.
Q-A—Top Ra	il, $3\frac{5}{8}$ x $2\frac{5}{8}$	Rab.	for	13/4	Balusters	\$18.36
Q-NBottom	Rail, 25/8x2	25/8				13.77



Per 100 Lin. Ft.

Q-K-Top Rail, 25	/8 x 2 5/8 Rab.	for 13/8	or 13/4	
Balusters				
Q-C Bottom Rail,	25/8 x 25/8			13.77
Q-L-Bottom Rail,	25/8 x 1.5/8			7.62

HAND RAIL

FIR



Q-E




Q-F

					er 100 Lin. Ft.
Q-E—Hand	Rail,	15/8×25/8	 . ,		
Q-F—Hand	Rail,	15/8×15/8.	 	 	5.08

PORCH RAIL


FIR



Per 100 Lin. Ft

Q-H-Top Rail, 25/8x25/8 Rab. for 13/8 and 13/4

Balusters \$13.77



Per 100 Lin. Ft.

Q-1—Top Rail, 25/8x15/8..... \$7.62



Q-J

Per 100 Lin. Ft.

Q-J—Bottom Rail, 25/8x15/8.....\$7.62

Mouldings

Cabinet

QUIGLEY COLONIAL STAIRWAY



The above illustration shows a Colonial Stairway made up of members carried in stock by us. The Newels have dowels at the top to fit into holes bored in the volute, gooseneck and easement newel caps. For prices on separate units, see next pages.

COLONIAL STAIRWORK

No. 1



Q-6010 Rail
Q-4010 Newel
Q-7010 Starting Easing
Q-5020 Baluster

No. 2



Q-6010 Rail
Q-4050 Newel
Q-7035 Volute
Q-5020 Baluster
Q-8020 Starting Step

No. 3



Q-6010 Rail
Q-7090 Landing Return
Gooseneck
Q-5010 Baluster

No. 4



Q-6010 Rail
Q-4060 Newel
Q-7045 Turnout
Q-5040 Baluster
Q-8010 Starting Step

Mouldings

COLONIAL STAIRWORK COLONIAL HAND RAIL

BIRCH



All Stair Rail Crooks on following pages, carried to match Colonial Rail Q-6010

Q-6010 21/4 x 23/8

Grooving Straight Rail, add \$1.50 per order of 100 ft. or less

VOLUTES

BIRCH



Q-7030

Q-7035

Volute—Q-7030—Left HandEach, \$13.43 Volute—Q-7035—Right HandEach, 13.43

EASING TURNOUT

BIRCH





Q-7040

Q-7045

6

Easing Turnout—Q-7040—Left HandEach, \$7.69
Easing Turnout—Q-7045—Right HandEach, 7.69

COLONIAL STAIR CROOKS BIRCH



Starting Easing
See Illustration
No. 1, Page 135
Each\$6.29



90° Easing
Each\$4.53

Q-7014



Q-7012 Up Easing Each\$4.53



Q-7013 Overhand Each\$4.53



Q-7015
Easing Returned End
Each\$5.08



Q-7011
Quarterturr
Each\$4.25




Q-7016

Overhand Returned End
Each\$5.08

Mould-


COLONIAL STAIR CROOKS

BIRCH



Combination Gooseneck, no cap, for continuous rail.

No Landing Newel used.



Combination Gooseneck with cap. Used with Landing Newel.

COLONIAL STAIR CROOKS

BIRCH







Q-7075 1 Riser Q-7076 2 Riser

GOOSENECK WITH RIGHT OR LEFT TURN

Q-7070—1	Riser-Left Hand	Each,	\$10.15
Q-7071—2	Riser-Left Hand	Each,	11.68
Q-7075—1	Riser-Right Hand	Each,	10.15
Q-7076—2	Riser—Right Hand	Each,	11.68



Q-7080 | Riser Q-7081 | 2 Riser



Q-7085 1 Riser Q-7086 2 Riser

GOOSENECK WITH RIGHT OR LEFT CAP

Q-7080—1	Riser-Left HandEac	h. \$10.54
Q-7081—2	Riser-Left HandEac	h. 12.07
Q-7085—1	Riser-Right Hand Eac	h. 10.54
Q-7086—2	Riser-Right HandEac	h, 12.07

NEWEL CAPS WITH RAIL OPENINGS



Q-7019 Each

\$2.51



Q-7020 Each



Q-7021

Each \$4.61

Mould-

Cabinet Work

\$3.08

COLONIAL STAIR CROOKS BIRCH




Q-7096 | Riser Q-7097 2 Riser Gooseneck With Cap

Each

Q-7098 1 Riser.. \$7.30 Q-7099 2 Riser.. 8.86

Each Q-7096 1 Riser.. \$8.47 Q-7097 2 Riser.. 10.05



LANDING RETURN GOOSENECK 1 RISER ONLY

See Illustration No. 3, Page 135

Q-7090 ... Each, \$15.30

Q-7095 ... Each, \$15.30

Plain Cap



Q-7018 Each, \$1.92 Colonial Crooks Made to Match Hand Rail Q-6010 Only

Wall Rosette



Q-7017 Each, \$0.62

COLONIAL STARTING NEWELS BIRCH



Q-4040

3x3x3'-8"

\$5.46






Q-4030 3 1/4 x3 1/4 x3'-5" \$5.38

Q-4050 2 1/4 x 2 1/4 x 3'-5" \$4.30

COLONIAL LANDING NEWELS







Q-4045 3x3x5'-2" \$7.85




Q-4055 3x3x5'-9" \$8.24

ings

Cabinet Work

Mould-

COLONIAL BALUSTERS BIRCH



																			ŀ	'e	Birch
1 5		1 5		2 1.77																	\$45.00
16	X	18	X	21 .	٠	 ٠		 ٠	۰	•	٠.	٠	٠	٠	٠	 ٠	٠	٠	•		φ45.00
15	x	1 16	x	34".																٠.	48.00
1 16	$\bar{\mathbf{x}}$	1 15	x	36".																	49.68
1 5	x	1 5	x	39".																	51.28

See also Pages 129 and 147

COLONIAL STARTING STEPS



Colonial Scroll End Q-8020 (State Right or Left Hand)

Oak Trea	d Riser	and Cove.			\$13.73
Oak Trea	d Birch	Riser and	Cove	• • • • • • • • • • • • • • • • • • • •	13.73

Specifications:

Tread 116x111/4, Riser 3/4x63/4, Rise Overall 73/4"

COLONIAL STARTING STEPS



Colonial Bull Nose Q-8010 All Parts Reversible

		3'-6" Stair
Oak Tread	Riser and Cove	\$11.84
Oak Tread	Birch Riser and Cove	11.84

Specifications:

Tread 116x111/4-121/2"-Riser 3/4x65/8"



Q-8040

Quarter Circle, 1 End

All Parts Reversible

	'-6" Stair
Y. Pine Tread, Riser and Cove	. \$8.53
Oak Tread, Riser and Cove	. 10.34

Specifications

Tread 1 16x 111/4-Riser 3/4x63/4-Rise Overall 73/4"



Q-8060 Quartered Circle 2 Ends

	3'-6" Stair
Y. Pine Tread, Riser and Cove	. \$17.56
Y. Pine Tread, Riser and Cove	. 21.08

Specifications

Tread 1 16x111/4-Riser 3/4x63/4-Rise Overall 73/4"

Mould-

Work

COLONIAL STARTING STEPS



Half Circle, 2 Ends

3'-6" Stair

 Y. Pine Tread, Riser and Cove.
 \$21.65


 Oak Tread, Riser and Cove.
 25.77

Specifications:

Tread 116x111/4-Riser 3/4x65/8-Rise Overall 73/4"



No more wobbly Newels. Note how rigidly Newel is anchored to Starting Step by using Quigley Specially Constructed Riser.



SPECIAL CONSTRUCTION OF HALF CIRCLE RISER

STAIR WORK HALF CIRCLE STARTING STEPS



Q-8030 Half Circle, 1 End

For 4' Stairs or less

Reversible—either Right or Left Hand

3/4"x3/4" Scotia Moulding included

Specifications:

Tread 1 1/6 x 1 1 1/4 — Riser 3/4 x 6 5/8 — Rise Overall 7 3/4"

Half Circle End Starting Step is used with Box Newels
as shown on Page 147. Don't use in Colonial Stair.

NOSINGS

Finished full to size shown



Y. P. Oak
Q-8080—1½ x 1½ Return Nosing .. \$5.39 \$8.03
Q-8090—1½ x 3½ Landing Nosing, 15.38 22.04
Specified Lengths Add 10%

Per 100 Lineal Feet

OAK SCOTIA

5/8	x	3/4	x	3.0 Ead	ch		\$0.10
5/8	x	3/4	x	3.6 Eac	ch		.12
5/8	x	3/4	x	4.0 Eac	ch		.14
5/8	x	3/4	x	4.6 Eac	ch		.15
5/8	x	3/4	in	long le	ngths—per 100	lin. f	3.34

Mouldings

Cabinet

STAIR WORK





Q-113





Q-117

Q-111



Q-110

Q-112

STAIR RAIL

Per 100 Lineal Feet

						Fir	Oak
$2\frac{3}{4}$ x	31/2	Pat.	Q-109	Rab.	13/4"	\$18.36	\$54.00
25/8 x	25/8	Pat.	Q-109	Rab.	13/8"	13.77	51.00
$2\frac{3}{4} \times$	13/4	Pat.	Q-110	Rab.	11/8"	7.62	***********

STAIR SHOE

							Per	100 Linea	l Feet
							Fir	Oak	Birch
23/4	x	3/4	Pat.	Q-111	Rab.	13/4"	\$4.01	\$13.47	********
23/4	x	3/4	Pat.	Q-111	Rab.	13/8"	4.01	11.55	\$11.55
21/4	x	3/4	Pat.	Q-112	Rab.	11/8".	4.01	***************************************	********

STAIR FILLET

	Per	100 Linea	l Feet
•	Fir	Oak	Birch
16 x 13/4 Pat. Q-113	\$2.67	\$5.78	**********
18 x 13/8 Pat. Q-113	1.99	4.27	\$4.27
1/2 x 11/8 Pat. Q-113	1.81	,	***********

STAIR WORK



STARTING & LANDING NEWELS

Packed Separately in Dust-proof Cartons

		Birch	Y. Pine	Oak
Q-101	5 x 5 Base Newel	\$7.90	\$6.92	\$8.18
Q-101	6 x 6 Base Newel	9.17	7.85	9.01
	4 x 4 Landing Newel			
Q-103	5 x 5 Landing Newel	7.28	5.78	7.51
Q-105	4 x 8 Landing Newel	13.42	10.36	13.98

STAIR BALUSTERS


				Per 1	JU Pcs.	
				Oak	Fir	
-	$1\frac{1}{8} \times 1\frac{1}{8}$		-	*********	\$4.76	
	11/8x11/8			***************************************	5.45	100
	11/8x11/8	36" Pat.	Q-117	*********	6.12	
100	$1\frac{3}{8} \times 1\frac{3}{8}$			*******	5.91	1
	$1\frac{3}{8} \times 1\frac{3}{8}$			\$28.00	6.90	A
	$1\frac{3}{8} \times 1\frac{3}{8}$	30" Pat.	Q-117	28.00	7.88	
	$1\frac{3}{8} \times 1\frac{3}{8}$	32" Pat.	Q-117	29.00	7.88	
	$1\frac{3}{8} \times 1\frac{3}{8}$	36" Pat.	Q-117	31.00	8.86	1 4
	$1\frac{3}{4} \times 1\frac{3}{4}$	24" Pat.	Q-117	***********	10.49	-
88	13/4×13/4	28" Pat.	Q-117	35.65	12.24	
	$1\frac{3}{4} \times 1\frac{3}{4}$			42.66	13.11	
	$1\frac{3}{4} \times 1\frac{3}{4}$	32" Pat.	Q-117	42.66	13.98	
	$1\frac{3}{8} \times 1\frac{3}{8}$	28" Pat.	Q-118	46.85	11.42	
	$1\frac{3}{4} \times 1\frac{3}{4}$	28" Pat.	Q-118	55.67	15.81	
Q-117						Q-118

Other Size Balusters, see Pages 129 and 142

Mould-

Cabinet Work

STAIR WORK



OAK TREADS

Nosed-Sanded and Finished Full to size shown.

							-
1 16	x	91/2	x	3.0	Each	\$1.79	5
1 16	x	91/2	x	3.6	**	1.9	6
1 16	x	91/2	x	4.0	**	2.1	1
1 18	X,	91/2	x	4.6	4.4	2.45	2
1 16	x	101/2	x	3.0	4.4	1.80	0
1 16	x	101/2	x	3.6	**	2.0	1
1 18	x	101/2	x	4.0	4.4	2.3	7
1 16	x	101/2	x	4.6	4.4	2.7	3
1 16	x	111/2	x	3.0	* *		2
1 16	x	111/2	x	3.6	**	2.1	5
1 16	x	111/2	x	4.0	4.6	2.3	9
1 18	x	111/2	x	4.6	**	2.7	3

OAK RISERS

3/4	X	$7\frac{1}{2}$	x	3.0	Each	\$	50.77
3/4	x	$7\frac{1}{2}$	x	3.6	**		.87
3/4	x	71/2	x	4.0	**		.98
3/4	x	71/2	x	4.6	**	,	1.09

OAK QUARTER ROUND

Per 100 Lineal Feet

1/2	x	1/2	٠		۰	٠	٠	•			4	٠	۰	٠	 	 ٠	٠	۰	٠	• •		٠	۰		۰	•				٠	\$	2.	7	0	
1/2	x	3/4		۰	۰					۰					 			٠											٠			2.	7	0	
3/4	x	3/4	٠												 									٠								2.	7	0	

STAIR WORK



YELLOW PINE TREADS

Nosed and Finished Full to size shown

116	x	91/2	x	3.0	Each	\$1.35
1 16	x	91/2	x	3.6	**	1.52
1 16	x	91/2	x	4.0	***	1.66
1 18	x	91/2	x	4.6	**	1.74
1 16	x	101/2	X	3.0	***	1.45
1 18	x	101/2	x	3.6		1.64
116	x	101/2	x	4.0	**	1.82
1 16	x	101/2	x	4.6	**	2.00
1 16	x	$11\frac{1}{2}$	x	3.0	**	1.52
1 18	x	111/2	x	3.6	***************************************	1.71
1 18	x	111/2	x	4.0	**	1.94
116	x	111/2	x	4.6	***************************************	2.13

YELLOW PINE RISERS

3/4	x	73/4	х	3.0	Each	 \$0.54
3/4	x	73/4	x	3.6	4.4	 .61
3/4	x	73/4	x	4.0	4.6	 .71
3/4	x	73/4	x	4.6	6.6	 .79

YELLOW PINE QUARTER ROUND

Per 100 Lineal Feet

1/2 x	3/4 or 3/	4 x 3/4		\$1.43
-------	-----------	---------	--	--------

Mould-

Cabinet Work

SPECIAL MILLWORK COSTS ON STAIRWORK

Grooving Risers to receive Tongue on Tread	\$0.15
Working Tongue on Treads	.15
Mitering and Dovetailing Treads	.60
Dovetailing Balusters	.15

Add the above Millwork charges to the regular Tread and Riser Lists on previous pages.

Price Each Yellow Pine Oak

Return	Nosing	s Mitered	and	l Glued	\$0.45	\$0.54
Return	Scotia	Mitered	and	Glued	.24	.33

Note:-The above prices include material.

In ordering Dovetailed Treads and Risers,
please state size of rough carriage and whether
right or left-hand stairway.

WHITE PINE LINEAL SASH STOCK

Random Lengths—Ovolo Sticking
For Sash—11/8" Thick—3/16" Rabbet



Per 100 Lineal Feet
Bar 3/4 x 11/8" \$2.28



Munt 11/8 x 13/8 .. 4.76



Stile 11/8 x 2 1/6 7.79




Rail $1\frac{1}{8} \times 3\frac{7}{16} \dots 11.16$ Rail $1\frac{1}{8} \times 4\frac{7}{16} \dots 13.70$


For Sash-13/8" and 13/4" Thick-3/16" Rabbet



Bar 3/4 x 13/8 \$2.64 Bar 3/4 x 13/4 3.51




Stile $1\frac{3}{8} \times 2\frac{7}{16}$ \$9.35 Stile $1\frac{3}{4} \times 2\frac{7}{16}$ 13.16



For 1 1/8" Sash
Top Check 1 1/4 x 1 3/8...\$5.51
Bot. Check 1 1/4 x 1 3/8... 5.51

For 1 3%" Sash
Top Check 1 1/4 x 1 5/8...\$6.51
Bot. Check 1 1/4 x 1 5/8... 6.51



Rail $1\frac{3}{8} \times 3\frac{7}{16}$ \$13.40 Rail $1\frac{3}{4} \times 3\frac{7}{16}$ 19.34 Mouldings

Cabinet Work

WHITE PINE AND FIR CASINGS



Price per 100 Lineal Feet

W. P. Fir Q-102.....34 x 3 5/8 \$8.15 \$4.57



Q-102½ ... 3/4 x 35/8 ... \$8.15 Q-101... 3/4 x 45/8 ... 10.02









WHITE PINE AND FIR MOULDINGS STOPS



Price per 100 Lineal Feet W P Fi

			vv . I .	FIF
Q-1681/2	x	11/8	 \$1.92	
$Q-103\frac{1}{2}\frac{1}{2}$	X	13/8	 2.27	\$1.73
Q-1031/2	x	15/8	 2.67	2.32



Q-1691/2	x	11/8	 \$1.92	



Q-1971/2	x	11/8	 \$1.92	
Q-1961/2	x	13/8	 2.27	
Q-1951/2	x	15/8	 2.67	******



Q-137 ¹ / ₂	x	11/8	S4S	 \$1.92	*
Q-1381/2					*******
Q-1391/2	х	15/8	* *	 2.67	

SASH BEAD



Q-1095/8	x	7/8		\$1.74	\$1.23
$Q-109\frac{1}{2}\frac{1}{2}$	X	3/4		1.31	
			,		1.56
Q-1621/2	x	13/8		2.27	

PARTING BEAD



Q-1583/8 x	3/4	\$1.10
		1.31 \$1.10
$Q-108\frac{1}{2} \dots \frac{1}{2} x$	3/4	1.31 1.23

WHITE PINE AND FIR MOULDINGS

BACK BANDS



Price per 100 Lineal Feet W. P.

Q-1071/2

Q-147

Q-107

		, ,		1.56
Q-107 11/8	x	11/8	 3.95	

CABINET HEAD Q-105

FILLET



Q-106




1.88

STOOL



 $Q-110....1\frac{1}{8} \times 3\frac{1}{4} \dots$ \$10.46 \$7.16



 $Q-110\frac{1}{2}...\frac{1}{8} \times 3\frac{5}{8} \dots$ \$11.85

WINDOW GROUNDS



Q-8303/4	x	15/8	 \$3.17	\$2.47
Q-8313/4	x	25/8	 5.97	3.71
Q-8323/4	x	31/2	 7.65	5.35
Q-8333/4	x	51/2	 11.46	7.46

WHITE PINE AND FIR MOULDINGS

Price per 100 Lineal Feet W. P. Fir

BASE MLDG.

SHOE MLDG.





Q-1	1	1	1/2
Q-	1	1	1

0-148

Q-1111/23/4	X	11/8
Q-1113/4	x	13/8
Q-1485/8	x	3/4

4	2.20	
	2.64	
	1.53	

\$2.15

\$2.47

LIP MOULDINGS





Q-112 Q-1121/2

Q-123

Q-1123/4	x 13/43/4
Q-1121/2 3/2	$x 1 \frac{3}{4} \dots \frac{1}{2}$
O-123 3/	v 13/4 3/4

QUARTER ROUND



			Y	/	
Q-167	1/4 x	1/4			

2	1	74	 ψ0.10	
Q-1131/2 1/2	x	1/2	 .96	\$1.23
Q-163 1/2	x	3/4	 1.31	1.23
Q-165 5/8	x	5/8	 1.35	
Q-113 3/4	x	3/4	 1.61	1.23
Q-125 7/8	x	7/8	 2.16	*******
			 3.95	

COVE MOULDING




 $Q-127.....3/4 \times 3/4$ \$1.61 \$1.23

WHITE PINE AND FIR MOULDINGS

CROWN MLDGS.

Price per 100 Lineal Feet W. P. Fir







Q-114	3/4 x	13/4	 \$3.51	\$2.47
Q-115	3/4 x	25/8	 5.97	********
Q-116	3/4 x	23/4	 6.12	3.71
Q-117	3/4 x	35/8	 8.15	4.94
Q-118	3/4 x	41/4	 9.09	5.88
Q-119	$\frac{3}{4}$ x	51/4	 10.95	

SPRUNG COVE

PLANK





Q-188	3/4	x	13/4	 \$3.51	
Q-124	3/4	x	13/4	 3.51	\$2.47

WATER TABLE





Q-120	3/4	x	13/8	 	\$2.64
$Q-120\frac{1}{2}1$	5/8	x	15/8	 	8.90

WHITE PINE AND FIR MOULDINGS

Price per 100 Lineal Feet

BATTEN

DOUBLE EDGE MLDG.





Q-121		
Q-122		

0-	133		

Q-1331/2 Q-170

Q-121	3/4 x	15/8	 \$3.17	
Q-122	7 X	3/4	 1.20	*******
Q-133	$1/2 \times$	21/4	 3.51	\$3.09
Q-1331/2	1/4 x	13/8	 1.35	*******
Q-170	1/2 x	13/4	 2.84	*******
Q-170				*******

GLASS BEADS





Q	-128 -130 -185		Q-129 Q-128½ Q-129½ Q-186
28	3/8 x	$\frac{7}{16}$	 \$0.90
85	3/8 x	78	 .96
3.0	3/0 v	11	1.10

Q-130	78	X	16	٠	٠	 ٠		٠	٠	٠	٠	٠	٠	٠	1.10
Q-1281/2	16	x	75				 								.78
Q-186	3/8	$\bar{\mathbf{x}}$	$\frac{7}{16}$.90
Q-129	1/2	x	16		٠		 								1.14
$Q-129\frac{1}{2}$	3/4	x	3/4				 								1.61

MIRROR

O. G.

PANEL







Q-	1	3	1
~		-	

Q-	ĺ	3	2	
Q-	1	3	2	1/2
0-				

Q-173

Q-131 3/4	x	13/8	 \$2.64	*******
				\$1.85

Q-1321/2 11/8	x	13/4	 5.73	******
Q-173 5	x	13/8	 1.61	

WHITE PINE AND FIR MOULDINGS

Price per 100 Lineal Feet W. P. Fir

REVEAL MOULDINGS





Q-135		Q-142
Q-13511/8 x 1	3/4	\$5.73
Q-1421 16 x 1	3/4	5.73

DRIP CAP

NOSING & SCOTIA



Q-141 Q-141½



Q-141	3/4 x	21/	ź	\$5.33	\$3.41
			21/2		*******
Q-1431	1/8 x	2		6.44	

CORNER

CAP

PICTURE



Q-171



Q-172



LATTICE



Lattice S4S	$\frac{5}{16}$	\mathbf{x}	11/8	\$1.20
Lattice S4S	75 T0	x	13/8	1.38
Lattice S4S	$\frac{5}{16}$	x	1 3/4	1.64

WHITE PINE MOULDINGS

Price per 100 Lineal Feet W. P. Only

SCREEN MOULDINGS







Q-8139

Q-8611

Q-8075 Q-80751/₂ Q-8076

												~		
Q-8139	$\tilde{\overline{1}}_{\overline{6}}$	x	5/8	٠.	 	 			 					\$0.83
Q-8611														
Q-8075														
$Q-8075\frac{1}{2}$														
O-8076	300	v	5/0											83

ROUNDS

HALF ROUNDS









Q-1771/2 Q-178 Q-179 Q-180

			W. P. C	Unly
Q-17511/8	x	11/8	\$.	3.95
Q-17613/8	x	$1\frac{3}{8}$		5.51
Q-17713/4	x	1 3/4		9.47
			=	1.10
Q-1781/2	X	1		1.71
Q-179 5/8	x	11/4		2.36
Q-180 3/4	x	15/8		3.17

W. P. "C" SELECT BOARDS S4S

3/4 2	13/. \$	4 8	
74 A	174-5.	т. Б.	
3/4 x	$2\frac{5}{8}$ -S.	4. S.	 SEE
3/A X	31/2-S.	4. 8	 OLL:
2/	12/0	4 0	 NET PRICES
3/4 X	43/4-5.	4. 5.	
3/1 x	51/2-S	4. S.	 IN
3/4 X	$7\frac{1}{2}$ -S.	4. S.	 CURRENT
3/4 X	11/4-S.	4. S.	

WHITE PINE MOULDINGS

Price per 100

Continued Next Page

WHITE PINE MOULDINGS

Price p	
Lineal	
	\$1.61
Q-114—Bed Moulding (E. & C.), 3/4 x 13/4	3.51
Q-115—Bed Moulding (E. & C.), 3/4 x 25/8	5.97
Q-116—Crown Moulding, 3/4 x 23/4	6.12
Q-117—Crown Moulding, 3/4 x 35/8	8.15
Q-118—Crown Moulding, 3/4 x 41/4	9.09
Q-119—Crown Moulding, 3/4 x 51/4	10.95
Q-188—Sprung Cove, 3/4 x 13/4	3.51
Q-189—Sprung Cove, 3/4 x 21/4	4.95
Q-124—Plank Moulding, 3/4 x 13/4	3.51
Q-120—Water Table, 3/4 x 13/8	2.64
Q-1201/2—Water Table, 15/8 x 15/8	8.90
O-121—Batten Moulding, 3/4 x 15/9	3.17
O-122—Batten Moulding, 78 x 3/4	1.20
Q-133—D. E. Rabbet Strip, 1/2 x 21/4	3.51
Q-133½—D. E. Rabbet Strip, ¼ x 13/8	1.35
Q-170—D. E. Rabbet Strip, 1/2 x 13/4	2.84
Q-128—Glass Bead, 3/8 x 1/6	.90
Q-185—Glass Bead, 3/8 x 1/6	.96
Q-130—Glass Bead, 3/8 x 1/8	1.10
Q-1281/2-B. & C. Mldg. (Glass Bead 16 x 16)	.78
Q-186—B. & C. Mldg. (Glass Bead 3/8 x 1/6)	.90
Q-129—B. & C. Mldg. (Glass Bead $\frac{1}{2}$ x $\frac{9}{16}$)	1.14
Q-1291/2—B. & C. Mldg. (Glass Bead 3/4 x 3/4)	1.61
Q-131—Mirror Moulding, 3/4 x 13/8	2.64
Q-132—Brick Moulding (O. G.), 3/4 x 11/4	2.49
Q-190—Brick Moulding (O. G.), 3/4 x 13/4	3.51
Q-1321/2-Brick Moulding (O. G.), 11/8 x° 13/4	5.73
Q-173—Panel Moulding— $\frac{5}{16}$ x $1\frac{3}{8}$	1.61
Q-135—Phila. Reveal, 11/8 x 13/4	5.73
Q-142—Jersey Reveal, $1\frac{1}{16} \times 1\frac{3}{4}$	5.73
Q-141—Drip Cap (Water table) 3/4 x 21/2	5.33
O-1411/2—Drip Cap (Water table) $1\frac{3}{32} \times 2\frac{1}{2} \dots$	7.79
Q-143—Nosing and Scotia, 11/8 x 2	6.44
Q-171—Corner Moulding—1 x 1	3.60
Q-172—Cap Moulding—3/4 x 13/8	2.64
Q-174—Picture Moulding—3/4 x 15/8	3.17
Lattice S4S 16 x 11/8	1.20
Lattice S4S 16 x 13/8	1.38
Lattice S4S 15 x 13/4	1.64
8139—Clover Leaf, 16 x 5/8	.83
8611—Beaded, 1/4 x 3/4	.83
8075—Half Round, 1/4 x 1/6	.81
8075½—Half Round, ¼ x ½	.81
8076—Half Round, 16 x 5/8	.83
Q-175 —Round Rail—11/8 x 11/8	3.95
Q-176 —Round Rail—13/8 x 13/8	5.51
0-177 —Round Rail—13/4 x 13/4	9.47
0-1771/2—Half Round—3/8 x 3/4	1.10
Q-178—Half Round—1/2 x 1"	1.71
0-179 —Half Round—5/8 x 11/4	2.36
Q-180 —Half Round—3/4 x 15/8	3.17
, , , , ,	

Cabinet

See Patterns on Pages 152 to 159

FIR

All "Sanded" Finish Mouldings, Trim-Boards

Price per 100 Lines	al Feet
Q-150—Casing, 3/4 x 35/8	\$4.57
Q-102—Casing, 3/4 x 35/8	4.57
Q-103—Rabbet Strip, 1/2 x 15/8	2.32
Q-1031/2—Rabbet Strip, 1/2 x 13/8	1.73
Q-105—Cabinet Head, 11/8 x 21/4	5.14
Q-106—Fillet (Breast Bead) 7 x 11/8	1.56
Q-147—Back Band, 3/4 x 116—Sanitary	1.56
Q-1071/2—Back Band, 3/4 x 13/8—Moulded	2.15
Q-108—Parting Bead, 3/8 x 7/8	1.10
Q-1081/2—Parting Bead, 1/2 x 3/4	1.23
Q-109—Sash Bead, 5/8 x 7/8	1.23
Q-161—Sash Bead, 1/2 x 11/8	1.56
Q-110—Stool, 11/8 x 31/4	7.16
Q-111—Base Moulding, 3/4 x 13/8	2.15
Q-112—Lip Moulding, 3/4" Rab., 3/4 x 13/4	2.47
Q-113—Quarter Round, 3/4 x 3/4	1.23
Q-1131/2—Quarter Round, 1/2 x 1/2	1.23
Q-163—Quarter Round, 1/2 x 3/4	1.23
Q-114—Bed Moulding (E. & C.) 3/4 x 13/4	2.47
Q-116—Crown Moulding, 3/4 x 23/4	3.71
	4.94
Q-117— " 3/4 x 35/8	5.88
Q-124—Plank Moulding, 3/4 x 13/4	2.47
Q-127—Cove Moulding (Scotia), 3/4 x 3/4	1.23
Q-132—Brick Moulding (O. G.), 3/4 x 11/4	1.85
Q-133—D. E. Rabbet Strip, 1/2 x 21/4	3.09
Q-141—Water Table (Drip Cap), 3/4 x 21/2	3.41
Q-830—Window Grounds, 3/4 x 15/8	2.47
Q-831—Window Grounds, 3/4 x 25/8	3.71
Q-832—Window Grounds, 3/4 x 31/2	5.35
Q-833—Window Grounds, 3/4 x 51/2	7.46
$Q-191-3/4 \times 33/4 \text{ S.4.S.}$	3.85
Q-192—3/4 x 43/4 "	5.63
Q-193—3/4 x 51/2 "	5.96
Q-194—3/4 x 71/2 "	8.10
Q-196—3/4 x 91/4 "	11.34
Q-197-3/4 x 111/4 "	15.98

See Pages 152 to 159 for Designs Soft Old Growth Yellow Fir

YELLOW PINE Mouldings, Trim, Boards

	Price per 100 Lineal Feet
8642 3/4 x 35/8	Feather-Edge Trim \$6.17
8308 3/4 x 35/8	Sanitary Trim RIE 6.17
8084 3/8 x 13/8	Rabbet Strip 1.49
8085 3/8 x 15/8	
8398 3/8 x 11/8	Breast Bead 1.49
8060 3/4 x 7/8	Cove Moulding (Scotia) 1.35
8422 ½ x 3/4	Quarter Round 1.35
8065 3/4 x 3/4	Quarter Round 1.35
Q-1121/2 3/4 x 13/4	Lip Moulding 2.70
8036 3/4 x 11/4	O. G. " 2.03
8389 11/8 x 13/4	Cap " 5.22
8624 3/4 x 21/4	Crown " 3.38
8623 3/4 x 31/4	5.15
8013 3/4 x 45/8	
8269½ 1½ x 3¼	Sill Cap 8.53
3/4 x 33/4	S.4.S 4.20
3/4 x 43/4	
3/4 x 53/4	
3/4 x 73/4	
3/4 x 91/2	
3/4 x111/2	" 18.00
1 18 x 3 3/4	5.96
1 1 x 5 3/4	" 9.43
1 16 x 73/4	
$1\frac{1}{16} \times 9\frac{1}{2}$	S.3.S. & N.I.E 18.97
1 16 x 111/2	25.61

NOTE—All the above Mouldings are Standard "8000' Book Patterns, except Lip Moulding, which is same pattern as Q-112 on Page 155.


> Cabinet Work

CYPRESS

No. 1 "B" Finish Clear and All "Sanded" Finish Mouldings, Trim, Boards

		Price per 100 Lineal Feet
	* * * * * * * * * * * * * * * * * * * *	Cypress
Q-8308	$\frac{3}{4} \times \frac{35}{8}$	Sanitary Trim RIE \$6.17
Q-150	$\frac{3}{4} \times \frac{35}{8}$	Feather-Edge Trim 6.17
Q-8098	$1/2 \times 13/8$	Rabbet Strip 2.07
Q-8090	$1/2 \times 15/8$	Rabbet Strip 2.76
Q-8563	$\frac{3}{8}$ x $\frac{7}{16}$	Glass Bead 1.38
Q-8573	$\frac{3}{4}$ x $\frac{3}{4}$	B. & C. Mldg. (Glass Bead) 1.38
Q-8395	$\frac{7}{16} \times 1 \frac{1}{8}$	Breast Bead 1.52
Q-8060	$\frac{3}{4}$ x $\frac{3}{4}$	Cove Mldg. (Scotia) 1.38
Q-8065	$\frac{3}{4} \times \frac{3}{4}$	Qua. Round 1.38
Q-8422	1/2 x 3/4	Qua. Round 1.38
Q-8419	$\frac{3}{4} \times 13/4$	Lip Moulding 3/4" Rab 2.76
Q-8036	3/4 x 11/4	O. G. " 2.07
Q-8313	3/4 x 11/8	Back Band, San 1.73
Q-8016	3/4 x 13/4	E. & C 2.76
Q-8396	11/8 x 21/4	Cap Moulding 6.19
Q-82691/2	11/8 x 31/4	Sill Cap 8.65
Q-8010	$\frac{3}{4} \times \frac{23}{4}$	Crown Moulding 4.48
Q-8009	3/4 x 35/8	5.97
Q-8012	3/4 x 41/4	7.09
Q-832	3/4 x 3 3/4	Window Grounds 6.68
Q-834	7 x 55/8	Base 6.07
Q-835	$\frac{7}{16} \times 75/8$	" 8.11
Q-836	3/4 x 13/4	S. 4. S 2.63
Q-837	$\frac{3}{4} \times 2\frac{3}{4}$	
Q-839	3/4 x 3 3/4	" 5.18
Q-841	$\frac{3}{4} \times 4\frac{3}{4}$	
Q-843	$\frac{3}{4} \times \frac{5}{4}$	
Q-845	3/4 x 73/4	" 10.35
Q-848	$\frac{3}{4} \times 9\frac{3}{4}$	
Q-851	3/4 x113/4	

MANTELS



Q-2101

1

9

3

3

3

3

3

9

Q-2102

(Both above designs are identical except Pilasters)

Dimensions—Body 63" wide, 51" high; shelf 71/4" wide, 72" long. Wood opening, 48" wide, 361/2" high.

Specifications—Semi-KD, includes one mantel shelf; two pilaster sections put together; one breast apron cut to size; shelf mould, apron mould and brick mould cut to length but not mitered. All material accurately machined so that no fitting other than applying moulds is necessary in assembling. No return supplied. Not painted or stained.

Woods—Clear WP Pine. Can also be made in various other woods.

Packing-One complete mantel in a dustproof carton.

Cabinet

MANTELS



Q-2121

Dimensions—Body 63" wide, 51" high; shelf 71/4" wide, 72" long. Wood opening, 48" wide, 361/2" high.

Specifications—Semi-KD, includes one mantel shelf; two pilaster sections put together; one breast apron cut to size; shelf mould, apron mould and brick mould cut to length but not mitered. All material accurately machined so that no fitting other than applying moulds is necessary in assembling. No return supplied. Not painted or stained.

Woods—Clear WP Pine. Can also be made in various other woods.

Packing-One complete mantel in a dustproof carton.

Q-2121 \$20.98

MANTELS



Q-2135

Dimensions—Body 63" wide, 51" high; shelf 71/4" wide, 72" long. Wood opening, 48" wide, 361/2" high.

Specifications—Front of this mantel is COMPLETELY SET-UP. All material accurately machined so that no other fitting is required. No return supplied. Not painted or stained.

Woods-Clear WP Pine. Can also be made in various other woods.

9

9

9

9

Packing-One complete mantel in a dustproof carton.

Q-2135 \$33.60

KITCHEN DRESSERS



11/8" Front



No. 1

No. 2

WHITE PINE

			Glazed No. 2
2.0	x	8.0\$25.19	\$26.39
2.0	x	8.6	26.96
3.0	x	8.0	28.28
3.0	x	8.6 27.89	29.09
3.6	x	8.0	29.55
3.6	x	8.6	30.98
4.0	x	8.0	31.27
4.0	x	8.6	32.76
4.0	x	9.0 32.63	33.83

All Dressers Include:

2 Ends—No Back	1 Top Front
Drawers Assembled	Bottom Front
4 Top Shelves	4 Doors
1 Counter Shelf	Crown Moulding
1 Bottom Shelf	Slides and Pin Rails

NOTE—4.0 x 8.6 and 4.0 x 9.0 Dressers in Pat. No. 2 have 8 lights in each top door, whereas 8.0 ft. heights have 6 lights per door.

KITCHEN DRESSERS



1½" Front

No. 3 (Carton Packed)

These Dressers are made with 11/8" fronts, doors, sash and counter shelves. They are complete with three upper shelves, one lower shelf, two drawers, TWO ENDS, and GLAZED. Drawer slides, shelf cleats and crown moulding included. Each Dresser packed complete, one to a carton.

WHITE PINE

	Glazed
2.0 x 8.0 (Glazed with Wood Beads)	\$25.69
2.0 x 8.6 (Glazed with Wood Beads)	26.26
3.0 x 8.0 (Glazed with Wood Beads)	27.58
3.0 x 8.6 (Glazed with Wood Beads)	28.39
3.6 x 8.0 (Glazed with Wood Beads)	28.85
3.6 x 8.6 (Glazed with Wood Beads)	30.28
4.0 x 8.0 (Glazed with Wood Beads)	30.57
4.0 x 8.6 (Glazed with Wood Beads)	32.06
4.0 x 9.0 (Glazed with Wood Beads)	33.13

HANGING CLOSETS WHITE PINE




Q-4

A very useful Cabinet for almost any purpose. K. D. Semi-assembled. Furnished in clear, soft pine in the white. Includes 1 pr. Sash Doors (Rabbeted), front frame (put together), 4 shelves, shelf cleats and crown moulding. Two (2) ends.

Doors fitted. No hardware.

Glaz	zed
\$12.	.99
	.86

Carton Packed



Q-5

Like Q-4 it fulfills many requirements. Furnished in clear soft pine in the white. K. D. semi-assembled. Includes doors, front frame, 4 shelves, shelf cleats and crown moulding. Doors are fitted into opening. No hardware. No back. Two (2) ends.

Carton Packed

HANGING DRESSER WHITE PINE



. . .

•

•

•

•

•

9

9

•

9

9

Q-6

Easily assembled, 3'-2" wide, 3'-3" high, 81/2" deep overall. Doors and sides put together, balance K. D. Two adjustable shelves. No hardware. Carton packed.

Q-6 \$15.36

KITCHEN (WORK) CABINET WHITE PINE




Q-7

Includes counter top, 2 standards, 1 pair doors rabbeted, 2 drawers (Lipped fronts). No hardware. 4' wide, 3' high to top of counter, overall depth 181/2". Carton packed.

Q-7 \$13.28

CORNER CUPBOARD





Q-61

A new design suitable for small and medium sized dining rooms. Width across front 2.10, Height 6.101/2 to top of front. Made of Clear White Pine, Doors Glazed S. S. glass, set with wood stops, wood bars and packed in individual cartons. No hardware furnished.

Glazed	
 \$40.86	

Q-61-White Pine Semi-K. D.


CORNER CUPBOARD

9

9

9

9




Q-62

A beautiful design for large dining rooms. Furnished complete with back. Width across front 3.6½, Height 7.7½ to top of front. Made of Clear White Pine, Doors Glazed S. S. glass, set with wood stops, wood bars and packed in individual cartons. No hardware furnished.

Glazed

BREAKFAST SET DUTCH DESIGN



Q-46

"REGULAR"

A beautiful, substantial Dutch design with outline carving on one end.

Table top 26x48 inches. Seats are 54 inches long, 18 inches wide. This set is designed with ample leg room, so it is easy to get in and out of. It can be built into the wall or left movable. It is strong and sturdy, and very easy to assemble.


Packed in stout container, one to a carton.

Q-46—White	Pine	Semi-K. D.	Furnished with
four seat	ends a	and two table	ends \$22.14
Benches Only			Each 8.37

Table Only Each

9.02

BREAKFAST SET DUTCH DESIGN



Q-47

WITH "DIVISION PANEL"

There is a Big Opportunity for

TABLES AND SEATS
—for—


REFRESHMENT PARLORS

Division Panel 4'-6" High Otherwise Same Layout as "Regular"

Packed in stout container, one to a carton
Q-47—White Pine Semi-K. D. \$29.41

CUPBOARD DRAWERS

WHITE PINE




1.6 wide
1.4 long

6" deep

Lip Front

K. D.\$1.44 ea.

TURNED CORNER BEADS



 $1\frac{3}{8} \times 1\frac{3}{8}$, 4 feet long

BROOM CLOSETS WHITE PINE

Made in full ceiling heights of 8'-0", 8'-6", and 9'-0". 1'-6" wide, and 1'-0" deep.

Furnished in Clear Soft Pine, K. D. semi-assembled. In the white. Includes one standard, doors for upper and lower section (fitted), front frame (put together), two shelves and crown moulding. No hardware.


2-11/8" Doors, 11/8" Front, 1 End



Q-51

	Each
1.6 x 8.0	\$11.94
1.6 x 8.6	
1.6 x 9.0	12.95

INTERIOR COLUMNS



Columns
Complete with Caps and Bases

	Oak	Brown Ash	Cypress
6 x 6—6.0	\$10.00	\$9.50	\$9.30
8 x 8—6.0	11.25	10.50	10.15

Pedestals

No Base or Trim

	Oak	Cypress
2.0 x 2.1—11" K. D.	 \$11.74	\$9.55


Consisting of

3 Panels

1 Shelf

Moulding

IRONING BOARD CABINETS



Q-50

Wall opening 1'-2" wide, 6'-10" high. Made to line with 6'-8" door. Fits between studs, 16" on center. White Pine in the white, with laminated Fir Panels in door and back. No hardware, trim or pad included.

Packed separately in dust-proof containers.

Price Each \$7.25

IRONING BOARD CABINETS



4

4

4

9

4

0

2

.

9

.

9



Q-48 "ON - THE - WALL"

Q-49

Wall opening 1'-2" wide, 6'-10" high, inside depth 35/8". Ironing board 111/2" wide, 4'-4" long. Main board 11/8" thick. Set-up; three ply back, fits between 2x4 studs.

Sleeve and ironing board attached, including hardware. No casing; no hardware for swinging doors; not painted. Carton packed.

Q-49 Each \$8.47

Q-48

"On-the-Wall" Ironing Board. Size overall 1'-51/2" wide, 5'-8" high, projects 13/4" from wall. Ironing Board 3/4" thick. W. P. Pine set-up with mechanical hardware only. 3-ply Fir backs. Carton packed.

Q-48 Each \$7.48

TELEPHONE CABINETS



Q-58

Wall opening 1'-2" wide, 2'-10" high. Sets between studs 16" on center. White Pine in the white with laminated Fir Panel in door and back. NO hardware.

Packed separately in dust-proof containers.

Price Each \$5.80

MEDICINE CABINETS

WHITE PINE







Q-32

35/8" deep-No hardware.

Packed separately in dust-proof containers.

Q-31

Mirror	Wall		Glazed	Glazed Bev.
Size	Opening	Open	D. S. Mirror	Plate Mirror
12 x 16.	17 x 22	\$3.88	\$4.98	\$6.88
12 x 18.	17 x 24	4.18	5.35	7.53
14 x 18.	19 x 24	4.33	5.68	8.60
14 x 20.	19 x 26	4.44	5.95	8.28
16 x 20.	21 x 26	4.56	6.29	9.56

Q-32

Mirror Size		Glazed	Glazed Bev.
	Open	D. S. Mirror	Plate Mirror
14 x 14	\$6.60	\$7.80	\$10.05
14 x 16	6.96	8.31	10.71

METAL MEDICINE CABINETS



Q-34

VENETIAN CABINET

For those who prefer a Venetian Cabinet, with a decorative black frame around the mirror, no finer cabinet can be obtained. The corners of the frame are trimmed with chrome as shown, and the combination presents a very rich appearance. The mirror is nicely engraved with a flower and mitre design.

Specifications:

Mirror size: 16" wide, 24" high.

Wall opening: 131/2" wide, 171/2" high.

Overall dimensions: 16" wide, 24" high, 5" deep. Inside dimensions: 13" wide, 17" high, 4½" deep.

Glass shelves: 3 Shelves.

Net weight: 28 lbs.

0-34 \$15.75

METAL MEDICINE CABINETS



Q-35

Venetian Cabinet

Specifications


Wall opening: 133/4" wide, 181/4" high.

Overall dimensions: 16" wide, 24" high, 41/2" deep.

Mirror size: Venetian plate mirror, 16"x24". Shelves: Three bulb-edge crystal glass shelves.

Q-35 \$17.33

METAL MEDICINE CABINETS




Specifications

Wall opening: 133/4" wide, 181/4" high.

Overall dimensions: 16" wide, 20" high, 4½" deep. Mirror size: Plate glass Venetian mirror, 16"x20". Shelves: Three bulb-edge crystal glass shelves.

METAL MEDICINE CABINETS



Specifications

Q-33

Wall opening: 14" wide, 18" high.

Mirror size: Bevelled plate glass mirror, 12"x16".

Overall dimensions: 151/2" wide, 191/2" high, 41/2" deep.

Shelves: Two bulb-edge crystal glass shelves.

Q-33 \$9.45

Specifications

Q-37

Wall opening: 16" wide, 20" high.


Mirror size: Bevelled plate glass mirror, 14"x18".

Overall dimensions: 171/2" wide, 211/2" high, 41/2" deep.

Shelves: Two bulb-edge crystal glass shelves.

Q-37 \$10.40

BATH ROOM SEAT





Q-55

Wall opening 1'-2" wide, 2'-51/4" high, size overall 1'-61/2" wide, 2'-71/2" high. White Pine in the white with Fir panel in door and back. Set up. Complete with all hardware.

Carton packed.

Completely assembled—Hardware in place.

Packed separately in dust-proof containers.

Price each \$7.08

"SO EASY RE-MOV-ABLE" STEEL CLOTHES POSTS



4 serviceable hooks permit lines to be run in any direction.

"SO EASY RE-MOVE-ABLE" Steel Clothes Posts are easily identified by their 4-hook Silver Top.

Do not be induced to buy a post that is not galvanized; if merely painted it is sure to rust quickly.

No. 2 Galvanized Posts, complete with socket:-

1 Post 2.90

SASH CHAIN

Convenient package, containing 8 weight fasteners and 14 ft. galvanized chain (enough for one window.)

Per Pkg. \$0.54

ALSO


Lineal feet stock of No. 00 Coppered and Galvanized Sash Chain and Hooks.

Coppered Galv.
Per Lin. Ft. ... \$0.03 \$0.04
100-Ft. Bags .. 1.89 2.31



SCREEN DOOR CLOSERS





"ILCO," SR. Extra heavy (suitable for Combi-

Each

nation and Sash Doors..... \$1.68

HOW TO ARRIVE AT THE AMOUNT OF OAK FLOORING REQUIRED

To cover a certain space, figure the number of square feet, which means the width multiplied by the length, for instance, a room 12 feet wide by 15 feet long would contain twelve times fifteen or 180 square feet. Add to the square feet of surface to be covered the following percentages:

50% for	11/2"
37½% for	
331/3% for	21/4"
33½ % for3%" x	
25% for	2"
331/3% for1/2" x	11/2"
25% for½" x	2"

The above figures are based on laying flooring straight across the room. Where there are bay windows, hearths and other projections, allowance should be made for additional flooring.

For 18" use 8 penny Cement Coated Flooring brads.

For 3/8" use 3 penny Cement Coated finishing nails.

 The maximum distance between nails should be:

 For 1\frac{3}{8}" thickness.
 16"

 For 3\frac{3}{8}" thickness.
 8"

 For \frac{1}{2}" thickness.
 12"

STANDARD WEIGHTS AND COUNTS OF OAK FLOORING

.


.


•

18" x 21/4" 2,000 lbs. per 1,000 ft. Counted 1" x 3"
18" x 2" 1,900 lbs. per 1,000 ft. Counted 1" x 23/4"
18" x 11/2" 1,800 lbs. per 1,000 ft. Counted 1" x 21/4"
3/8" x 2" 1,000 lbs. per 1,000 ft. Counted 1" x 21/2"
3/8" x 11/2" 900 lbs. per 1,000 ft. Counted 1" x 2"
1/2" x 2" 1,200 lbs. per 1,000 ft. Counted 1" x 2"
1/2" x 11/2" 1,100 lbs. per 1,000 ft. Counted 1" x 2"
1/2" x 11/2" 1,100 lbs. per 1,000 ft. Counted 1" x 2"
1/2" 1,200 lbs. per 1,000 ft. Counted Face Counter 1,000 ft. Cou

TRELLIS

WHITE PINE






K. D. Set Up

Any of the Above Patterns...... \$1.13 \$1.28
In a convenient package

TRELLIS

WHITE PINE



K. D. Set Up

Any of the Above Patterns..... \$0.75 \$0.90

In a convenient package

GLASS

DAILY DELIVERIES AT CURRENT DISCOUNTS. COMPLETE STOCK OF:

LIBBEY-OWENS-FORD

AND

LUSTRAGLASS





A medium-gloss enamel, washable and waterproof, that gives to furniture, walls and woodwork that much desired "hand rubbed" effect without the expense of rubbing. Gives a satinlike finish that is restful to the eyes. This product comes in sixteen lovely, delicately toned tints; also black and white.

Kyanize

SUPER SERVICE PAINT

KYANIZE Super Service Paint is the best that money, skill and experience can produce. It is guaranteed to render the highest degree of satisfaction in outside house painting.

KYANIZE Super Service Paint is self-smoothing, dries with a weather-resisting film and covers exceptionally well. This product is guaranteed to give absolute satisfaction when properly applied.







A high quality, quick drying, transparent, self-smoothing color varnish. For finishing hardwood floors, furniture and woodwork where a transparent coat is wanted to bring out the beauty of the grain of the wood. Waterproof, requires no stirring and dries hard in four hours. Comes in eight beautiful rare wood shades; also natural.

Ayanize SELFEMOOTHING FLOOR ENAMEL



. . . .

Not an ordinary enamel. Waterproof, ammonia proof and washable KYANIZE Floor Enamel is equally efficient on wood, cement, concrete or old patternworn linoleum. A durable finish for outdoor porch or piazza floors and steps. Self-smoothing, easy to apply and comes in 16 attractive colors.

Kyanize

FLAT WALL FINISH

KYANIZE Flat Wall Finish is the superb finish for all walls of plaster, fibre board, metal or wood where a smooth, ridgeless surface is desired. This product hides stains and blemishes, flows freely under the brush and is self-smoothing.

KYANIZE Flat Wall Finish is waterproof and washable and dries overnight. Comes in ten unusually attractive colors. Others may be obtained by inter-mixing.







This enamel flows like cream under the brush, is self-smoothing and covers old or new surfaces like magic. Dries hard in four hours. For all kinds of furniture in kitchen, bedroom, bathroom or sun porch; also durable for walls and woodwork.

This line offers sixteen modern tints and colors; also black and white.

11 1/2" | 12" Exp. | Exp.

					_			
	=	Exp.				10		
covering capacity by square feet of Square and Thousand pack of Ned Cedar Sningles	4" 432" 5" 532" 6" 632" 7" 7332" 8" 832" 9" 932" 10" 1032" 11" 1	Exp. Exp. Exp. Exp. Exp. Exp. Exp. Exp.				90 95 100 105 110		
חוחס	10"	Exp.				100		
ar	. 2/1 6	Exp.				95		_
Ced	6	Exp.				06		
De	8 1/2 "	Exp.			157	85		
OF F	* 60	Exp.			148	80	-	
CK	1,42 "	Exp.		151	100 110 120 129 138 148	76		192
ed 1	7"	Exp.	red	141	129			179
sanc	" 2%	Zxp.	Square feet of surface covered	90 100 110 121 131 141 151	120		_	75 102 115 128 140 154 166 179 192
nou	9 9	xp.	ace	121	- 0 -			154
ם	7,2%	Cxp.	surif	110	100			140
an	5" 5	Xp.	et olf	00	Ī			-86
uare	1,2 %	xp.	re f	90	<u></u> -			- 5
DG.		жр.	Squia	80				02 1
10	3,,	жр. Е		09				1 52
Ice				~				
are								
nbs								
ρά				Li di				
CILY				l cov	:	:		:
apa				th wil	:	:		:
م م	LES			lengi	=	=		:
erin	SIZE OF SHINGLES			re (4 bundles) 16" length will cover) 18") 24"		(4 ") 16"
200	OF S		-	dles	:	:		:
	ZE			4 bur	(4	(3		4
	S			re (_	_)

The first bold figures in each line indicate standard exposure for roofs and second (also third) standard for sidewalls, as recommended and approved by the Shingle Branch of the West Coast Lumberman's Association.

242 | 259 | 275 | 290 | 306 | 323 | 339 | 355 | 371

140 | 154 | 167 | 180 | 192 | 205 | 218

One M

One Square (4 |

USEFUL INFORMATION

Size of Weights Required for Following Windows:

Size of	Glazed	Glazed	Glazed
Glass	S.S.	D.S.	Flor
16 x 18		31/2	31/2
	3 3½	4	. 4
	31/2	4	4
	$31/2$	4	4
	4	41/2	41/2
20 x 24	$4\frac{1}{2}$ $4\frac{1}{2}$	5	4 4½ 5 5
20 x 26	41/2	5	5
	5	51/2	6
	5½ 6	61/2	61/2
	4	41/2	41/2
	4	41/2	. 41/2
	41/2		51/2
	5	51/2	
24 x 26	51/2	6	6
24 x 28	6		61/2
	/ 4	$7 \dots 7 \dots 7 \dots 7 \dots 7 \dots \dots 7 \dots \dots \dots \dots \dots \dots \dots \dots$	714
			71/2
	-/4	6	6
		61/2	61/
		7	7 /2
26 x 30	7		$7\frac{1}{2}$
			8
		/ 4	$5\frac{1}{2}$ $6\frac{1}{2}$
			$\begin{array}{ccc} \cdot \cdot & 0 \frac{1}{2} \\ \cdot \cdot & 7 \end{array}$
27 x 28			71/2
			8
27 x 32	8	8½ 5½ 6½	81/2
28 x 20	5	$51/\sqrt{2}$	51/2
28 x 24	6	$\dots \qquad 61/2 \dots$	$6\frac{1}{2}$
28 x 26		/	7
28 x 28 28 x 30		71/2	71/2
		8 8½	81/2
			,
			. 7
	7	\dots $7\frac{1}{2}$ \dots	71/2
30 x 28		8	8 1/2
30 x 30	8	81/2	$8\frac{1}{2}$
	81/2	9	9
		71/2	71/2
		8 8½	81/2
		Q	9 2
32 x 32	9	9½ 8½	. 91/2
36 x 24	8	$$ $8\frac{1}{2}$	81/2
36 x 26	81/2		91/2
36 x 28	9	$\dots \dots 9\frac{1}{2}\dots$	
36 x 30	$10^{1/2}$	10	
36 x 32	10′~	101/2	10/2

FIBRE WALLBOARDS ATLAS BOARD

This board is constructed of long-fibered Spruce Wood Pulp and we recommend its usage where a high type of ceiling material is needed. Its tensil strength of 370 lbs. per square inch exceeds all other pulp wall boards. It is completely immersed in Gum Varnish Sizing, thus preparing both sides of panel for second coat of paint. ATLAS Board is carried in stock in all sizes from 4 x 6 to 4 x 12. Ten pieces per bundle.

BISON BOARD


BISON BOARD is painted on one side with a beautiful, velvety, apple green finish, thus eliminating the necessity of labor and painting cost. If a different color is desired, one coat is sufficient to do so. However, the original finish of BISON BOARD is very attractive.

ATLAS TILE BOARD

This board is stocked in both the square and oblong designs. It has a special glazed surface, which prepares it for the highest type of enamel or paint finish. ATLAS TILE BOARD has five heavily sized plys. Stocked in sizes from 4 x 6 to 4 x 12. Ten pieces per bundle.

FOR PRICES
SEE CURRENT SUPPLEMENT

FLOORING



Complete Stock of

•

•

OAK
MAPLE
YELLOW PINE

WALNUT LINES

CEDAR CLOSET LINING

See Current Price List

MAPLE DOWELS

All Dowels 36" Long

			FO.B. Glou.	Delv'd Your Wareh'se
18"—In	100	Lots		E
1/4"—ln	100	Lots	 CURRENT	E
⁵ / ₁₆ "—In	100	Lots	 Z	EM
3/8"—In	100	Lots	 R	7
16"—In	100	Lots	 5	F.
		Lots	Ö	SC
5/8"—In	100	Lots	 [T]	ш
3/4"—In	100	Lots	 SEE	SIC
1 "—In	100	Lots		PR

MEMORANDUM

Spiral Binding, Phila.
U. S. Pat. Nos. 1516932, 1942026, 1985776

INDEX

TINDEX			
Page	Page		
A	White Pine-		
Art-Ply 40	Combination 4-5		
Astragals 52	Cupboard41-58		
В	French70-72		
Balusters, Porch129	Front65 to 83		
" Stair 129-142-147	Garage 57		
" Stock128-129	Miracle 63		
Bath Seats	Panel59 to 64		
Blinds32 to 34	Sash65 to 69		
Breakfast Sets 174-175	Screen6-7		
Broom Closets176	Storm 73		
	Dowels, Maple198		
С	Dressers168 to 173		
Chain, Sash188	" Drawers176		
China Cabinets. 171 to 173	Drivers 38		
Closets168 to 173-176			
Clothes Posts187	F		
Colonnade	Fillet, Stair146		
Columns, Interior177	Fir Finish and		
" Exterior 130-131	Mouldings152 to 162		
Cord, Sash	Fir Panels40-56		
Corner Blocks176	Flooring189-197		
Cypress Finish and	Brick House. 110 to 119		
Mouldings164	Cellar101		
	Circle Head Door108		
D	Colonial Entrance		
Doors-	94 to 100		
Birch 87	Frame House, 102 to 109		
Brown Ash—	Half Circle 30		
1 Panel 85	Louvre 31		
2 Panel 86	Plain Rail109		
Chicken House 16	Quarter Circle 30 Stock		
Climax 62	Unique Balance		
Colonial	Frames120 to 122		
Entrance88 to 100 Combination 4-5	G		
Cupboard41-58			
Capboard	Glass 10		
Fir—	Glass Cutters 38 Glazier's Points 38		
French 51			
Front49 to 52	I		
Garage53 to 55	Information, Useful		
Mirror 45	125 to 127-189-194-195		
Panel42 to 44	Instructions2-3		
Sash44 to 48	Ironing Board		
Screen 6-7	Cabinets 178-179		

INDEX

R	INDEX		
Closers 188 Mouldings 159-161 Window 8-9 Shutters 35 to 37 Stairwork— Balusters 129-142-147 Brackets 128 Colonial 134 to 145 Fillet 146 Newels 141-147 Nosing 145 Mouldings 145 Moul	Page	Page	
Closers 188 Mouldings 159-161 Window 8-9 Shutters 35 to 37 Stairwork— Balusters 129-142-147 Brackets 128 Colonial 134 to 145 Fillet 146 Newels 141-147 Nosing 145 Mouldings 145 Moul	K	Door6-7	
Mouldings 159-161			
Kyanize	Kitchen Cupboards		
L Lattice	168 to 173-176		
Lattice	Kyanize192-193	Shutters35 to 37	
Lattice	I.		
Mantels		Balusters .129-142-147	
Mantels	Lattice		
Medicine Cabinets	M		
Newels	Mantels 165 to 167		
Nosing			
Nowels, Porch 131	312 0 000	Nosing145	
Nowels, Porch	Mouldings, Screen		
Newels, Porch			
Newels, Porch 131 131 131 131 131 131 141 147 141 147 145 145 145 146 146 146 146 145 145 146	27		
Stair 141-147 Nosing			
Stair 141-147 Nosing	Newels, Porch131		
Paints	" Stair141-147		
Paints	Nosing145	Costs 150	
Paints	P	Standard145 to 150	
Paints			
Plinth Blocks	Paints		
Posts, Clothes	Panels		
Pulleys 39 Putty 39 R Telephone Cabinets 180 Rail, Porch 132-133 Terms 2 Thresholds 128 Transoms 13 Transoms 13 Trellis 190-191 S U U Sash— U U U Back Puttying 11 Useful Information 125 to 127-189-194-195 Case and Cellar.13 to 17 W Wallboards 196 Chain 188 Weights 38 Gable 30 Weights 38 Weights 38 White Pine Finish and Mouldings .151 to 161 Windows, Phila 18 to 29 Window Balances .123 Y Yellow Pine Finish and		T	
Putty			
R Rail, Porch	Putty 39		
Rail, Porch			
Rail, Porch			
Stair 134 to 140-140 Risers	Rail, Porch132-133		
S Sash— Back Puttying 11 Bars 31 Case and Cellar 13 to 17 Chain 188 Cord 38 Gable 30 Hotbed 28 Priming 11 Pulleys 39 Stock 31-151 Storm 12 Weights 38 Screens— Cellar 13 Cunique Balances 123 Useful Information 125 to 127-189-194-195 W Wallboards 196 Weights 38 White Pine Finish and Mouldings 151 to 161 Windows, Phila 18 to 29 Window Balances 123 Y Yellow Pine Finish and	" Stair 134 to 140-146	Trems	
Sash— Back Puttying	Risers148-149	U	
Sash— Back Puttying	S		
Back Puttying 11 Bars 31 Case and Cellar.13 to 17 W Chain 188 Cord 38 Gable 30 Hotbed 28 Priming 11 Pulleys 39 Stock 31-151 Storm 12 Weights 38 Screens— Y Cellar 13 Yellow Pine Finish and	C 1		
Bars			
Case and Cellar.13 to 17 W Chain .188 Cord .38 Gable .30 Hotbed .28 Priming .11 Pulleys .39 Stock .31-151 Storm .12 Weights .38 Screens— .12 Cellar .13 Wallboards Yellow Pine Finish and Yellow Pine Finish and	Bars	125 to 127-189-194-195	
Chain 188 Cord 38 Gable 30 Hotbed 28 Priming 11 Pulleys 39 Stock 31-151 Storm 12 Weights 38 Screens— 7 Cellar 13 Yellow Pine Finish and	Case and Cellar. 13 to 17	W	
Cord 38 Wallboards 196 Gable 30 Weights 38 Hotbed 28 White Pine Finish and Mouldings 151 to 161 Pulleys 39 Windows, Phila 18 to 29 Stock 31-151 Window Balances 123 Weights 38 Screens— Yellow Pine Finish and		**	
Gable 30 Weights 38 Hotbed 28 White Pine Finish and Priming 11 Mouldings .151 to 161 Pulleys 39 Windows, Phila .18 to 29 Stock 31-151 Window Balances .123 Weights 38 Screens— Yellow Pine Finish and		Wallboards196	
Priming 11 Pulleys 39 Stock 31-151 Storm 12 Weights 38 Screens— Cellar 13 Yellow Pine Finish and	Gable 30	Weights 38	
Pulleys 39 Windows, Phila. 18 to 29 Stock 31-151 Window Balances 123 Weights 38 Y Screens— Yellow Pine Finish and			
Stock 31-151 Window Balances 123 Storm 12 Y Weights 38 Y Screens— Yellow Pine Finish and		Mouldings 151 to 161	
Storm	Pulleys 39	Windows, Phila18 to 29	
Weights 38 Y Screens— Cellar 13 Yellow Pine Finish and	Storm 12	Window Balances123	
Screens— Cellar		v	
Cellar			
	Cellar 13		
		Mouldings163	



